

Environmental Science Nano

rsc.li/es-nano



ISSN 2051-8153



PAPER

Melanie Kah, Thilo Hofmann *et al.*
Environmental fate of nanopesticides: durability, sorption and photodegradation of nanoformulated clothianidin



Cite this: *Environ. Sci.: Nano*, 2018, 5, 882

Environmental fate of nanopesticides: durability, sorption and photodegradation of nanoformulated clothianidin†

Melanie Kah, ^{*ab} Helene Walch ^a and Thilo Hofmann ^{*a}

A lot of research efforts are currently dedicated to the development of nano-enabled agrochemicals. Knowledge about their environmental behaviour is however scarce, which impedes the assessment of the new risk and benefits relative to currently used agrochemicals. With the aim to advance our understanding of the fate of nanopesticides in the environment and support the development of robust exposure assessment procedures, the main objectives of the study were to (i) investigate the extent to which three nanoformulations can affect the photodegradation and sorption of the insecticide clothianidin, and (ii) evaluate various approaches to estimate durability, a key parameter for the exposure assessment of nanopesticides. The nanoformulations increased the photodegradation half-life in water by a maximum of 21% relative to the conventional formulation. Sorption to soil was investigated by two methods and over time, and results show that sorption was increased by up to 51% and 10%, relative to unformulated clothianidin and the commercial formulation, respectively. Our results generally indicate that nanoformulations may have a greater impact on the fate of pesticide active ingredients than commercial formulations. It is important to note however that differences in fate parameters were generally very moderate, including in realistic worst-case conditions (high pesticide concentration and ionic strength). Our results collectively suggest that clothianidin was rapidly released from the nanocarrier systems and that the durability of the three nanoformulations would be short in water as well as in soil environments (including under realistic soil to solution ratio). The durability of nanoformulations after their application in the environment is an essential parameter that needs to be characterised for the development as well as for the evaluation of nano-enabled agrochemicals. This study illustrates how performances of nano-enabled products can be critically benchmarked against existing products to support an objective assessment of new environmental risks and benefits. In this context, the fate of the nanocarrier system is of great interest and should be the topic of further research.

Received 9th January 2018,
Accepted 21st February 2018

DOI: 10.1039/c8en00038g

rsc.li/es-nano

Environmental significance

Nanotechnology has the potential to support the development of more environment friendly agrochemicals and reduce the impact that agriculture has on the environment and human health. Very little is known about the environmental behaviour of nano-enabled agrochemicals, making the risks and benefits of the novel products difficult to assess relative to conventional agrochemicals. Focussing on photodegradation and sorption behaviour, we show how protocols in place within the pesticide assessment framework can be used to estimate the durability of nanopesticides in the environment. Results obtained under realistic worst-case scenarios for nanopesticides and non-nano counterparts can help regulators take informed decisions without having to systematically perform a comprehensive new nano-specific assessment.

Introduction

Applications of nanotechnology in agriculture are currently receiving a lot of attention, and novel nano-enabled agrochemicals are now being evaluated for market authorisation.^{1,2} Nanotechnology is often presented as having the potential to reduce the impact that modern agriculture has on human and environmental health, but the novel agrochemicals are also associated with fears related to the potential unwanted environmental impact through increased

^a Department of Environmental Geosciences and Environmental Science Research Network, University of Vienna, Althanstrasse 14, 5 UZA2, 1090 Vienna, Austria.

E-mail: Melanie.kah@univie.ac.at, thilo.hofmann@univie.ac.at

^b Commonwealth Scientific and Industrial Research Organisation (CSIRO), Waite Campus, Locked Bag No 2, Glen Osmond, SA 5064, Australia

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c8en00038g



Environ. Sci.: Nano, 2018, **5**, 882–889 | 883

mobility measurements using laser Doppler velocimetry (ZetaSizer Nano ZS, Malvern, U.K., operating at 633 nm). Backscattered light was observed at 173°, and the autocorrelation function was fitted using the cumulant method, assuming a refractive index of 1.5. The ζ -potential was calculated from the electrophoretic mobility using Smoluchowski's equation. Measurements were performed after 1:400 dilutions (by volume) of the nanoformulations either with deionised water, NaCl 190 mM or with 75 mM $\text{Ca}(\text{NO}_3)_2$.¹⁰ Measurements in the presence of fertiliser were also performed to represent the conditions occurring in the photodegradation and sorption tests (details about the protocols are provided in the ESI† together with Table S3).

The release rate of clothianidin from the polymer nano-carriers was measured using syringe filters (0.2 μm pore size, nylon, 25 mm diameter, Yeti Syringe Filters, Merz Brothers GmbH). Measurements were carried out at concentrations below and above the solubility of clothianidin, and in the presence or absence of fertiliser background. Suspensions of the nanoformulations were prepared at 6 and 600 mg L^{-1} of clothianidin and filtered without delay (within 5 min of preparation). The first 10 mL of filtrates were discarded; the subsequent fractions were collected and directly measured by high performance liquid chromatography (HPLC, see details below). Tests with solutions of non-formulated clothianidin indicated that there were no losses during the filtration procedure.

The influence of the fertiliser on the release rate was investigated with NFC (the formulation most prone to aggregation, see section on Characterisation). Suspensions were prepared following two protocols: either by the addition (i) of pure NFC in the fertiliser solution or (ii) of diluted NFC in deionised water. Clothianidin, NH_4 and P_2O_5 concentrations were approximately 80, 2000 and 6800 mg L^{-1} , respectively. The total concentration of clothianidin in the nanoformulations was determined after extraction with acetonitrile.

Clothianidin was quantified by HPLC, with a ZORBAX Eclipse XDB-C18 column (4.6 \times 150 mm, 5 μm pore size) maintained at 30 °C and with a flow rate of 1 mL min^{-1} . The mobile phase consisted of a mixture of deionised water and acetonitrile (starting with 100% water, increasing to 100% acetonitrile in seven minutes). Clothianidin eluted after 5.5 min, and was quantified at a wavelength of 269 nm based on calibration curves consisting of nine standards (0.1–15 mg L^{-1} in acetonitrile, $R^2 > 0.999$). The limits of detection and quantification were 0.02 and 0.08 mg L^{-1} , respectively.

Photodegradation experiments

Photodegradation rates of clothianidin in the different formulations were determined following the OECD guidelines¹¹ with slight modifications, and using an Atlas Suntest CPS+ equipped with a xenon lamp and an optical daylight filter (coated quartz filter) cutting off UV light at 290 nm. The irradiance was set to 65 W m^{-2} in the 300–400 nm range, which

corresponds to natural summer irradiance in Basel (Switzerland, 50° N latitude¹²). Clothianidin suspensions in transparent screw-cap HPLC vials were placed randomly in the ageing chamber and irradiated for up to 6 h. At six time intervals, samples were taken out of the chamber and immediately stored in the fridge. Controls wrapped up in aluminium-foil were also placed in the chamber in order to account for the possible effects of temperature on clothianidin degradation. At the end of the experiments, all samples were extracted with acetonitrile (1:1 by volume) and the amount of clothianidin remaining over time was quantified by HPLC (see section on Characterisation).

Photodegradation experiments were conducted to determine the effect of (i) clothianidin concentration (in the range 13.6–544 mg L^{-1}), and (ii) the presence of fertiliser. For the latter, concentrations were 136, 18 400, 62 560 and 184 mg L^{-1} for clothianidin, NH_4 , P_2O_5 and Fe, respectively, representing a foliar spray application scenario (see Table S4† for details on how concentrations were calculated).

The curves representing the concentration of clothianidin decreasing over time were fitted with a first-order kinetic model to determine the rate of photodegradation (k , day^{-1}) and DT_{50} (time required for 50% of the initial dose to be photodegraded). No degradation occurred in the dark controls, except for NFC at the highest concentration investigated (see Fig. S1†). Losses did not exceed 3% of the initial concentration over the duration of the experiment (6 h), but degradation was significant ($p = 0.022$) and probably due to hydrolysis⁷ promoted by the high pH (NFC 8.08 ± 0.02 at the highest concentration considered in the degradation test) and temperature (up to 70 °C in the chamber). Results for NFC were corrected on the basis of the degradation curve observed in the dark controls.

Sorption experiments

Sorption coefficients were determined by (i) a classical batch equilibrium method¹³ and (ii) a centrifugation method, which allows measuring sorption at realistic soil to solution ratios.^{14,15} Another objective of the sorption experiments was to determine the influence of fertiliser on the effect of formulation. Batch experiments are normally carried out in 0.01 M CaCl_2 background solution, which leads to the precipitation of CaPO_4 in the presence of fertiliser solution. Experiments were thus carried out either in deionized water or in fertiliser background solutions. Concentrations of clothianidin, NH_4 , P_2O_5 and Fe were 13, 320, 1088 and 3.2 mg kg^{-1} dry soil, respectively, and were chosen based on a realistic in-furrow application scenario (details are available in Table S4†).

For the batch experiments, 50 mL centrifugation tubes (PTFE, in triplicates) were filled with soil suspensions (10 g of soil and 19 mL of either deionised water or fertiliser solution), and pre-equilibrated overnight in the dark on a side-to-side shaker (125 rpm). Suspensions were then spiked with either 1 mL of clothianidin solution (130 $\text{mg clothianidin per L}$ in deionised water) or 0.1 mL of formulation (1300 mg



clothianidin per L in deionised water) + 0.9 mL deionised water. Triplicate blanks for each soil confirmed the absence of clothianidin background and triplicate controls for each formulation were used to determine the total concentration of clothianidin. The samples were equilibrated through side-to-side shaking at 125 rpm in the dark for 24 h and then centrifuged for 30 min at 4000g (based on preliminary tests following the OECD guidelines¹³). The pH values were measured before and after sorption, and concentrations of clothianidin in the supernatants were measured by HPLC (see section on Characterisation). Sorption coefficients (K_d , L kg⁻¹) were calculated by mass balance.

Sorption was also measured using a centrifugation method applied to soils incubated at 60% of their maximum water holding capacity (equivalent to a soil:solution ratio of approximately 4:1 for the Sand and 5:1 for the Loam). The equivalent of 120 g of dry soil was weighed into 250 mL glass bottles with screw caps (Schott Duran). The moisture content was adjusted close to the desired value by addition of either deionised water or fertiliser solution. After careful mixing, samples were pre-incubated for three days in the dark and at 4 °C. The soils were then spiked with either 12 mL of clothianidin solution (130 mg clothianidin per L) or 1.2 mL of formulation (1300 mg clothianidin per L) and adjusted to exactly 60% of their maximum water holding capacity by weighing. Samples were thoroughly mixed and incubated in the dark at 4 °C. The moisture content was maintained by regular addition of deionised water throughout the incubation period.

After one and seven days of incubation, 10 g samples were weighed into the filter inserts of centrifuge tubes (VectaSpin 20, 50 mL, Whatman International Ltd.). The original filter was replaced by a polycarbonate membrane with a pore size of 0.4 µm (Whatman) to retain the nanocarriers (based on size measurements, see section on Characterisation), and a glass microfiber filter with a pore size of 1.6 µm (Whatman GF/A, Ø 25 mm) to retain soil particles and avoid scaling of the membrane. Filters and membranes were pre-wetted with 0.1 mL of H₂O, and after the addition of the soil samples, the tubes were centrifuged for 30 min at 1500g, which applies a pressure of 200 kPa corresponding to the limit between “mobile” and “immobile” water.¹⁶ The volume of soil solution collected was about 0.2 and 1.0 mL for the Loam and Sand, respectively. The total concentration of clothianidin at one and seven days was determined from triplicate soil samples extracted with acetonitrile (10 g and 20 mL, respectively). After one hour side-to-side shaking at 125 rpm in the dark, the soil was left to settle down for one hour, and the supernatant was analysed by HPLC (see section on Characterisation). Recovery tests indicated a mean extraction efficiency of 103% (with a range of 93–113%). Sorption coefficients (K_d , L kg⁻¹) were calculated by mass balance.

Statistics

Statistical analyses, curve fits and graphs were produced using GraphPad Prism 6 (GraphPad Software Inc. 2016). The

significance level was set to $\alpha = 0.05$. In the graphs, significant differences are indicated by * and error bars represent standard deviations ($n = 3$).

Results and discussion

Characterisation of the nanoformulations

Hydrodynamic diameters and ζ -potentials measured in a range of background solutions are shown in Fig. 1 (details are presented in Table S3†). Time resolved measurements (not shown) indicate that hydrodynamic diameters increased rapidly upon mixing the formulation with the background solutions, probably due to polymer swelling (size increased generally by less than two-fold, Fig. 1a). After about 10 minutes, the size of the particles in the three nanoformulations ranged from 900 nm up to 1264 nm in deionised water, which greatly exceeds the currently proposed threshold to define nanoparticles by the European Commission (100 nm (ref. 17)). Most nano-enabled agrochemicals exceed the size threshold of 100 nm whereas commercial formulations can unintentionally contain entities <100 nm,^{4,18,19} which illustrates the difficulties associated with defining nanopesticides solely based on a size criterion.

Hydrodynamic diameters were generally slightly greater in the presence of electrolytes than in deionised water, which can be explained by specific interactions with ions and/or conformational changes of the polymers or stabilizing agents impacting the diffusion behaviour of the nanocarriers. Aggregation (indicated by diameters at least twice larger than in deionised water) occurred for all formulations in the conditions representing the photodegradation test (relatively high concentration of fertiliser) as well as for NFC in the presence of Ca(NO₃)₂.

Changes in hydrodynamic diameter and ζ -potential due to the addition of salts can provide information on the main mode of colloidal stabilisation. Unlike NFB and NFC, the ζ -potential of NFA dropped from -60 mV in deionised water to -15 mV in 0.1 mM NaCl, and the presence of 75 mM Ca(NO₃)₂ further reduced the ζ -potential of NFA to -3 mV (Fig. 1). Size measurements indicate that aggregation did not occur for NFA in any of the background solutions, which suggests that steric stabilisation dominated in NFA. The ζ -potentials of both NFB and NFC dropped to about -10 mV (low electrostatic stability) in the presence of Ca(NO₃)₂, but only NFC aggregated. NFC was thus probably solely stabilised through electrostatic forces, whereas the stabilisation of NFB also involved steric forces.

The colloidal characteristics of the three nanoformulations are similar to a series of nanopesticides previously studied by Kah *et al.*⁶ and loaded with the insecticide bifenthrin, a very hydrophobic and persistent insecticide. Comparing the behaviour of the two series of nanoformulation will indicate the respective roles played by the nanocarrier properties and the AI properties on the nanopesticide behaviour (see the section on Sorption).






Fig. 1 Hydrodynamic diameter (a) and ζ -potential (b) of three nanoformulations (NFA, NFB and NFC) and a commercial formulation (Com) of clothianidin, measured in a range of background solutions and in the conditions applied in the photodegradation and sorption tests (presence of fertiliser). The error bars represents the standard deviation for $n = 3$. On graph (a), the cross represents the first measurement upon mixing, and the bars are the average of three measurements at $t > 8$ min (see Table S3† for details).

Release of clothianidin from the nanocarriers

Measuring the release rate of clothianidin from the nanocarriers by filtration was unsuccessful. At concentrations below the solubility limit of clothianidin, there were no differences in concentration between the filtered and unfiltered samples. When the test was carried out at concentrations exceeding the solubility of clothianidin (up to 633, 656 and 1956 mg L⁻¹ for NFA, NFB and NFC, respectively), concentration in the filtrates ranged 297–315 mg L⁻¹, which corresponds to the water solubility of clothianidin.⁷ The results thus suggests that clothianidin was released from the nanocarriers very quickly upon dilution and that the association between clothianidin and the nanocarriers was mainly controlled by the solubility of the AI. The type of nanoformulations investigated was not designed for slow release purposes, but to increase tank-mix compatibility *e.g.* allowing the formation of homogeneous and sufficiently stable suspension with *e.g.* liquid fertilisers for combined application (personal communication). The durability of the AI-nanocarrier complex may be very limited in this case.

Photodegradation

Consistently with literature,^{20–22} photodegradation curves of clothianidin followed first-order kinetics ($0.97 < R^2 < 0.99$), from which DT₅₀ values were calculated (Fig. 2, all values are available in Table S5†).

In the water background, $0.92 < \text{DT}_{50} < 3.61$ h, which corresponds to the range of values previously reported for pure clothianidin.^{7,20,23} As frequently observed,^{24–27} DT₅₀ values increased as the concentration of clothianidin increased for all formulations and for the pure AI (about three-fold between the lowest and highest concentrations, $p < 0.0001$). The effect was not related to changes in pH (as pH increased with concentration in NFC and Com, but it decreased with concentration in NFA). The decrease in degradation with in-

creasing concentration of clothianidin was thus probably due to shading effects.

Nanoformulations discussed so far in the literature could either slow down^{28–31} or catalyse³² the photodegradation of the associated AI. The DT₅₀ of clothianidin generally followed the order AI < Com < NFB < NFA < NFC. Differences were generally not significant at the lowest concentration levels (all comparisons are graphically presented in Fig. S2†), but at concentrations close to and above the solubility limit, DT₅₀ values were significantly higher for the three nanoformulations than for Com, suggesting that the nanoformulations studied can exert a protective effect against photodegradation.

Compared to the results obtained in water, photodegradation was significantly slower in the fertiliser background (average DT₅₀ 5.9 h, black symbols in Fig. 2), probably due to light absorption (solutions with fertilisers were slightly coloured). Additional attenuation due to quenching or complexation with NH₄⁺ or Fe is also possible (both were present at relatively high concentration in the fertiliser solution). In the fertiliser background, the degradation rate




Fig. 2 Photodegradation half-lives of clothianidin (DT₅₀, hours) for the series of nanoformulations (NFA, NFB and NFC), the commercial formulation (Com) and pure clothianidin (AI). Tests were carried out across a wide range of concentrations either in water (coloured symbols) or in fertiliser background (black symbols). The dashed line indicates the water solubility of clothianidin (340 mg L⁻¹ (ref. 7)).



followed the order $AI = Com = NFB < NFA < NFC$, indicating that two out of the three NFs significantly accelerated the photodegradation of clothianidin in the presence of fertiliser (Fig. S2†). The mechanisms of clothianidin photodegradation have been studied²⁰ and mainly consist in radical denitration. The influence of ammonium, phosphate and iron has not been investigated up to now. The mechanisms that lead to the faster clothianidin degradation in NFA and NFC in the presence of fertiliser thus remain unknown.

Our initial hypothesis was that protection against photodegradation would occur as long as clothianidin is associated with the nanocarriers, leading to little or no protection in the low concentration range and greater protection in the high concentration range or in the presence of fertiliser. A protective effect was indeed observed at high concentration but a catalytic effect was observed in the presence of fertiliser (for NFA and NFC). There was no effect of the commercial formulation on photodegradation in any of the conditions investigated. The impact of nanoformulations on photodegradation was overall moderate, with a maximum increased of DT_{50} by 21% (NFC at the highest concentration) and maximum decrease by 24% (NFC with fertiliser) relative to the conventional formulation.

In cases where it is not possible to measure the release rate of an AI from a nanocarrier, the durability of a nanopesticide may be estimated indirectly through other kinetic phenomenon (as previously illustrated for degradation in soil⁶). The relatively small impact of the nanoformulations studied here on the photodegradation of clothianidin suggests that the release rate is likely to be fast when the formulation is diluted in an aqueous solution. Hence, the durability of the nanoformulation is expected to be relatively short (including at high concentration and high ionic strength). According to the scheme recently presented in Walker *et al.*,² an environmental exposure assessment based on the pure AI or a non-nano formulation would thus likely be adequate for the nanoformulations studied here.

Sorption

The sorption coefficients presented in Fig. 3 ($0.25 < K_d < 1.71 \text{ L kg}^{-1}$) are characteristic of clothianidin, which is con-

sidered to be moderately mobile in the environment.⁷ Sorption in the Loam was much higher than in the Sand probably due to the higher organic carbon and clay content of the Loam. A three-way analysis of variance performed on the data obtained from the batch, and centrifugation technique after 1 and 7 days clearly shows the dominant effect of the soil type on sorption coefficients (soil accounts for more than 90% of the variation).

Comparing data obtained by centrifugation after 1 day and 7 days (bars with diagonal and horizontal strips in Fig. 3, respectively) shows that sorption significantly increased over time in the Sand, but not in the Loam (statistical comparisons are presented in Fig. S3†). An increase in sorption with time of incubation has been frequently reported previously, including when applying the centrifugation technique used in the present study.^{14,15,33} It is typically explained by the slow diffusion of the sorbate into soil aggregates, organic matrices or particle pores.^{33,34} Sorption kinetics are expected to be slower in the Loam than in the Sand and it is thus not known why the increase in sorption over time was only visible in the Sand. The main objective when applying the centrifugation method over time was to evaluate the possibility of estimating the release rate of the AI from the nanocarriers. There were no clear differences in the sorption kinetics of the formulations relative to the pure AI, which can be interpreted as a short durability of the nanoformulations.

The batch and centrifugation methods generated significantly different sorption coefficients (plain and patterned bars in Fig. 3, respectively). In the Sand, K_d (batch) $>$ K_d (centrifugation), whereas in the Loam, K_d (batch) $<$ K_d (centrifugation). In the literature, greater sorption was often measured by batch, and this was explained by an increased availability of sorption sites due to the destruction of soil aggregates during vigorous shaking.^{14,15,33,35} The higher K_d values measured here by centrifugation in the Loam could be explained by a rapid uptake of spiking solution into soil aggregates, the impact of suspended soil colloids (artificially decreasing K_d values measured by batch), and/or precipitation of AI due to local exceedances of clothianidin solubility limit at high soil:solution ratios.^{14,15,33} Differences between the batch and centrifugation methods were independent from the type of formulation and




Fig. 3 Sorption coefficients (K_d , L kg^{-1}) measured by batch method (plain) and centrifugation method after 1 (diagonal strips) or 7 days (horizontal strips). Data obtained in water are in grey and with fertiliser, in green. Error bars represent standard deviation for triplicates (all values are available in Table S6†).



This journal is © The Royal Society of Chemistry 2018

- 4 M. Kah, S. Beulke, K. Tiede and T. Hofmann, *Crit. Rev. Environ. Sci. Technol.*, 2013, **43**, 1823–1867.
- 5 M. Kah and T. Hofmann, *Environ. Int.*, 2014, **63**, 224–235.
- 6 M. Kah, A.-K. Weniger and T. Hofmann, *Environ. Sci. Technol.*, 2016, **50**, 10960–10967.
- 7 K. A. Lewis, J. Tzilivakis, D. J. Warner and A. Green, *Hum. Ecol. Risk Assess.*, 2016, **22**, 1050–1064.
- 8 European Food Safety Authority, *EFSA J.*, 2016, **14**(11), 4606.
- 9 US EPA, *EPA Releases Four Neonicotinoid Risk Assessments for Public Comment*, <https://www.epa.gov/pesticides/epa-releases-four-neonicotinoid-risk-assessments-public-comment>, (accessed August 21, 2017).
- 10 OECD, *Test No. 318: Dispersion Stability of Nanomaterials in Simulated Environmental Media*, Organisation for Economic Co-operation and Development, Paris, 2017.
- 11 OECD, *Test No. 316: Phototransformation of Chemicals in Water – Direct Photolysis*, Organisation for Economic Co-operation and Development, Paris, 2008.
- 12 OECD, *Guidelines for the Testing of Chemicals - Proposal For a New Guideline: Phototransformation of Chemicals in Soil Surface*, <http://www.oecd.org/chemicalsafety/testing/2741541.pdf>, (accessed August 24, 2017).
- 13 OECD, *Test No. 106: Adsorption – Desorption Using a Batch Equilibrium Method*, Organisation for Economic Co-operation and Development, Paris, 2000.
- 14 M. Kah, P. Machinski, P. Koerner, K. Tiede, R. Grillo, L. F. Fraceto and T. Hofmann, *Environ. Sci. Pollut. Res.*, 2014, **21**, 11699–11707.
- 15 M. Kah and C. D. Brown, *Chemosphere*, 2007, **68**, 1335–1343.
- 16 T. M. Addiscott, *J. Soil Sci.*, 1977, **28**, 554–563.
- 17 EC, European Commission, *Definition of a nanomaterial*, http://ec.europa.eu/environment/chemicals/nanotech/faq/definition_en.htm, (accessed August 24, 2017).
- 18 A. N. Meredith, B. Harper and S. L. Harper, *Environ. Int.*, 2016, **86**, 68–74.
- 19 A. R. Petosa, F. Rajput, O. Selvam, C. Öhl and N. Tufenkji, *Water Res.*, 2017, **111**, 10–17.
- 20 Y. Gong, J. Chen, H. Wang and J. Li, *Anal. Lett.*, 2012, **45**, 2483–2492.
- 21 R. A. Mulligan, Z. C. Redman, M. R. Keener, D. B. Ball and R. S. Tjeerdema, *Pest Manage. Sci.*, 2016, **72**, 1322–1327.
- 22 R. Zabar, T. Komel, J. Fabjan, M. B. Kralj and P. Trebše, *Chemosphere*, 2012, **89**, 293–301.
- 23 US-EPA, *Registration Chapter for Clothianidin for use on Potatoes and Grapes as a spray treatment and as a Seed Treatment for Sorghum and Cotton*, https://www3.epa.gov/pesticides/chem_search/cleared_reviews/csr_PC-044309_28-Sep-05_a.pdf, (accessed August 22, 2017).
- 24 Q. Huang, F. Li, M. Wang, Y. Wang, Q. Gu and Q. Wang, *J. Environ. Sci. Health, Part B*, 2006, **41**, 253–267.
- 25 K. Li, P. Zhang, L. Ge, H. Ren, C. Yu, X. Chen and Y. Zhao, *Chemosphere*, 2014, **111**, 278–282.
- 26 Z. Shu, J. R. Bolton, M. Belosevic and M. Gamal El Din, *Water Res.*, 2013, **47**, 2881–2889.
- 27 H. Zheng and C. Ye, *Bull. Environ. Contam. Toxicol.*, 2001, **67**, 601–608.
- 28 Q. Shang, Y. Shi, Y. Zhang, T. Zheng and H. Shi, *Polym. Adv. Technol.*, 2013, **24**, 137–143.
- 29 Z.-Z. Li, J.-F. Chen, F. Liu, A.-Q. Liu, Q. Wang, H.-Y. Sun and L.-X. Wen, *Pest Manage. Sci.*, 2007, **63**, 241–246.
- 30 H. M. Nguyen, I.-C. Hwang, J.-W. Park and H.-J. Park, *Pest Manage. Sci.*, 2012, **68**, 1062–1068.
- 31 J. Liang, M. Yu, L. Guo, B. Cui, X. Zhao, C. Sun, Y. Wang, G. Liu, H. Cui and Z. Zeng, *J. Agric. Food Chem.*, DOI: 10.1021/acs.jafc.7b01998.
- 32 S. Sharma, S. Singh, A. K. Ganguli and V. Shanmugam, *Carbon*, 2017, **115**, 781–790.
- 33 A. Walker and M. Jurado-Exposito, *Weed Res.*, 1998, **38**, 229–238.
- 34 J. J. Pignatello and B. Xing, *Environ. Sci. Technol.*, 1996, **30**, 1–11.
- 35 M. S. Yazgan, R. M. Wilkins, C. Sykas and E. Hoque, *Chemosphere*, 2005, **60**, 1325–1331.
- 36 R. Grillo, A. E. S. Pereira, C. S. Nishisaka, R. de Lima, K. Oehlke, R. Greiner and L. F. Fraceto, *J. Hazard. Mater.*, 2014, **278**, 163–171.
- 37 M. dos S. Silva, D. S. Cocenza, R. Grillo, N. F. S. de Melo, P. S. Tonello, L. C. de Oliveira, D. L. Cassimiro, A. H. Rosa and L. F. Fraceto, *J. Hazard. Mater.*, 2011, **190**, 366–374.
- 38 A. E. S. Pereira, R. Grillo, N. F. S. Mello, A. H. Rosa and L. F. Fraceto, *J. Hazard. Mater.*, 2014, **268**, 207–215.
- 39 L. Cao, Z. Zhou, S. Niu, C. Cao, X. Li, Y. Shan and Q. Huang, *J. Agric. Food Chem.*, DOI: 10.1021/acs.jafc.7b01957.

