


 Cite this: *Green Chem.*, 2021, **23**, 612

Correction: Pd(II)-Catalyzed [4 + 1 + 1] cycloaddition of simple *o*-aminobenzoic acids, CO and amines: direct and versatile synthesis of diverse *N*-substituted quinazoline-2,4(1*H*,3*H*)-diones

Xiaopeng Zhang,* Qianqian Ding, Jinjun Wang, Jingyi Yang, Xuesen Fan and Guisheng Zhang*


 Correction for 'Pd(II)-Catalyzed [4 + 1 + 1] cycloaddition of simple *o*-aminobenzoic acids, CO and amines: direct and versatile synthesis of diverse *N*-substituted quinazoline-2,4(1*H*,3*H*)-diones' by Xiaopeng Zhang *et al.*, *Green Chem.*, 2021, DOI: 10.1039/d0gc03254a.

DOI: 10.1039/d0gc90141e

rsc.li/greenchem

A typographical error occurred within Table 1, with temperature values incorrectly given the entry in the additive column. The following table contains the correct information and replaces the version of Table 1 in the originally published manuscript.

 Table 1 Optimization of the reaction conditions^a



Entry	<i>T</i> (°C)	Additive	Oxidant	Solvent	<i>Y</i> ^b (%)
1 ^c	30	KI/AcOH	Cu(OAc) ₂ /O ₂	CH ₃ CN	53
2 ^c	40	KI/AcOH	Cu(OAc) ₂ /O ₂	CH ₃ CN	71
3 ^c	60	KI/AcOH	Cu(OAc) ₂ /O ₂	CH ₃ CN	81
4 ^c	70	KI/AcOH	Cu(OAc) ₂ /O ₂	CH ₃ CN	80
5 ^d	60	KI/AcOH	Cu(OAc) ₂ /O ₂	CH ₃ CN	55
6	60	KI/AcOH	Cu(OAc) ₂	CH ₃ CN	85
7	60	KI	Cu(OAc) ₂	CH ₃ CN	85
8	60	KI	Cu(OAc) ₂	Toluene	Trace
9	60	KI	Cu(OAc) ₂	DMSO	ND
10	60	KI	Cu(OAc) ₂	DMF	ND
11	60	KI	Cu(OAc) ₂	1,4-Dioxane	ND

^a Reaction conditions: **1b** (1.0 mmol), **2a** (3.0 mmol), KI (0.2 mmol), Cu(OAc)₂ (1.0 mmol), solvent (10 mL); **2a** (and 1.0 mmol AcOH) was added 6 h later. ^b Isolated yields. ^c CO : O₂ = 5 : 1. ^d The mixture of **2a** and AcOH (1.0 mmol) was added dropwise.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

Key Laboratory of Green Chemical Media and Reactions, Ministry of Education, Collaborative Innovation Center of Henan Province for Green Manufacturing of Fine Chemicals, Henan Key Laboratory of Organic Functional Molecule and Drug Innovation, School of Chemistry and Chemical Engineering, Henan Normal University, Xinxiang 453007, China. E-mail: 031128@htu.edu.cn, zgs@htu.cn

