View Article Online View Journal

Organic & Biomolecular Chemistry

Accepted Manuscript

This article can be cited before page numbers have been issued, to do this please use: J. Yin, W. Xue, Z. Li, G. Liu, X. Chen, T. Li and S. Liu, *Org. Biomol. Chem.*, 2014, DOI: 10.1039/C4OB00602J.



This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about *Accepted Manuscripts* in the **Information for Authors**.

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard <u>Terms & Conditions</u> and the <u>Ethical guidelines</u> still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



www.rsc.org/obc

Cite this: DOI: 10.1039/xoxxooooox

Received ooth January 2012,

Accepted ooth January 2012

DOI: 10.1039/x0xx00000x

www.rsc.org/

ARTICLE

Construction of Rotacatenanes Using Rotaxane and Catenane Frameworks

Wen Xue,^a Ziyong Li,^a Guoxing Liu,^a Xiaoqiang Chen,^b Tingting Li,^c Sheng Hua Liu^a and Jun Yin^{*a}

The construction of novel mechanically interlocked structures has become a fashion due to the requirements of topology and their potential application in molecular machines and devices. Rotaxane and catenane as two basic topological frameworks can be used to construct the fused structures. In the current investigation, a class of novel ammonium backbones was synthesized. The ammonium group incorporated in the linear part of molecules can be used for templating rotaxane formation while the macrocyclic part of the molecules can be used for templating catenane formation. Accordingly, they were subjected to perform the dynamic covalent chemistry, resulting a series of [n]rota[n]catenane structures (n = 2, 3, 4). In this process, the N-hetero crown ethers were installed on ammonium template sites of linear and macrocyclic components all at once by the template-directed clipping reaction. The results showed that the novel building blocks could assemble with high efficiencies. Finally, this investigation provides a foundation for future studies aimed at constructing the complicated integration or polymer with multi topological units.

Introduction

The mechanical bonds widely existing in numerous molecules such as rotaxanes, catenanes, knots and links, have evoked considerable interest in exploring intriguing architectures and topologies, molecular switches and devices, nanotechnology, biological functional machines, drug delivery and materials science based on mechanically interlocked structures.¹ As a result, the design and construction of mechanically interlocked molecules (MIMs) with novel configuration became one of the most popular research projects in supramolecular chemistry and self-assembly. Accompany with the great development of MIMs, rotaxanes and catenanes, as the most common MIMs, have showed the trends from single and simple structures to complicated and polymeric structures over the past decades.¹ For examples, rotaxanes can be used to construct main-chain or side-chain polyrotaxanes, dendrimers and poly[c2]daisy chains.^{1r, 2} While catenanes can be applied in the construction of main-chain, side-chain, bridged, or pendant polycatenanes and dendrimers.^{2a, 2g, 3} Additionally, the integrated architectures such as hetero[n]rotaxanes with different macrocyclic components or different dumbbell-shaped components are gaining increasing attention.⁴ Recently, we reported one type of novel dual functional building blocks (A) containing both a crown ether and an ammonium cation group. They were employed to construct the novel topological hetero[n]rotaxanes (In Scheme 1) in which the ammonium unit served as a template for incorporating an encircling macrocyclic ring by using templatedirected clipping reaction while the crown ether component was then subjected to a threading-followed-by-stoppering sequence to install a second encircling crown ether ring as part of the new

heterorotaxane.⁵ Similar work was also reported by Leung.⁶ The above integration was constructed only by fusing one type of mechanically interlocked framework.



Scheme 1. Schematic Representation of the Route for Heterorotaxane and Rotacatenane Integration.

In contrast, the other integration involved in different mechanically interlocked frameworks. As early in 1999, Stoddart's group reported one type of novel integration by fusing rotaxane moiety and catenane moiety which was named as rotacatenane.⁷ Recently, they found this structure had multistate switchable properties.8 In 2012, the same group reported a flexible donoracceptor [3] catenane that, through a particular disposition of its three rings in water, could act as a host for a chainlike guest, resulting in the formation of a 1:1 complex with a hitherto unknown topology that was termed a [2]pseudorota[3]catenane.9 Satio's group also reported a series of [2]rota[2]catenanes were synthesized by the catalytic reaction using a macrocyclic phenanthroline-CuI complex followed by the installation of another ring under the template effect recently.¹⁰ In view of the structural character described above and foundation on the novel building blocks of heterorotaxane integration, herein we have designed a series of novel ammonium

blocks (B) which were composed of ammonium on the linear component of backbone and another ammonium on the macrocyclic component of backbone (In Scheme 1). The ammonium on the linear component of backbone was designed to have the ability with construction of rotaxane while another ammonium on the macrocyclic component of backbone played the role of construction of catenane. The results indicated that these new building blocks could highly efficiently assemble [n]rota[n]catenanes via the template-directed clipping reaction all at once.

Results and discussion

Design of Ammonium Blocks and Rotacatenanes. As described above, we have developed a series of heterorotaxanes possessing novel topological structure by employing a host-guest dual-functional building block (**A**) as shown in Scheme 1. Furthermore, numerous researches have confirmed that the template-directed clipping reaction can efficiently self-assemble rotaxanes.¹¹ Accordingly, if another ammonium was introduced to the macrocyclic component to afford bisammnoium (**B**) involving in a ammonium on the linear component of backbone and the second ammonium on the macrocyclic component of backbone such as in Scheme 1, the new building block would be capable of constructing the integration (rotacatenane) of rotaxane and catenane. Additionally, we have confirmed that the macrocyclic ammoniums could efficiently self-assemble

catenane by use of the template-directed clipping reaction in our previous work.^{5a} According to this envisage, the bisammonium (**B**) can be employed to perform the bis-clipping reaction, constructing the integration of rotacatenane in one pot through the congenerous self-assembly of two different ammonium templates.

Synthesis of Ammoniums Frameworks. The first bisammonium 6 was synthesized utilizing the route shown in Scheme 2. The cyclization of diphenol 2^{5a} with the pseudo crown ether 1 5b in the presence of Cs₂CO₃ produced the aldehyde-substituted macrocyclic alkylamine. To facilitate purification, the NH of free amines was protected by the Boc₂O before purification. Subsequently, the Boc-protected macrocyclic amine 3 was obtained in 20% yields for two steps. In the presence of anhydrous sodium sulfate, the **3** as starting material was treated with 3,5-dimethoxybenzylamine 4 to afford the corresponding dynamic imine, which was then reduced by NaBH₄ in the solution of THF and MeOH to give the kinetically stable amine. Similarly, the NH of free amines was protected by the Boc₂O. Subsequently, the Boc-protected macrocyclic compound 5 was obtained in 62% yields for three steps. And then the Boc groups were removed with excess trifluoroacetic acid (TFA) in dry dichloromethane. Protonation of the as-formed amine and subsequent counterion exchange with saturated NH₄PF₆ aqueous solution afforded the target ammonium 6 in 90% yields for two steps.



Scheme 2. Synthesis of bis-ammonium 6



Scheme 3. Synthesis of tetra-ammonium 8.



Scheme 4. Synthesis of hexa-ammonium 11.

A similar synthetic strategy was employed to prepare the tetra-ammonium 8, which contained two ammoniums on the linear component of backbone and two ammoniums on the macrocyclic component of backbone (Scheme 3), respectively. Reductive amination of 3 with 1,6-hexanediamine gave the precursor of the Boc-protected amino crown ether 7 in 60% yield, produced for the purpose of convenient purification. Bocdeprotection with trifluoroacetic acid (TFA) in dry dichloromethane followed by counterion exchange with saturated aqueous NH₄PF₆ generated the target tetra-ammonium 8. The successful construction of building blocks 6 and 8 inspired us to further explore the synthesis of triangular hexaammonium 11. Accordingly, the star-shaped triamine 9^{12} was selected as starting material to treat with 3, affording the triangular compound 10. Subsequent deprotection and counterion exchange gave the hexa-ammonium 11 in yield of 80%. All of the new building blocks were well characterized by standard spectroscopic techniques such as NMR spectroscopy, mass spectrometry and elemental analysis (see the Supporting Information).

Rotacatenanes Assembly. The poly-ammonium salts 6, 8 and 11 including dialkylammonium recognition sites on the linear component and dialkylammonium sites on the macrocyclic component were treated with 12a or 12b and 13 in CH₃CN, respectively. And then a light yellow solution was observed on account of the formation of dynamic imine, which was well in agreement with experimental phenomena reported in previous literatures.^{5, 13} Then, the mixture was treated with BH₃·THF to reduce the dynamic imine bonds to the kinetically stable C-NH bonds, and the pure forms of [2]rota[2]catenane 14 (Scheme 5), [3]rota[3]catenane 16 (Scheme 6) and [4]rota[4]catenane 17 (Scheme 7) were obtained by column chromatography. The process of self-assembly was monitored by 'H NMR spectroscopy. Additionally, considering the fact that one component of substances needed to aid spectroscopic analysis of self-assembling processes, the N-hetero crown ethers 15a and 15b as the important components of rotacatenanes were synthesized in 43-75% yields according our previous reports.5, 130

View Article Online DOI: 10.1039**/240800602010**





Scheme 6. Synthesis of [3]rota[3]catenanes 16a-b.

In the ¹H NMR spectra, there were all obviously two sets of the characteristic resonance signals of ammonium NH₂⁺ protons as broad peaks in the kinetically stable [2]rota[2]catenane 14a (Figure 1B) and 14b (Figure 1D). For the 14a, as shown in Figure 1B, the resonance signals of the two sides methylene protons (H_1 , H_{12} and H_{13}) adjacent to the ammonium residue displayed obvious downfield shift in comparison to the ammonium 6 in Figure 1C. While the corresponding benzene ring protons (H₂ and H₃, H₁₀ and H₁₁, H₁₄ and H₁₅) showed significant upfield shifts as a result of shielding effects associated with the encircling N-hetero crown ethers. For example, protons H₂ at 7.30 ppm and H₃ at 6.97 ppm shifted to 6.75 and 6.51 ppm, respectively, implying the formation of a [2]catenane structure. Furthermore, these changes were in agreement with our previous report.^{5a} Likewise, the resonance of protons (H_{10} and H_{11} , H_{14} and H_{15}) on the benzene rings adjacent to the other ammonium residue also displayed upfield shifts in comparison to those in the ammonium 6 (Figure 1C), suggesting that this moiety was encircled by a crown ether component. These shifts were in agreement with those noted in our previous works.^{5a, 13} Another changes of resonance signals on the pyridine components could be observed in Figure 1. According to the ¹H NMR spectra in Figure 1A, the protons (H_1 and H_k) were split two sets of peaks, respectively, owing to the different chemical environment where N-hetero crown ether components were in. These results indicated the bis-ammonium 6 efficiently assembled the [2]rota[2]catenane 14a in one pet. Similar research was also performed well in the construction of [2]rota[2]catenane 14b, as presented in Figure 1. Further proof was performed by the matrix assisted laser desorption ionization (MALDI) mass spectrometry in acetonitrile, the peaks at m/z 1705.8 and 2130.4 can be assigned to the [M - PF₆]

- HPF₆] $^+$ species, in which M were the **14a** and **14b** (See Supporting Information).

Evidence for the formation of 16a and 16b in this process came from analysis of its ¹H NMR spectra. As shown in Figure 2A and 2C, there were also obviously two sets of the characteristic signals of ammonium NH2+ protons as broad peaks in the kinetically stable [3]rota[3]catenane 16a and 16b. Some obvious downfield shifts of the resonance for the methylene protons (H_{1'} and H_{12'}) were observed while protons (H_{2'}, H_{3'}, H_{10'} and H_{11'}) on the adjacent benzene rings showed significant upfield shifts compared with the tetra-ammonium salt 8 (In Figure 2B), suggesting the N-hetero crown ethers 15a and 15b encircled onto the linear ammonium sites and macrocyclic ammonium sites of template 8. As well as [2]rota[2]catenane 14a, two sets of split peaks on the pyridine ring (H_1 and H_k) were also observed. The results further demonstrated that the template-directed clipping reaction efficiently applied in synthesis of [n]rota[n]catenane integration. Additional proof was performed by the MALDI mass spectrometry in acetonitrile. As can be seen from the supporting Information, the peaks at m/z 3192.4 and 4041.2 can be assigned to the $[M - PF_6 - 3HPF_6]^+$ species, in which M were the [3]rota[3]catenane 16a and 16b.

The final effort focused on the investigation of star-shaped structure. Similarly, two sets of the characteristic signals of ammonium NH_2^+ protons as broad peaks were found in the ¹H NMR spectra of kinetically stable [4]rota[4]catenane **17a** and **17b**, as shown in Figure 3A and 3C. Compared with the spectrum of the hexa-ammonium salt **11** (Figure 3B), the methylene protons ($H_{1"}$, $H_{12"}$ and $H_{13"}$) displayed downfield shifts while the resonance of the protons on the adjacent benzene rings ($H_{2"}$, $H_{3"}$, $H_{10"}$, $H_{11"}$, $H_{14"}$, $H_{15"}$, and $H_{16"}$) showed

Journal Name



Scheme 7. Synthesis of [4]rota[4]catenanes 17a-b.



Figure 1. Partial ¹H NMR spectra (600 MHz, CD₃CN, 298 K) of 15a (A), [2]rota[2]catenane 14a (B), 6 (C), [2]rota[2]catenane 14b (D), and 15b (E)

upfield shifts, owing to the shielding effect of the encircling. Therefore, these data supported the finding that the N-hetero crown ethers **15a** and **15b** encircled onto the linear ammonium sites and macrocyclic ammonium sites of template **11**, affording [4]rota[4]catenane **17a** and **17b**. Similarly, additional evidence supporting this conclusion came from analysis of the MALDI Mass spectrometry (supporting information), which contained a peak at m/z 5007.6 and 6280.6 that corresponded to the [M - PF₆ - 5HPF₆]⁺ species of [4]rota[4]catenane **17a** and **17b**, respectively.

Conclusions

In conclusion, we developed three novel polyfunctional building blocks possessing the different ammonium sites, and The ammonium group incorporated in the linear part of the molecules 6, 8, 11 can be used for templating rotaxane formation while the macrocyclic part of the molecules 6, 8, 11 can be used for templating catenane formation. Therefore, these new frameworks were employed to assemble a series of [n]rota[n]catenanes (n = 2, 3, 4) with high efficiencies, and in which, the N-hetero crown ether components were installed on ammonium template sites of linear and macrocyclic components all at once. The successful construction of [n]rota[n]catenanes provides a foundation for future studies aimed at constructing the complicated integration or supramolecular polymer by use of multi mechanically interlocked frameworks.



Figure 2. Partial ¹H NMR spectra (600 MHz, CD₃CN, 298 K) of [3]Rota[3]catenane 16a (A), 8 (B) and [3]Rota[3]catenane16b(C)



Figure 3. Partial ¹H NMR spectra (600 MHz, CD₃CN, 298 K) of [4]Rota[4]catenane 17a (A), 11 (B), and [4]Rota[4]catenane 17b (C).

Experimental

Published on 15 April 2014. Downloaded by RSC Internal on 16/05/2014 15:56:14.

Materials and methods. All manipulations were carried out under an argon atmosphere by using standard Schlenk techniques, unless otherwise stated. THF was distilled under nitrogen from sodium-benzophenone. EtOH and MeOH were distilled under drying pipe from magnesium-iodine. DMF was dried with magnesum sulfate and then distilled under a vacuum. ¹H and ¹³C NMR spectra were collected with either a 400 or 600 MHz spectrometer. Mass spectra were measured in the ESI mode. Elemental analyses were performed by investigation of C, H and N.

Synthesis of 3.A mixture of 1 (0.71 g, 1.0 mmol) and 4,4'-(azanediylbis(methylene))diphenol 2 (0.23 g, 1.0 mmol) in dry DMF (400 mL) was added dropwise over a period of 24 h to a stirred suspension of Cs_2CO_3 (1.30 g, 4.0 mmol) in DMF (200 mL) at 80°C under an argon atmosphere. And then the mixture was stirred at 80°C for a further 48 h. The resulting mixture was allowed to cool to room temperature, and filtered. After that, the solvent was removed under vacuum, and the residue was extracted by ethyl acetate, and then dried over anhydrous sodium sulfate. After removing the solvent, the residue was dissolved in dry chloroform (20 mL), and then Boc_2O (0.44 g, 2 mmol) and triethylamine (0.43 mL) were added. The mixture was stirred at room temperature for 24 h. Removal of solvent under reduced pressure and purification on a silica gel column using DCM/ethyl acetate (5:1) as the eluent obtained the Bocprotected macrocycle **3** as a light yellow liquid. Yield: 0.14 g, 20%. Compound **3**: ¹H NMR (400 MHz, CDCl₃) δ 9.85 (s, 1H), 7.00 (s, 4H), 6.88 (s, 2H), 6.80 (s, 4H), 6.76 (s, 1H), 4.32 (s, 2H), 4.23 (s, 2H), 4.13 (s, 8H), 3.85 (s, 8H), 3.74 (s, 8H), 1.46 (s, 9H). ¹³C NMR (100 MHz, CDCl₃) δ 191.7, 160.3, 157.8, 156.0, 138.2, 129.7, 128.8, 114.6, 108.2, 107.8, 79.7, 69.8, 69.5, 67.8, 67.5, 28.4. ESI-MS m/z = 718.5 [M + Na⁺], 734.5 [M + K⁺]; calculated exact mass = 695.3. Anal. Calcd for: C₃₈H₄₉NO₁₁: C, 65.65; H, 7.01; N, 2.10. Found: C, 65.59; H, 7.10; N, 2.01.

Synthesis of 5: To a solution of 3 (0.50 g, 0.72 mmol) in anhydrous MeOH (80 mL) was added 3,5dimethoxybenzylamine 4 (0.18 g, 1.08 mmol) with anhydrous sodium sulfate acting as drying agent under argon atmosphere. The mixture was refluxed for 24 h. After removing the solvent, and the residue was dissolved in THF (30 mL) and MeOH (30 mL), and then NaBH₄ (0.15 g, 4.0 mmol) was added slowly in 10 portions. After stirring overnight, the reaction was quenched with the saturated ammonium chloride (aq). The solvent was

Journal Name

removed under a vacuum, and the residue was extracted by absolute ethyl ether and then dried over anhydrous sodium sulfate. After removing the solvent, the residue was dissolved in dry chloroform (60 mL), and then Boc₂O (0.31 g, 1.44 mmol) and triethylamine (0.31 mL) were added. The mixture was stirred at room temperature for 24 h. Removal of solvent under reduced pressure and purification on a silica gel column using DCM/ethyl acetate (3:1) as the eluent obtained the Bocprotected amine 5 as a yellow liquid. Yield: 0.42 g, 62%. Compound 5: ¹H NMR (600 MHz, CDCl₃) δ7.02 (s, 2H), 6.88 (s, 2H), 6.81 (s, 4H), 6.41 (s, 2H), 6.39-6.30 (m, 4H), 4.33 (s, 4H), 4.24 (s, 4H), 4.13 (s, 4H), 4.05 (s, 4H), 3.85 (s, 8H), 3.76 (s, 6H), 3.74 (s, 8H), 1.47 (d, J = 18 Hz, 18H). ¹³C NMR (100 MHz, CDCl₃) δ 160.8, 160.0, 157.9, 156.0, 140.5, 130.2, 130.0, 129.7, 128.9, 114.6, 106.6, 105.9, 105.7, 105.1, 100.1, 99.1, 80.0, 79.8, 70.9, 69.8, 69.7, 67.4, 67.3, 55.2, 49.4, 49.0, 28.4. ESI-MS m/z = 969.8 [M + Na⁺], 985.8 [M + K⁺]; calculated exact mass = 946.5. Anal. Calcd for $C_{52}H_{70}N_2O_{14}$: C, 65.87; H, 7.38; N, 2.89. Found: C, 65.94; H, 7.45; N, 2.96.

Synthesis of 6: To a solution of the Boc-protected amine 5 (0.19 g, 0.2 mmol) in dry DCM (10 mL), TFA (0.25 mL, 4.0 mmol) was added at room temperature. After stirring for 2 h under nitrogen atmosphere, the solvent was removed under a vacuum. The residue was dissolved in MeOH (1.0 mL), and then saturated NH_4PF_6 (2.0 mL, aq) was added to yield a brown precipitate. After filtering, washing with H₂O and drying under a vacuum, the title compound was obtained as the light yellow gum. Yield: 0.19 g, 90%. Compound 6: ¹H NMR (600 MHz, CD₃CN) δ 7.29 (d, J = 6 Hz, 4H), 7.11 (s, 4H, NH₂⁺), 6.96 (d, J= 6 Hz, 4H), 6.60 (d, J = 6 Hz, 2H), 6.57 (d, J = 6 Hz, 2H), 6.56 (t, J = 6 Hz, 1H), 6.44 (t, J = 6 Hz, 1H), 4.17-4.15 (m, 4H),4.11 (s, 8H), 4.03-3.99 (m, 4H), 3.78 (s, 6H), 3.78 -3.76 (m, 4H, CH₂), 3.72 (t, J = 6 Hz, 4H, CH₂), 3.61 (m, 8H, CH₂); ¹³C NMR (100 MHz, CD₃CN) δ 161.8, 160.8, 160.3, 133.0, 132.3, 123.0, 115.6, 108.9, 108.4, 101.6, 71.0, 69.8, 69.7, 68.2, 55.8, 51.8, 50.8; ESI-MS $m/z = 747.5 [M-PF_6-HPF_6]$; calculated exact mass = 1038.3; Anal. Calcd for $C_{42}H_{56}F_{12}N_2O_{10}P_2$: C, 48.63; H, 5.52; N, 2.62. Found: C, 48.56; H, 5.43; N, 2.70.

Synthesis of [2]Rota[2]catenanes 14a and 14b: A mixture of 6 (100 mg, 0.10 mmol), tetraethyleneglycol bis(2-aminophenyl) ether 13 (75 mg, 0.20 mmol) and dicarboxaldehyde 12a (26 mg, 0.20 mmol) or **12b** (70 mg, 0.20 mmol) was stirred for 2 d in dry CH₃CN (10 mL) under nitrogen atmosphere at room temperature. Then, BH₃·THF solution (1.6 mL) was added, and the mixture was further stirred overnight. The solvents were removed under a vacuum, and the residue was purified by column chromatography (silica gel, DCM/MeOH 100:0-80:1) to give [2]rota[2]catenanes 14a and 14b. [2]Rota[2]catenane 14a: White solid, Yield: 95 mg, 48%. ¹H NMR (600 MHz, CD₃CN) δ 8.74 (s, 2H), 8.48 (s, 2H), 7.84 (t, J = 6.0 Hz, 1H), 7.71 (t, J = 6.0 Hz, 1H), 7.39 (d, J = 6.0 Hz, 2H), 7.27 (d, J = 6.0 Hz, 2H), 6.74 (d, J = 12.0 Hz, 4H), 6.66-6.70 (m, 8H), 6.63 (d, J = 12.0 Hz, 4H), 6.58 (d, J = 12.0 Hz, 2H), 6.50 (d, J = 6.0 Hz, 4H), 6.39 (d, J = 6.0 Hz, 2H), 6.27 (s, 1H), 6.26 (s, 1H), 6.11 (s, 2H), 6.08 (s, 2H), 4.54 (s, 4H), 4.41 (s, 8H), 4.05 (s, 8H), 4.01 (d, J = 6.0 Hz, 4H), 3.91 (s, 8H), 3.76 (s, 4H), 3.75 (s, 8H), 3.70 (d, J = 6.0 Hz, 8H), 3.67 (d, J = 6.0 Hz, 4H), 3.59 (d, J = 6.0 Hz, 4H), 3.55 (d, J = 6.0 Hz, 8H), 3.51 (d, J = 6.0 Hz, 4H), 3.41 (s, 6H).¹³C NMR (100 MHz, CD₃CN) δ 161.3, 160.3, 159.4, 159.2, 158.8, 146.9, 138.6, 138.3, 137.3, 137.2, 134.7, 134.3, 130.8, 124.4, 122.6, 122.2, 121.6, 121.5, 120.0, 119.7, 117.5, 115.2, 112.7, 112.6, 110.4, 110.4, 107.2, 107.1, 102.6, 101.2, 71.6, 71.4, 71.3, 70.7, 70.6, 69.5, 69.4,

68.1, 67.7, 55.2, 52.9, 51.9. MALDI-MS m/z = 1705.8 [M-PF₆- HPF_6]; calculated exact mass = 1996.8; Anal. Calcd for C₉₆H₁₂₂F₁₂N₈O₂₀P₂: C, 57.78; H, 6.09; N, 5.55. Found: C, 57.71; H, 6.15; N, 5.61. [2]Rota[2]catenane 14b: White solid, Yield: 100 mg, 42%. ¹H NMR (600 MHz, CD₃CN) δ 8.75 (s, 2H), 8.48 (s, 2H), 6.94 (s, 4H), 6.77 – 6.74 (m, 4H), 6.71-6.66 (m, 8H), 6.62 (t, J = 6.0 Hz, 4H), 6.58 (s, 2H), 6.42 (d, J = 6.0Hz, 4H), 6.33 (s, 2H), 6.32 (s, 1H), 6.27 (s, 1H), 6.12 (s, 2H), 6.08 (s, 2H), 4.50 (s, 4H), 4.39 (s, 4H), 4.10 - 4.06 (m, 8H), 4.01 (s, 4H), 3.91 (t, J = 6.0 Hz, 8H), 3.73 (s, 8H), 3.70 (s, 8H), 3.61 - 3.59 (m, 4H), 3.56 - 3.53 (m, 8H), 3.51 (d, J = 4.8 Hz, 4H), 3.42 (s, 6H), 1.28 (s, 48H), 0.89 (m, 10H). ¹³C NMR (100 MHz, CD₃CN) δ 161.8, 160.9, 160.1, 147.4, 137.7, 131.5, 125.0, 122.2, 115.8, 107.8, 101.7, 72.0, 71.3, 70.0, 68.7, 68.2, 55.8, 53.5, 52.6, 50.5, 32.5, 30.2, 29.9, 23.2, 14.2. MALDI-MS m/z = 2130.4 [M-PF₆-HPF₆]; calculated exact mass = 2421.2; Anal. Calcd for C₁₂₄H₁₇₈F₁₂N₈O₂₂P₂: C, 61.40; H, 7.37; N, 4.55. Found: C, 61.47; H, 7.41; N, 4.63.

Synthesis of 7: To a solution of 3 (0.50 g, 0.72 mmol) in anhydrous MeOH (80 mL) was added 1,6-hexanediamine (42 mg, 0.36 mmol) with anhydrous sodium sulfate acting as drying agent under argon atmosphere. The mixture was refluxed for 24 h. After removing the solvent, and the residue was dissolved in THF (40 mL) and MeOH (20 mL), and then NaBH₄ (0.15 g, 4.0 mmol) was added slowly in 10 portions. After stirring overnight, the reaction was quenched with the saturated ammonium chloride (aq). The solvents were removed under a vacuum, and the residue was extracted by absolute ethyl ether and then dried over anhydrous sodium sulfate. After removing the solvent, the residue was dissolved in dry chloroform (60 mL), and then Boc₂O (0.31 g, 1.44 mmol) and triethylamine (0.31 mL) were added. The mixture was stirred at room temperature for 24 h. Removal of solvent under reduced pressure and purification on a silica gel column using DCM/ethyl acetate (2:1) as the eluent obtained the Bocprotected amine 7. Yield: 0.36 g, 60%. Compound 7: ¹H NMR (600 MHz, CDCl₃) δ 7.02 (s, 4H, Ar), 6.88 (s, 4H, Ar), 6.80 (s, 8H), 6.39 (s, 4H), 6.35 (s, 2H), 4.33 (s, 8H), 4.24 (s, 4H), 4.13 (s, 8H), 4.05 (s, 8H), 3.83 (d, J = 12.0 Hz, 16H), 3.72 (s, 16H), 3.14 (s, 2H), 3.05 (s, 2H), 1.44 (d, J = 24.0 Hz, 36H), 1.26 (d, J = 6.0 Hz, 4H), 1.21 (s, 4H). ¹³C NMR (100 MHz, CDCl₃) δ 159.9, 157.8, 155.9, 141.0, 130.2, 130.0, 129.8, 128.9, 114.5, 106.2, 105.6, 100.0, 79.8, 79.4, 70.8, 69.7, 67.4, 67.2, 60.3, 49.4, 46.2, 28.4, 27.9, 27.7, 26.6, 14.1; MALDI-MS m/z = 1697.8 $[M + Na^{+}]$, 1713.8 $[M + K^{+}]$; calculated exact mass = 1674.9; Anal. Calcd for C₉₂H₁₃₀N₄O₂₄: C, 65.86; H, 7.90; N, 3.27. Found: C, 65.93; H, 7.82; N, 3.34.

Synthesis of 8: To a solution of the Boc-protected amine 7 (100 mg, 0.06 mmol) in dry DCM (10 mL), TFA (0.16 mL, 2.40 mmol) was added at room temperature. After stirring for 2 h under nitrogen atmosphere, the solvent was removed under a vacuum. The residue was dissolved in MeOH (1.0 mL), and then saturated NH_4PF_6 (2.0 mL, aq) was added to yield a brown precipitate. After filtering, washing with H₂O and drying under a vacuum, the title compound 7 was obtained as the light yellow gum. Yield: 90 mg, 85%. Compound 7: ¹H NMR (600 MHz, CD₃CN) ¹H NMR (600 MHz, cd₃cn) δ 7.29 (d, J = 6.0 Hz, 8H), 6.96 (d, J = 6.0 Hz, 8H), 6.58 (s, 4H), 6.44 (s, 2H), 4.26 (s, 4H), 4.17 (s, 8H), 4.10 (s, 8H), 4.04-3.99 (m, 8H), 3.77 (s, 8H), 3.75-3.70 (m, 8H), 3.63 (d, J = 6.0 Hz, 8H), 3.60 (d, J= 6.0 Hz, 8H), 2.98 (m, 4H), 1.42 (s, 4H), 1.28 (s, 4H); ¹³C NMR (100 MHz, CD₃CN) δ 160.8, 160.3, 133.5, 132.3, 123.1, 115.5, 108.7, 102.3, 70.9, 69.8, 68.2, 51.8, 50.5, 48.0, 28.1,

25.7; MALDI-MS m/z = 1275.7, [M -PF $_6$ -3HPF $_6$]; calculated exact mass = 1858.6; Anal. Calcd for $C_{72}H_{102}F_{24}N_4O_{16}P_4$: C, 46.59; H, 5.47; N, 3.10. Found: C, 46.51; H, 5.53; N, 3.01.

Synthesis of [3]Rota[3]catenanes 16a and 16b: A mixture of Compound 8 (93 mg, 0.05 mmol), tetraethyleneglycol bis(2aminophenyl) ether 13 (75 mg, 0.20 mmol) and dicarboxaldehyde 12a (26 mg, 0.20 mmol) or 12b (70 mg, 0.20 mmol) was stirred for 4 d in dry CH₃CN (10 mL) under nitrogen atmosphere at room temperature. Then, BH₃·THF solution (1.6 mL) was added, and the mixture was further stirred overnight. The solvents were removed under a vacuum, and the residue was purified by column chromatography (silica gel, DCM/MeOH = 100:0-60:1) to give the [3]rota[3]catenanes 16a and 16b. [3]Rota[3]catenane 16a: White solid, Yield: 66 mg, 39%. ¹H NMR (600 MHz, CD₃CN) δ 8.67 (s, 4H), 8.50 (s, 4H), 7.84 (t, J = 9.0 Hz, 2H), 7.71 (t, J = 6.0 Hz, 2H), 7.38 (d, J = 6.0 Hz, 4H), 7.27 (d, J = 6.0 Hz, 4H), 6.75 (m, 20H), 6.72 – 6.65 (m, 16H), 6.50 (d, J = 6.0 Hz, 8H), 6.45 (d, J = 6.0 Hz, 4H), 6.28 (d, J = 6.0 Hz, 2H), 6.12 (s, 4H), 4.43 (s, 8H), 4.38 (s, 4H), 4.07 (d, J = 6.0 Hz, 16H), 3.92 (s, 16H), 3.74 (s, 8H), 3.69 (m, 48H), 3.62 (t, J = 3.9 Hz, 8H), 3.59-3.55 (m, 16H), 3.55-3.48 (m, 8H), 3.42 (s, 8H), 2.94 (s, 4H), 1.42 (s, 4H), 1.29 (s, 4H); ¹³C NMR (100 MHz, CD₃CN) δ 160.9, 160.0, 159.4, 159.3, 147.9, 147.5, 139.3, 138.9, 137.9, 137.8, 131.4, 125.0, 122.9, 122.7, 122.2, 122.1, 120.5, 115.8, 115.4, 113.7, 113.3, 111.0, 107.6, 102.8, 72.2, 71.8, 71.3, 71.1, 70.0, 68.5, 68.3, 52.5, 50.8, 50.6, 49.2; MALDI-MS m/z = 3192.4, [M -PF₆- $3HPF_6$; calculated exact mass = 3375.6. Anal. Calcd for C₁₈₀H₂₃₄F₂₄N₁₆O₃₆P₄: C, 57.32; H, 6.18; N, 5.85. Found: C, 57.23; H, 6.24; N, 5.93.; [3]Rota[3]catenane 16b: Light yellow solid, Yield: 81 mg, 35%. ¹H NMR (600 MHz, CD₃CN) δ 8.65 (s, 4H), 8.55 (s, 4H), 6.91 (s, 8H), 6.79-6.72 (m, 16H), 6.69 (m, 20H), 6.52 (d, J = 6.0 Hz, 8H), 6.45 (d, J = 6.0 Hz, 4H), 6.31 (d, J = 6.0 Hz, 2H), 6.09 (s, 4H), 4.41 (d, J = 6.0 Hz, 8H), 4.34(s, 4H), 4.11 (s, 8H), 4.11-4.08 (m, 16H), 4.07 (s, 16H), 3.91 (m, 16H), 3.73 (s, 8H), 3.70 (s, 16H), 3.66-3.64 (m, 16H), 3.63-3.60 (m, 16H), 3.58-3.54 (m, 16H), 3.52 (t, J = 3.9 Hz, 8H), 2.96 (s, 4H), 1.83-1.74 (m, 8H), 1.48 (m, 4H), 1.42(s, 12H), 1.28 (s, 80H), 0.89 (t, J = 6.0 Hz, 12H); ¹³C NMR (100 MHz, CD₃CN) δ 167.7, 161.1, 160.9, 160.0, 147.8, 147.5, 138.0, 131.5, 125.1, 122.1, 120.5, 115.8, 114.2, 111.0, 109.2, 72.1, 71.9, 71.3, 71.2, 71.0, 70.3, 70.1, 70.0, 69.5, 68.6, 68.5, 68.3, 52.5, 51.0, 32.5, 30.2, 29.9, 28.5, 26.9, 26.5, 26.4, 23.2; MALDI-MS m/z = 4041.2, [M -PF₆-3HPF₆]; calculated exact mass = 4624.4. Anal. Calcd for : $C_{236}H_{346}F_{24}N_{16}O_{40}P_4$: C, 61.33; H, 7.62; N, 4.75. Found: C, 61.26; H, 7.54; N, 4.84.

Synthesis of 10: To a solution of 3 (0.50 g, 0.72 mmol) in anhydrous MeOH(80 mL) was added 9 (0.094 g, 0.24 mmol) with anhydrous sodium sulfate acting as drying agent under argon atmosphere. The mixture was refluxed for 48 h. After removing the solvent, and the residue was dissolved in THF (40) mL) and MeOH (20 mL), and then NaBH₄ (0.15 g, 4.0 mmol) was added slowly in 10 portions. After stirring overnight, the reaction was quenched with the saturated ammonium chloride (aq). The solvents were removed under a vacuum, and the residue was extracted by absolute ethyl ether and then dried over anhydrous sodium sulfate. After removing the solvent, the residue was dissolved in dry chloroform (60 mL), and then Boc₂O (0.31 g, 1.44 mmol) and triethylamine (0.31 mL) were added. The mixture was stirred at room temperature for 24 h. Removal of solvent under reduced pressure and purification on a silica gel column using DCM/ethyl acetate (1:1) as the eluent obtained the Boc-protected amine 10. Yield: 0.35 g, 54%.

Compound **10**: ¹H NMR (600 MHz, CDCl₃) ¹H NMR δ 7.77 (s, 3H), 7.67 (s, 6H), 7.35 (d, *J* = 6.0 Hz, 3H), 7.30 (d, *J* = 6.0 Hz, 3H), 7.03 (d, *J* = 6.0 Hz, 6H), 6.89 (d, *J* = 6.0 Hz, 6H), 6.81 (s, 12H), 6.43 (s, 6H), 6.38 (s, 3H), 4.38 (d, *J* = 4.8 Hz, 6H), 4.34 (s, 6H), 4.30 (s, 6H), 4.24 (s, 6H), 4.17-4.11 (m, 12H), 4.06 (s, 12H), 3.84 (m, 24H), 3.74 (d, *J* = 3.0 Hz, 24H), 1.48 (m, 54H). ¹³C NMR (100 MHz, CDCl₃) δ 160.0, 157.8, 155.9, 141.9, 140.3, 139.9, 137.3, 130.1, 129.7, 128.9, 128.4, 127.9, 127.4, 124.8, 114.6, 106.6, 106.0, 100.3, 80.1, 79.8, 77.3, 77.0, 76.7, 70.8, 69.8, 69.6, 67.5, 67.4, 49.4, 48.9, 29.6, 29.3, 28.4. MALDI-MS m/z = 2754.2 [M + Na⁺], 2770.2 [M + K⁺]; calculated exact mass = 2731.4.; Anal. Calcd for C₁₅₆H₁₉₈N₆O₃₆: C, 68.62; H, 7.23; N, 3.14. Found: C, 68.55; H, 7.30; N, 3.07.

Synthesis of 11: To a solution of the Boc-protected amine 10 (0.16 g, 0.06 mmol) in dry DCM (10 mL), TFA (0.23 ml, 3.60 mmol) was added at room temperature. After stirring for 2 h under nitrogen atmosphere, the solvent was removed under a vacuum. The residue was dissolved in MeOH (1.0 mL), and then saturated NH_4PF_6 (2.0 mL, aq) was added to yield a brown precipitate. After filtering, washing with H₂O and drying under a vacuum, the title compound was obtained as the light yellow gum. Yield: 0.14 g, 80%. Compound 10: ¹H NMR (600 MHz, CD₃CN) δ 7.97 (s, 3H), 7.92 (d, J = 12.0 Hz, 6H), 7.60 (d, J = 6.0 Hz, 6H), 7.29 (d, J = 12.0 Hz, 12H), 6.97 (d, J = 6.0 Hz, 12H), 6.60 (s, 6H), 6.46 (s, 3H), 4.16 (d, J = 6.0 Hz, 24H), 4.09 (s, 12H), 4.03 (s, 12H), 3.77 (s, 12H), 3.73 (s, 12H), 3.62 (d, J = 6.0 Hz, 24H). ¹³C NMR (100 MHz, CD₃CN) δ 160.8, 160.3, 141.8, 133.8, 132.0, 131.3, 131.1, 128.3, 125.6, 123.1, 117.8, 115.7, 108.7, 102.6, 70.8, 69.7, 68.2, 51.9, 51.5, 50.6; MALDI-MS m/z = 2132.1, $[M-PF_6-5HPF_6]$; calculated exact mass = 3006.9. Anal. Calcd for: C₁₂₆H₁₅₆F₃₆N₆O₂₄P₆: C, 50.21; H, 5.15; N, 2.86. Found: C, 50.30; H, 5.23; N, 2.79.

Synthesis of [4]Rota[4]catenanes 17a and 17b: A mixture of 11 (100 mg, 0.033 mmol), tetraethyleneglycol bis(2aminophenyl) ether 13 (75 mg, 0.20 mmol) and dicarboxaldehyde 12a (26 mg, 0.20 mmol) or 12b (70 mg, 0.20 mmol) was stirred for 6 d in dry CH₃CN (10 mL) under nitrogen atmosphere at room temperature. Then, BH₃·THF solution (1.6 mL) was added, and the mixture was further stirred overnight. The solvents were removed under a vacuum, and the residue was purified by column chromatography (silica gel, DCM/MeOH = 100:0-40:1) to give the [4]rota[4]catenanes 17a and 17b. [4]Rota[4]catenane 17a: White solid, Yield: 72 mg, 37%. ¹H NMR (600 MHz, CD₃CN) δ 8.96 (s, 6H), 8.49 (s, 6H), 7.77 (t, J = 7.2 Hz, 3H), 7.70 (t, J = 7.8 Hz, 3H), 7.59 (s, 3H), 7.33 (d, J = 7.2 Hz, 6H), 7.27 (d, J = 7.2 Hz, 6H), 7.00 (d, J = 7.8 Hz, 6H), 6.77 (s, 6H), 6.75 (d, J = 8.4 Hz, 12H), 6.68 (t, J = 6.6 Hz, 24H), 6.61 (s, 20H), 6.50 (d, J = 8.4 Hz, 12H), 6.38 (d, J = 7.8 Hz, 8H), 6.27 (d, J = 7.8 Hz, 3H), 6.08 (s, 6H), 4.65(s, 6H), 4.57 (s, 6H), 4.42 (s, 24H), 4.06 (d, J = 3.2 Hz, 48H), 3.93 (m, 24H), 3.76 (m, 24H), 3.71 (s, 24H), 3.60 (s, 12H), 3.56 (s, 24H), 3.53 (s, 12H); The ¹³C NMR spectrum was not collected due to the poor solubility of [4]rota[4]catenane 17a; MALDI-MS m/z = 5007.6, [M-PF₆-5HPF₆]; calculated exact mass = 5882.4. Anal. Calcd for: $C_{288}H_{354}F_{36}N_{24}O_{54}P_6$: C, 58.70; H, 6.13; N, 5.66. Found: C, 58.77; H, 6.06; N, 5.71. [4]Rota[4]catenane 17b: White solid, Yield: 54 mg, 23%. ¹H NMR (600 MHz, CD₃CN)δ 8.97 (s, 6H), 8.57 (s, 6H), 7.60 (d, J = 7.8 Hz, 3H), 7.42-7.18 (m, 12H), 6.99 (d, J = 7.8 Hz, 6H), 6.88 (s, 6H), 6.74 (m, 12H), 6.72-6.60 (m, 24H), 6.59 (s, 20H), 6.50 (d, J = 7.8 Hz, 12H), 6.44-6.38 (m, 8H), 6.29 (d, J = 7.8Hz, 3H), 6.07 (s, 6H), 4.63 (s, 6H), 4.52 (s, 6H), 4.42 (s, 12H),

4.34 (s, 12H), 4.13-3.97 (m, 48H), 3.93 (s, 24H), 3.85-3.69 (m, 48H), 3.69 (s, 24H), 3.58 (d, J = 9.9 Hz, 24H), 3.53 (s, 24H), 1.74 (d, J = 8.7 Hz, 12H), 1.40 (d, J = 6.2 Hz, 12H), 1.26 (s, 120H), 0.86 (s, 18H); The ¹³C NMR spectrum was not collected due to the poor solubility of [4]rota[4]catenane **17b**; MALDI-MS m/z = 6280.6, [M-PF₆-5HPF₆]; calculated exact mass = 7155.6. Anal. Calcd for : $C_{372}H_{522}F_{36}N_{24}O_{60}P_6$: C, 62.49; H, 7.27; N, 4.60. Found: C, 62.40; H, 7.35; N, 4.69.

Acknowledgements

Journal Name

We acknowledge financial support from National Natural Science Foundation of China (21072070, 21272088) and the Program for Academic Leader in Wuhan Municipality (201271130441). The work was also supported by the Scientific Research Foundation for the Returned Overseas Chinese Scholars, Ministry of Education, the Natural Science Foundation of Hubei Province (2013CFB207) and excellent doctorial dissertation cultivation grant from Central China Normal University (CCNU13T04095).

Notes and references

^aKey Laboratory of Pesticide and Chemical Biology, Ministry of Education, College of Chemistry, Central China Normal University, Wuhan 430079, PR China E-mail: <u>yinj@mail.ccnu.edu.cn</u>

^b State Key Laboratory of Materials-Oriented Chemical Engineering, College of Chemistry and Chemical Engineering, Nanjing University of Technology, Nanjing 210009, China.

^cInstitute of Hydrobiology, Chinese Academy of Sciences, Wuhan 430079, PR China.

†Electronic Supplementary Information (ESI) available: The ¹H NMR, ¹³C NMR and MS spectra of all the new intermediates and [n]rota[n]catenanes. See DOI: 10.1039/b000000x/

- 1. For selected reviews, see (a) Pease, A. R.; Jeppesen, J. O.; Stoddart, J. F.; Luo, Y.; Collier, C. P.; Heath, J. R. Acc. Chem. Res. 2001, 34, 433; (b) Balzani, V.; Credi, A.; Venturi, M. Chem.-Eur. J. 2002, 8, 5524; (c) Lukin, O.; Godt, A.; Vögtle, F. Chem.-Eur. J. 2004, 10, 1878; (d) Saha, S.; Stoddart, J. F. Chem. Soc. Rev. 2007, 36, 77; (e) Saha, S.; Leung, K. C.-F.; Nguyen, T. D.; Stoddart, J. F.; Zink, J. I. Adv. Funct. Mater. 2007, 17, 685; (f) Willner, I.; Basnar, B.; Willner, B. Adv. Funct. Mater. 2007, 17, 702; (g) Fenlon, E. E. Eur. J. Org. Chem. 2008, 5023; (h) Faiz, J. A.; Heitz, V.; Sauvage, J.-P. Chem. Soc. Rev. 2009, 38, 422; (i) Amabilino, D. B.; Pérez-García, L. Chem. Soc. Rev. 2009, 38, 1562; (j) Davis, J. J.; Orlowski, G. A.; Rahmana, H.; Beer, P. D. Chem. Commun. 2010, 46, 54; (k) Chen, Y.; Liu, Y. Chem. Soc. Rev. 2010, 39, 495; (l) Beves, J. E.; Blight, B. A.; Campbell, C. J.; Leigh, D. A.; McBurney, R. T. Angew. Chem., Int. Ed. 2011, 50, 9260; (m) Silvi, S.; Venturia, M.; Credi, A. Chem. Commun. 2011, 47, 2483; (n) Qu, D. H.; Tian, H. Chem. Sci. 2011, 2, 1011; (o) Feringa, B. Nat. Chem. 2011, 3, 915; (p) Yang, Y.-W. Med. Chem. Commun. 2011, 2, 1033; (q) Coskun, A.; Banaszak, M.; Astumian, R. D.; Stoddart, J. F.; Grzybowski, B. A. Chem. Soc. Rev. 2012, 41, 19; (r) Vukotic, V. N.; Loeb, S. J. Chem. Soc. Rev. 2012, 41, 5896; (s) Fahrenbach, A. C.; Warren, S. C.; Incorvati, J. T.; Avestro, A. J.; Barnes, J. C.; Stoddart, J. F.; Grzybowski, B. A. Adv. Mater. 2013, 25, 331; (t) Chambron, J. C.; Sauvage, J.-P. New J. Chem. 2013, 37, 49.
- (a) Gibson H. W.; Bheda M. C.; Engen P. T. Prog. Polym. Sci., 1994, 19, 843; (b) Fyfe, M. C. T.; Stoddart, J. F. Coord. Chem. Rev., 1999, 183, 139; (c) Raymo, F. M.; Stoddart, J. F. Chem. Rev. 1999, 99, 1643; (d) Wenz, G.; Han, B. H.; Müller, A. Chem. Rev. 2006, 106, 782. (e) Harada, A.; Hashidzume, A.; Yamaguchi, H.; Takashima, Y. Chem. Rev. 2009, 109, 5974; (f) Harada, A.; Takashima, Y.; Yamaguchi, H. Chem.

Soc. Rev., 2009, 38, 875; (g) Gibson, H. W.; Farcas, A.; Jones, J. W.; Ge, Z.; Huang, F; Vergne, M.; Hercules, D. M. J. Polym. Sci., Part A: Polym. Chem., 2009, 47, 3518; (h) Fang, L.; Olson, M. A.; Benítez, D.; Tkatchouk, E.; Goddard III, W. A.; Stoddart, J. F. Chem. Soc. Rev., 2010, 39, 17; (i) Chen, G.; Jiang, M. Chem. Soc. Rev., 2011, 40, 2254; (j)Yang, J.; Ma, J. F.; Batten, S. R. Chem. Commun., 2012, 48, 7899; (k) Zheng, B.; Wang, F.; Dong, S.; Huang, F. Chem. Soc. Rev., 2012, 41, 1621; (l) Avestro, A. J.; Belowich, M. E.; Stoddart, J. F. Chem. Soc. Rev., 2012, 41, 5881; (m) Li, S. L.; Xiao, T.; Lin, C.; Wang, L. Chem. Soc. Rev., 2012, 41, 5950; (n) Yan, X.; Wang, F.; Zheng, B; Huang, F. Chem. Soc. Rev., 2012, 41, 6042; (o) Yan, X.; Zheng, B; Huang, F. Polym. Chem., 2013, 4, 2395.

- (a) Godt, A. Eur. J. Org. Chem. 2004, 1639.;(b) Niu, Z.; Gibson, H. W., Chem. Rev. 2009, 109, 6024.
- (a) Ashton, P. R.; Glink, P. T.; Martínez-Díaz, M.-V.; Stoddart, J. F.; White, A. J. P.;Williams, D. J. Angew. Chem., Int. Ed. Engl. 1996, 35, 1930; (b) Kiehne, U.; Lützen, A. Org. Lett. 2007, 9, 5553; (c) Jiang, W.; Winkler, H. D. F.; Schalley, C. A. J. Am. Chem. Soc. 2008, 130, 13852; (d) Chen, P. N.; Lai, C. C.; Chiu, S. H. Org. Lett. 2011, 13, 4660; (e) Zhang, Z. J.; Zhang, H. Y.; Wang, H.; Liu, Y. Angew. Chem., Int. Ed. 2011, 50, 10834.
- (a) Li, Z.; Liu, W.; Wu, J.; Liu, S. H.; Yin, J. J. Org. Chem. 2012, 77, 7129; (b) Li, Z.; Liu, G.; Xue, W.; Wu, D.; Yang, Y. W.; Wu, J.; Yoon, J.; Liu, S. H.; Yin, J. J. Org. Chem. 2013, 78, 11560.
- Ho, W. K.-W.; Lee, S.-F.; Wong, C.-H.; Zhu, X.-M.; Kwan, C.-S.; Chak, C.-P.; Mendes, P. M.; Cheng, C. H. K.; Leung, K. C.-F. *Chem. Commun.*, 2013, 49, 10781.
- Amabilino, D. B.; Ashton, P. R.; Bravo, J. A.; Raymo, F. M.; Stoddart, J. F.; White, A. J. P.; Williams, D. J. *Eur. J. Org. Chem.* **1999**, 1295.
- Barin, G.; Coskun, A.; Friedman, D. C.; Olson, M. A.; Colvin, M. T.; Carmielli, R.; Dey, S. K.; Bozdemir, O. A.; Wasielewski, M. R.; Stoddart, J. F. Chem.—Eur. J. 2011, 17, 213.
- Forgan, R. S.; Gassensmith, J. J.; Cordes, D. B.; Boyle, M. M.; Hartlieb, K. J.; Friedman, D. C.; Slawin, A. M. Z.; Stoddart, J. F. *J. Am. Chem. Soc.* 2012, *134*, 17007.
- Ryuto Hayashi, R.; Wakatsuki, K.; Yamasaki, R.; Mutoh, Y.; Kasama, T.; Saito, S. Chem. Commun., 2014, 50, 204.
- Belowich, M. E.; Valente, C.; Stoddart, J. F. Angew. Chem. Int. Ed. 2010, 49, 7208.
- (a) Vivekanand, P. A.; Balakrishnan, T. *Appl. Catal., A: General.* **2009**, *364*, 27; (b) Zhao, S.; Kang, L.; Ge, H.; Yang, F.; Wang, C.; Li, C.; Wang, Q.; Zhao, M. *Synth. Commun.* **2012**, *42*, 3569; (c) Zhou, W.; Xu, J.; Zhang, L.; Jiao, N. *Org. Lett.* **2010**, *12*, 2888; (d) Bosch, I.; Costa, A. M.; Martín, M.; Urpí, F.; Vilarrasa, J. *Org. Lett.* **2000**, *2*, 397.
- (a) Yin, J.; Dasgupta, S.; Wu, J. Org. Lett. 2010, 12, 1712; (b) Yin, J.; Chi, C.; Wu, J. Org. Biomol. Chem. 2010, 8, 2594; (b) Liu, G.; Li, Z.; Wu, D.; Xue, W.; Li, T.; Liu, S. H.; Yin J. J. Org. Chem. 2014, 79, 643.