RSC Advances



This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. This Accepted Manuscript will be replaced by the edited, formatted and paginated article as soon as this is available.

You can find more information about *Accepted Manuscripts* in the **Information for Authors**.

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard <u>Terms & Conditions</u> and the <u>Ethical guidelines</u> still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



www.rsc.org/advances

ARTICLE TYPE

Cite this: DOI: 10.1039/c0xx00000x

www.rsc.org/xxxxx

Dual-Enzyme Natural Motors Incorporating Decontamination and Propulsion Capabilities

Sirilak Sattayasamitsathit,^a Kevin Kaufmann,^a Michael Galarnyk,^a Rafael Vazquez-Duhalt^b and Joseph Wang^a

5 Received (in XXX, XXX) Xth XXXXXXXX 20XX, Accepted Xth XXXXXXXX 20XX DOI: 10.1039/b000000x

Self-propelled dual-function biocatalytic motors, consisting of unmodified natural tissue and capable of in-motion bioremediation, are described. These enzyme-rich tissue motors rely on their catalase and peroxidase activities of their Raphanus sativus radish body for their propulsion and remediation actions,

- 10 respectively. The continuous movement of the biocatalytic tissue motors through the contaminated sample facilitates the dynamic removal of phenolic pollutants. Hydrogen peroxide plays a dual role in the propulsion and decontamination processes, as the motor fuel and as co-substrate for the phenol transformation, respectively. Localized fluid transport and mixing, associated with the movement of the radish motors and corresponding generation of microbubbles, greatly improve the remediation efficiency
- 15 resulting in maximal removal of pollutants within 3 min. The new 'on-the-fly' remediation process is cost effective as it obviates the need for expensive isolated enzymes and relies on environment-friendly plant tissues.

Introduction

- There are major demands for the removal of toxic pollutants from 20 environmental matrices ranging from groundwater to river water.^{1,2} Bioremediation methods are based on the use of toxic or less toxic compounds.3-7 The challenges and
- 25 opportunities of using isolated enzymes for large-scale environmental processes have been reviewed.⁷⁻⁹ For example, peroxidases, which are widely distributed in nature, are able to 60 bioremediation process. oxidize a wide range of electron-donor compounds, including phenolic compounds, aromatic amines, industrial dyes, or
- 30 pesticides.^{10,11} Fungal peroxidases are directly involved in the degradation of various xenobiotic compounds,12 while plant compounds, leading to non-toxic reaction products.^{13,14} However, the widespread use of peroxidases in bioremediation processes
- 35 has been hindered by the high cost of the enzyme purification process¹⁵ and a low operational stability.¹⁶ Enzyme-rich plant enzymes for addressing the challenges of enzyme stability, availability and cost.¹⁷ Such plant tissues offer attractive features
- 40 for bioremediation processes owing to their high level of enzymatic activity, high thermal stability (associated with confinement of the enzyme in its natural environment), negligible 75 of toxic phenolic pollutants. The propulsion and remediation environmental impact, and extremely low costs. The application of plant tissues to the treatment of contaminated water can be
- 45 performed either periodically in reactors with mechanical stirring, or continuously, using columns packed with the minced plant material.18

Here we demonstrate the ability to propel the remediation

plant materials through the polluted sample toward improved 50 contamination efficiency. The movement in nano- and microscale objects has been the subject of considerable efforts that led to different propulsion mechanisms and motor designs.¹⁹⁻²¹ Among these, considerable attention has been given to self-propelled chemically-powered micromotors based on the catalytic specialized bacteria, fungi, plants, as well as pure enzymes, 55 decomposition of a fuel (most commonly hydrogen capable of biocatalytically transforming toxic pollutants to non-peroxide).^{19,20,22-24} Enzyme (catalase)-based synthetic microengines have been introduced as alternatives to Pt-based catalytic motors.25 Self-propelled biocatalytic plant tissue motors have been demonstrated recently,²⁶ but not in connection to

The new 'on-the-fly' bioremediation concept relies on a dualfunction tissue biomotor, coupling self propulsion through the contaminated sample with an in-motion biocatalytic remediation. As illustrated in Fig. 1, such in-motion remediation strategy is peroxidases have been proposed for the removal of phenolic 65 based on cherry-belle radish (Raphanus sativus), rich with the catalase and peroxidase enzymes, essential for the propulsion and detoxification functions, respectively. Peroxidase in Shepherd's Purse Roots was found to be an extremely efficient plant for the detoxification process.¹⁸ The biocatalytic activity of enzymes in tissues have been proposed as attractive alternatives to isolated 70 plant tissues may be varied; however, each plant has numerous

- peroxidase isoenzymes that can be accounted for the activity up to 86% in the crude homogenate.²⁷ The new tissue motors thus rely on their natural catalase activity for the peroxide-driven propulsion and on their peroxidase activity for the transformation
- actions are thus carried out using the natural enzymes, hence obviating the need for expensive enzyme purification. Asymmetric biomotor design, essential for the effective catalasedriven bubble propulsion, is achieved by keeping the thick skin of
- 80 the radish intact as a cap on one side of the tissue cylinder. The simultaneous propulsion/remediation operation relies on using the

This journal is © The Royal Society of Chemistry [year]

hydrogen peroxide not only to power the biomotor but also as a co-substrate for the peroxidase remediation reaction. The peroxidase-based biocatalytic decontamination process is thus

5 through the contaminated water systems. The movement of such tissue motors and the extensive



Fig. 1 Schematic illustration of the dual-function plant (radish) 10 motors, with the catalase-driven propulsion and peroxidase-based decontamination capability, for in-motion bioremediation

generation of oxygen microbubbles induce fluid transport and 'self-stirring" that accelerates the peroxidase-based 15 decontamination process. Motion-induced convection leading to faster environmental remediation has been demonstrated recently in connection self-propelled artificial micromotors.²⁸⁻³⁰ Compared to nano/microscale motors, the present millimeter-size 'large' motors can reach large areas of a contaminated sample. At the

20 end of this work we have demonstrated the immobilization of external catalase onto the plant motors to lower the peroxide fuel enhanced bioremediation activity of the tissue peroxidase.

Results and discussion

- 25 The new tissue-motor bioremediation concept has been demonstrated using peroxidase and catalase-based oxidation of phenolic contaminants and hydrogen peroxide. Phenolic compounds and their derivatives are a major class of pollutants in wastewater resulting from industrial effluents, including
- **30** petroleum, coal conversion, resins, textile dyes and paper processing.³¹ Such compounds represent a public health risk and are heavily regulated in many countries, and must be removed from wastewater so they are not discharged into the environment.7 For example, phenol, 2-chlorophenol, and 2,4-
- 35 dichlorophenol are ranked within the 250 most hazardous pollutants³² and can accumulate in the food chain. Phenolic compounds are widely spread in the environment due to industrial pollution. The World Health Organization has limited phenol concentration in drinking water to $1 \ \mu g \ L^{-1}$, while a typical
- 40 wastewaters from oil refineries contain phenol in concentrations ranging from 500 to 1500 mg L^{-1,33} Conventional biological wastewater treatments of polluted waters containing high phenol content are not feasible owing to the phenol toxicity towards the microorganisms.³⁴ In contrast, the enzymatic removal of phenols
- 45 from highly polluted waters is a viable bioremediation option. Fig. 2 displays optical images (Top) and UV-Vis absorption spectra (Bottom) of the reaction product of guaiacol (A), catechol (B) and 2A-4CP (C) in the presence of the radish tissue
- 50 absence (a) and presence (b) of 10 biomotors using a reaction time of 3 min. Both the images and the spectrophotometric data

clearly indicate the formation of the reaction product in the presence of the motors, reflecting the peroxidase-based biocatalytic oxidation of guaiacol, catechol and 2A-4CP. The carried out 'on-the-fly' while moving the motors continuously 55 catalytic cycle of radish peroxidase is similar to that of other peroxidases where ferric enzyme is first oxidized by H₂O₂ to generate the two-electron oxidized intermediate, compound L³⁵

- Compound I is then reduced by one electron donated by the phenolic substrate, yielding the 1-electron oxidized enzyme 60 intermediate, compound II, and a free radical product. The catalytic cycle is completed by the one-electron reduction of compound II by a second substrate molecule. A clear color change is thus observed in the optical images of Fig. 2, reflecting the multimeric reaction product (b). No such color change is
- 65 observed without the motors (a). Similarly, well defined absorbance bands are observed in the presence of the motors at 470, 410 and 395 nm for guaiacol, catechol and 2A-4CP, respectively. In contrast, no signals are obtained in the control experiments without the biomotors (a) or with the motors but

70 without H_2O_2 (not shown) over the same time.



Fig. 2 UV-Vis absorption spectra (bottom) and images (top) of the product of 25 mM guaiacol (A), 25 mM catechol (B) and 2.5 mM 2A-4CP (C) obtained after a 3 min period in the absence (a) concentration and improve the propulsion force, towards 75 and presence (b) of the tissue motors. One mL solution containing 10 tissue motors, 5% H₂O₂ and 0.5% SDS.

Fig. 3A displays time-lapse images of the propulsion of the tissue motors in 5% H₂O₂ over a 24 s time period. As indicated also from the corresponding S.I. video 1, immersing the tissue 80 motor into the H_2O_2 solution results in a rapid bubble generation and with self propulsion of the motor at a speed of 5 mm/s (or 0.6body length/s). Intense generation of oxygen microbubbles is thus observed from most sides of the moving tissue, reflecting the very high rate of the H2O2 decomposition to water and O2 (i.e., 85 catalase activity), and the asymmetric motor structure (associated with the skin cap). In contrast, no such movement and bubble generation are observed in Fig. 3B for a control experiment without the H_2O_2 fuel. The motor movement allows the environmentally-friendly self-propelled tissue motors to reach 90 different areas of a contaminated sample. The lifetime of such radish-tissue biomotor was evaluated; the motors can propel up to 1 min. Bubbles still generated thereafter inducing continuous



Fig. 3 Time-lapse images of the propulsion of the plant motors in biomotors. Experiments were carried out in a 1 mL solution in the 95 the presence (A) and absence (B) of 5% H₂O₂. Images taken from video S.I. video 1.

convective fluid mixing. In addition, the movement of the motor and the corresponding bubble stream enhance imparts local fluid mass transfer limitations during the bioremediation process.

- 5 Fig. 4 illustrates the transformation rate of guaiacol (A), catechol (B) and 2A-4CP (C) using the tissue motors and different concentrations of the pollutant. Fitting the data in a Menten constant (K_M) of these pollutants were 33.7, 76.8 and 5.6
- 10 mM for guaiacol, catechol and 2A-4CP, respectively. The maximum transformation rates (V_{max}) for guaiacol (A), catechol (B) and 2A-4CP (C) using natural motors are 3.4±0.6, 25.6±1.5, and 3.0±0.2 mg L⁻¹ min⁻¹, respectively, for a motor density of 10 motors per mL. These results indicate that the treatment of
- 15 common municipal and oil-refinery wastewaters containing around 1 to 600 mg L⁻¹ of phenols would require between 1 and 4 tissue motors per mL, respectively, for a complete removal of the phenol within 1 hour.



20 Fig. 4 Transformation rate of guaiacol (A), catechol (B) and 2A-4CP (C) using tissue motors. Solution contains 10 biomotors/mL, 5% H₂O₂, 0.5% SDS and reaction time of 3 min (A,B) and 4 min (C).

Hydrogen peroxide serves both as the fuel for the catalase-

- 25 driven motion and as co-substrate for the peroxidase decontamination reaction, i.e., both enzymes compete for the same peroxide substrate. In view of such dual use, the effect of the H₂O₂ concentration upon the transformation rate of phenolic
- **30** increasing the H_2O_2 concentrations from 1% to 10% (a-c) lowers the transformation rates of both guaiacol (A) and catechol (B). High concentration of H_2O_2 is generally harmful for enzymes,³ and such trend reflects the inactivation of peroxidase at the high
- 35 meet the propulsion requirement (as no movement was observed at 1% H₂O₂) and for enhancing the remediation. When exposed to such high levels of H2O2, peroxidases exhibit a kinetic behaviour called "suicide inactivation", in which hydrogen peroxide reacts with the catalytic intermediate Compound II to
- 40 form a highly reactive peroxyiron(III)porphyrin free-radical called Compound III. This compound III is not part of the peroxidase cycle, but is reactive enough that is able to selfoxidize its heme active site or any other amino acid of the protein, leading to an inactive form of the enzyme. As indicated
- 45 from Fig. 5, such inactivation of the plant peroxidase plays a major role in the observed dependence on the peroxide level, compared to the peroxide effect upon the phenol transformation and propulsion processes (where increasing peroxide levels are expected to offer improved removal).
- 50 In order to reduce H₂O₂ concentration and enhance the peroxidase activity of the natural motors, we examined the immobilization of exogenous catalase to the radish motors in a manner illustrated in the scheme of Fig. 6a. Such confinement of isolated catalase onto the end of the cylindrical radish motor
- 55 greatly reduces the required fuel concentration to 0.01% hence minimizes the peroxidase inactivation process. Fig. 6b-d¹⁰⁰ transformation rate of guaiacol in different hydrogen H_2O_2 (compared to 5% H₂O₂, generally use to propel motors), and

illustrates the trajectory of catalase-modified tissue motors in different H₂O₂ concentrations ranging from 0.01 to 0.1% (takes convection and mixing of the contaminated sample, reducing 60 from S.I. Video 2). Motor speeds of 14, 20 and 17 mm/s are estimated in (b) 0.01%, (c) 0.05%, (d) 0.1% H₂O₂, respectively, corresponding to 2.8, 4.0 and 3.4 bl/s. This data indicates that the tissue-enzyme hybrid motors propel efficiently over large areas using low peroxide fuel levels. Such propulsion is expected to Michaelis-Menten kinetic equation, the corresponding Michaelis- 65 depend on the external catalase activity, immobilized in agarose gel, which improves the biomotor performance.37 No apparent movement is observed in Fig. 6e in a control experiment carried out in a 0.1% H₂O₂ solution without the exogenous catalase. Fig. 6f illustrates that the hybrid tissue-enzyme motors display



Fig. 5 Decontamination efficiency of 25 mM guaiacol (A) and catechol (B) using natural motors in different peroxide concentrations (a) 1%, (b) 5% and (c) 10% H_2O_2 .

a Michaelis-Menten behaviour for guaiacol in the presence of 75 0.1% H₂O₂ and varying guaiacol concentrations (0-25 mM). The corresponding K_{M} and V_{max} for guaiacol are 8.2 mM and 2.7 mg L^{-1} min⁻¹, respectively, for a motor density of 1 motor per mL. These values compare favourably with K_M and V_{max} values determined from the data in Fig. 4 for the radish motors (without 80 the exogenous catalase). Fig. 6g shows the transformation rate for guaiacol observed for the hybrid tissue-enzyme motor using different H₂O₂ concentrations ranging from 0.01 to 0.1%. The highest initial transformation rate is observed using 0.05% (16 mM) H₂O₂. Generally, the maximum catalytic activity of plant compounds has thus been examined. As illustrated in Fig. 5, 85 peroxidase is achieved at millimolar H₂O₂ concentrations.³⁸ Our experiment requires a higher H₂O₂ concentration for implementing the simultaneous propulsion task. However, the attached external catalase can dramatically (100-fold) lowers the required peroxide fuel concentration and leads to a 8-fold peroxide levels,^{16,36} a 5% H₂O₂ concentration was used here to 90 enhanced decontamination efficiency, but increases the cost of the motor and its preparation time.



Fig. 6 (a) Schematic of the natural motors with external catalase (a) and (b-e) time-lapse images of the propulsion of these tissue-95 enzyme hybrid motors (with exogenous catalase) over 2 s in the presence of (b) 0.01%, (c) 0.05%, (d) 0.1% H₂O₂ and (e) without H₂O₂. The catalase was attached to the end of the radish motor by confining catalase-coated agarose beads. (f) Michaelis-Menten plot for guaiacol in the presence of 0.1% H₂O₂ and (g)

taken from video S.I. video 2.

The improved decontamination rate in the presence of exogenous catalase reflects the greatly higher peroxidase activity

- 5 as well as the enhanced motor speed and corresponding convective fluid transport. The lifetime and speed of the radishtissue biomotor, with the exogenous catalase, were evaluated in a 0.1% H₂O₂ solution (S.I. Video 3). The natural motors displayed lifetimes approaching 3 min, with a gradual decrease of their
- 10 speed from 28 to 5 mm/s; such speed diminution depended on the H₂O₂ concentration.

The proof of concept for biocatalytic plant-tissue biomotors has been demonstrated. Besides that the key point of using extremely low-cost and fully-natural biomotors, it is possible to

- 15 improve the performance, especially the lifetime, by coimmobilization of a peroxide-generating oxidase enzyme (e.g., glucose- or alcohol- oxidases), to obtain a self-sufficient biomotor without the need of exogenous peroxide.³⁹ In addition, new catalytic activities could be obtained by using other plant
- 20 tissues with a specific activity or by the immobilization of another enzyme.

Experimental

Tissue Biomotors Preparation

- Tissue motors were prepared by cutting 7 mm thick slices of 25 radish containing skin on the outside. Small cylindrical motors were punched out of the plant cross section using a 1.0 mm- 85 compatible and are extremely inexpensive. These millimer-size diameter Harris puncher (Redding, CA) with length of 7 mm. One end of the resulting rod was capped with the red skin of the
- radish to create an asymmetric structure. The asymmetric bubble 30 propulsion forces resulted from the catalase oxidized H_2O_2 generating O_2 bubbles. Multiple motors prepared from the same section or from different radish plants displayed 5 to 8% changes in the observed contamination efficiency, reflecting variations in the levels of the two enzymes. For the catalase-modified tissue
- 35 motors, the skin end was coated with catalase, immobilized on agarose beads (Sigma-Aldrich) using a cyanoacrylate glue (Krazy immobilized on agarose beads allows the motors to generate O₂ bubbles and propel at low H₂O₂ concentration.

40 Tissue motor propulsion

The hydrogen peroxide solutions, used as a fuel for tissue motor propulsion, also contained 0.5% (w/v) sodium dodecyl sulfate (SDS). The autonomous propulsion of the tissue motors100 Agency-Joint Science and Technology Office for Chemical and (associated with the asymmetric structure caused by the presence

- 45 of the radish skin on one end of the motor) was tested in various H_2O_2 concentrations (1%, 5%, and 10%). The propulsion of the external catalase modified tissue motors, prepared by attaching catalase-encapsulated in agarose beads, was tested in 0.01, 0.05,
- concentrations of H₂O₂. The bubble generation and movement of the tissue motors were recorded using an iPhone 4S camera.

Peroxidase activity

Absorption spectra were collected with a spectrophotometer 55 (UV2450, Shimadzu) with 1-cm path-length cells. The absorbance of the 600 µL samples was measured over the 300-800 range. A baseline was determined for each experiment using a blank solution of the same composition. The transformation rates were determined by monitoring the absorbance of the

concentrations. Motor density, 1 motor/mL. Track lines b-d were 60 solution at 480 nm, 470 nm, and 395 nm for guaiacol, catechol, and 2-amino-4-chlorophenol (2A-4CP), respectively. The extinction coefficients for guaiacol ($\epsilon_{470 \text{ nm}} = 26600 \text{ M}^{-1} \text{cm}^{-1}$)⁴⁰ catechol $(\epsilon_{410nm} = 1623 \text{ M}^{-1} \text{cm}^{-1})^{41}$ and 2A-4CP $(\epsilon_{395nm} = 21000 \text{ m}^{-1})^{41}$ $M^{-1}cm^{-1}$)⁴² were used. All chemicals were purchase from Sigma. 65 Phenol transformation assays were determined by monitoring the absorbance after 3 minutes, in a solution containing different concentrations of pollutants, 10 motors, 5% H₂O₂, and 0.5% SDS. Pollutants concentrations were increased until the rate remained

> constant even upon further increasing the concentration 70 (substrate-saturating concentration). In case of exogenous catalase modified tissue motors, the Michaelis-Menten plot was determined in the presence of 1 motor, 0.1% H₂O₂ and 0.5% SDS versus different concentrations of guaiacol (0-25 mM).

Conclusions

- 75 We have demonstrated a novel cost-effective biomotor strategy, based on the presence of multiple enzymes in plant tissues that combines efficient propulsion with 'on-the-fly' bioremediation. The resulting dual-function (motion/remediation) devices have been used successfully for accelerated decontamination of
- 80 phenolic compounds. Such effective decontamination reflects the motor-induced fluid transport and mixing and movement over relatively large areas which add a new dimension to such remediation procedures. Such use of plant tissues offers a costeffective bioremediation strategy as they are environment-
- 'large' motors can reach large areas of a contaminated sample accelerating the decontamination process without external mixing force. Improved performance, but at a higher cost and complexity, has been achieved using hybrid tissue-enzyme
- 90 motors. Current efforts are aimed at scaling up the process from the bench scale to large-volume pilot studies, at replacing the SDS surfactant with naturally-occurring surface-active materials, and at assessing the effect of the rotting plant materials upon the water samples. The concept of self-propelled decontaminating Glue). Such modification of the tissue cylinder with catalase 95 natural motors can be expanded to different tissues rich with other enzymes (e.g., polyphenol oxidase), along with catalase, towards self-sustainable decontaminating natural motors.

Acknowledgements

This work was supported by the Defence Threat Reduction Biological Defence (Grant no. HDTRA1-13-1-0002).

Notes and references

^a Department of Nanoengineering, University of California San Diego, La Jolla, CA 92093, USA.

- 0.1 and 1% H₂O₂ concentrations. The increase in catalase activity 50 allowed the motors to move autonomously in these low 105 ^b Center for Nanosciences and Nanotechnology, UNAM, Ensenada, Baja California, Mexico.
 - † Electronic Supplementary Information (ESI) available: See DOI: 10.1039/b00000x/ *Corresponding author: josephwang@ucsd.edu
 - **110** 1 F.W. Whicker, T. G. Hinton, M. M. MacDonell, J. E. Pinder III and L. J. Habegger, Science, 2004, 303, 1615.
 - 2 L. W. Perelo, J. Hazard. Mat. 2010, 177, 81.
 - 3 M. Megharaj, B. Ramakrishnan, K. Venkateswarlu, N. Sethunathan and R. Naidu, Environ. Int., 2011, 37, 1362.

RSC Advances

- 4 S. Rayu, D. G. Karpouzas and B. K. Singh, *Biodegradation*, 2012, 23, 917.
- 5 E. L. Rylott, A. Lorenz and N. C. Bruce, *Curr. Opin. Biotechnol.*, 2011, **22**, 434.
- 5 6 T. Kudanga, S. Burton, G. S. Nyanhongo and G. M. Guebitz, *Front. Biosci.*, 2012, 4, 1127.
 - 7 J. Karam and J. A. Nicell, J. Chem. Technol. Biotechnol., 1997, 69, 141.
- 8 M. Ayala, M. A. Pickard and R. Vazquez-Duhalt, *J. Mol. Microbiol.* 65
 10 *Biotechnol.*, 2008, 15, 172.
 - 9 H. Qayyum, H. Maroof and K. Yasha, Crit. Rev. Biotechnol., 2009, 29, 94.
 - R. E. Parales and J. D. Haddock, Curr. Opin. Biotechnol., 2004, 15, 374.
- 15 11 C. Torres-Duarte and R. Vazquez-Duhalt, in Biocatalysis Based on Heme Peroxidases: Peroxidases as Potential Industrial Biocatalysts, ed. E. Torres and M. Ayala, Springer, Heidelberg, 2010, pp. 179-206.
 - 12 N. Magan, S. Fragoeiro and C. Bastos, *Mycobiology*, 2010, **38**, 238.
- 20 Almendarez, R. Tinoco, R. Vazquez-Duhalt and C. Regalado, *Bioresour. Technol.*, 2008, 99, 8605.
 - 14 M. F. Máximo, M. Gómez, M. D. Murcia, S. Ortega, D. S. Barbosa and G. Vayá, *Environ. Technol.*, 2012, 33, 1071.
 - 15 E. E. Hood, Enzyme Microb. Technol., 2002, 30, 279.
- 25 16 B. Valderrama, M. Ayala and R. Vazquez-Duhalt, *Chem. Biol.*, 2002, 9, 555.
 - 17 J. Wang and M. S. Lin, Anal. Chem., 1988, 60, 1545.
 - 18 J. W. Park, B. K. Park and J. E. Kim, Arch. Environ. Contam. Toxicol., 2006, 50, 191.
- 30 19 J. Wang, Nanomachines: Fundamentals and Applications, Wiley-VCH, Weinheim, 2013, (ISBN 978-3-527-33120-8).
 - 20 J. Wang and W. Gao, ACS Nano, 2012, 6, 5745.
 - 21 W. Gao, S. Sattayasamitsathit, K.M. Manesh, D. Weihs and J. Wang, J. Am. Chem. Soc., 2010, 132, 14403; G. Loget and A. Kuhn, J. Am.
- **35** *Chem. Soc.*, 2010, **132**, 15918.
 - 22 M. Pumera, *Nanoscale*, 2010, **2**, 1643; T.E. Mallouk and A. Sen, *Sci. Amer.*, 2009, **300**, 72.
 - 23 W. Gao, S. Sattayasamitsathit, A. Uygun, A. Pei, A. Ponedal and J. Wang, *Nanoscale*, 2012, 4, 2447.
- 40 24 Y. Mei , A. A. Solovev , S. Sanchez and O. G. Schmidt, *Chem. Soc. Rev.*, 2011, 40, 2109.
 - S. Sanchez, A. A. Solovev, Y. Mei, and O. G. Schmidt, J. Am. Chem. Soc., 2010, 132, 13144; J. Orozco, V. Garcia-Gradilla, M. D'Agostino, A. Cortes and J. Wang, ACS Nano, 2013, 7, 818.
- 45 26 Y. Gu, S. Sattayasamitsathit, K. Kaufmann, R. Vazquez-Duhalt, W. Gao, C. Wang and J. Wang, *Chem. Commun.*, 2013, 49, 7307.
 - 27 L. M. Shannon, K. Ernest and J.Y. Lew, J. Biol. Chem., 1966, 241, 2166.
 - 28 J. Orozco, G. Cheng, D. Vilela, S. Sattayasamitsathit, R. Vazquez-
- 50 Duhalt, G.Valdés-Ramírez, O. S. Pak, A. Escarpa, C. Kan, and J. Wang, *Angew Chem. Int Ed.*, 2013, **52**, 13276.
 - 29 L. Soler, V. Magdanz, V. M. Fomin, S. Sanchez and O.G. Schmidt, *ACS Nano*, 2013, 7, 9611.
- 30 G. Zhao, E. J. Stuart and M. Pumera, *Phys. Chem. Phys. Chem.*, 55 2011, 13, 12755.
 - 31 A. Kumar, S. Kumar and S. Kumar, Biochem. Eng. J., 2005, 22, 151.
 - This journal is © The Royal Society of Chemistry [year]

- 32 EPA, 2013. US Environmental Protection Agency. Superfund national priorities list for remediation. 40 CFR 423. A. Code of Federal Regulations.
- 60 33 R. E. Kirk and D. F. Othmer, Encyclopedia of chemical toxicology, 3rd. Ed., NY, 1980.
 - 34 A. Uygur and F. Kargi, Process Biochem., 2004, 39, 2123.
 - 35 P. R. Ortiz de Monetllano, in Biocatalysis Based on Heme Peroxidases: Peroxidases as Potential Industrial Biocatalysts, ed. E. Torres and M. Ayala, Springer, Heidelberg, 2010, pp. 79-110.
 - 36 K. Hernandez, A. Berenguer-Murcia, R.C. Rodrigues and R. Fernandez-Lafuente, *Curr. Org. Chem.*, 2012, **16**, 2652.
 - 37 C. Garcia-Galan, A. Berenguer-Murcia, R. Fernandez-Lafuente and R. C. Rodrigues, *Adv. Synth. Catal.*, 2011, 353, 2885.
- 70 38 H. Garcia-Arellano, in Biocatalysis Based on Heme Peroxidases: Peroxidases as Potential Industrial Biocatalysts, ed. E. Torres and M. Ayala, Springer, Heidelberg, 2010, pp 335-352.
 - 39 F. van de Velde, N. D. Lourenço, M. Bakker, F. van Rantwijk and R.A. Sheldon, *Biotechnol. Bioeng.*, 2000, 69, 286.
- 13 F. Quintanilla-Guerrero, M. A. Duarte-Vázquez, B. E. García- 75 40 R. S. Koduri and M. Tien, J. Biol. Chem., 1995, 270, 22254.
 - 41 J. L. Muñoz, F. García-Molina, R. Varón, J. N. Rodriguez-Lopez, F. García-Cánovas, and J. Tudela, *Anal. Biochem.*, 2006, **351**, 128.
 - 42 E. Katsivela, V. Wray, D. H. Pieper and R.-M. Wittich, Appl. Environ. Microbiol., 1999, 65, 1405.
 80

TOCs

Dual-Enzyme Natural Motors Incorporating Decontamination and Propulsion Capabilities

Sirilak Sattayasamitsathit,^a Kevin Kaufmann,^a Michael Galarnyk,^a Rafael Vazquez-Duhalt^b and Joseph Wang^{a*}



Self-propelled dual-enzyme natural motors display attractive decontamination and propulsion capabilities. The movement of the biocatalytic tissue motors through the contaminated sample leads to a greatly improved remediation efficiency.