



**Stability enhancement of fluorophores for lighting up
practical application in bioimaging**

Journal:	<i>Chemical Society Reviews</i>
Manuscript ID:	CS-HIG-05-2014-000152.R1
Article Type:	Highlight
Date Submitted by the Author:	18-Aug-2014
Complete List of Authors:	Wu, Xumeng; Institution of Fine Chemicals, East China Uni. of Sci. and Tech., Zhu, Weihong; East China UNiversity of Science and Technology, Institution of Fine Chemicals

ARTICLE

Stability enhancement of fluorophores for lighting up practical application in bioimaging

Cite this DOI:
10.1039/x0xx00000x

Xumeng Wu and Weihong Zhu*

Received 00th January 2012,
Accepted 00th January 2012

DOI: 10.1039/x0xx00000x

www.rsc.org/

The practical application of organic fluorophores in bioimaging is severely limited to their generally poor stability. In this Highlight, we emphasize several representative strategies including nanoparticle-encapsulating dyes, dye-doped nanoparticles and molecular engineering for stabilizing fluorophores, especially with a breakthrough in photostability for visualizing disease therapy, tumor and biological processes.

Introduction

Fluorescence imaging is a powerful tool for visualizing biological processes such as genetic expression and biological information transmission at the molecular level, and tracing the real-time physiological processes *in vivo* via staining tissue, cells, or cellular compartments with fluorescent dyes.^{1,2} Compared with traditional imaging methods, which are deeply obsessed by either low spatial resolution or expensive equipments, fluorescence imaging exhibits distinct advantages such as high sensitivity and non-invasive *in vivo* imaging without radiopharmaceuticals.^{3,4} Moreover, fluorophores can be applied not only as biomarkers but also as probes for detecting intrinsically non-fluorescent species or parameters such as pH value and activity of enzymes.^{5–9} Therefore, the development of highly efficient fluorescent sensors has attracted highly focused research.¹

Photostability is a particularly crucial criterion in the practical application of fluorophores as fluorescent markers in complex biological environment, which asserts a claim to observe markers for extended periods of time against the background of intrinsic cellular emissions.¹⁰ Unfortunately, the vast majority of commercially available contrast agents such as fluorescein isothiocyanate (FITC) and the United States Food and Drug Administration (FDA) approved indocyanine green (ICG) suffer from severe photobleaching. The poor stability of fluorophores is generally ascribed to the interaction between the fluorophore molecules and dissolved oxygen, which hinders the practical application to a large extent.^{11,12} Hence, exploring methods to inhibit the photodegradation agents is of great significance for their practical applications in the fields of biological identify, medical diagnosis and disease therapy.

Although the stability enhancement of fluorophores is still a challenging subject, chemists have a treasure chest of methods to prevent fluorophores from photobleaching and thus improve their efficiency. To date, the approaches to constructing fluorescent nanoparticles (NPs) or polymers that encapsulate or dope fluorophores have been identified as very promising strategies for photostability enhancement, especially for achieving some infusive accomplishment in both stability and

efficiency. Moreover, a great deal of endeavours have concentrated on the molecular engineering of fluorophores that eliminate or weaken their activity with dissolved oxygen. Various chromophores with higher stability and better photophysical properties have been explored as contrast agents instead of commercially available biomarkers. In this highlight, we illustrate some representative examples in recent studies on the stability enhancement of organic fluorophores, emphasizing the importance and significance of photostability as well as the practical applications of the judiciously modified fluorophores.

Nanoparticle-encapsulating fluorophores based on block copolymers

Previously, the nano-micelle-based drug-delivery systems have been well established, in which hydrophobic or photo-sensitive drugs (such as doxorubicine) are packaged to achieve dispersity in aqueous system and better photostability.^{13–15} Similarly, the strategy of encapsulating fluorophores in micelles is realized by the self-assembly of biocompatible amphiphilic block copolymers. In 2004, Saxena *et al.* encapsulated the FDA-approved ICG in the poly(lactic-co-glycolic acid) (PLGA) particles, successfully realizing a distinct improvement in photo-, thermal- and aqueous-stability of ICG.¹⁶ The protective effect of nanoparticles is attributed to the isolation of ICG from the surrounding environment by the polymeric-envelop. Micelles formed by various of diblock copolymers such as poly(styrene-*alt*-maleic anhydride)-*b*-poly(styrene) (PSMA-*b*-PS) and poly(ethylene glycol)-*b*-poly(*D,L*-lactide) (PEG-*b*-PLA) provide similar protective effect on encapsulated dyes.^{17–19} Besides the improved stability, both water solubility and biocompatibility can be simultaneously increased due to the hydrophilicity and low toxicity of the outer hydrophilic block. The micelle-encapsulating dyes are capable of retaining or even enhancing the response sensitivity and selectivity (Fig. S1 in Supplementary Information†).¹⁸ However, the micelles might inevitably suffer from not only the dye leakage, but also the spontaneous dissociation at concentrations below their critical micelle concentration (CMC), which are still the non-ignorable

disadvantages against the practical application in medical diagnosis and biological process.¹⁶




Fig. 1 Schematic diagram of nanoparticle-encapsulating dyes based on diblock copolymer and silica-rich shell: a) nanoparticle-encapsulating naphthalimide and its stability, including living cell imaging; b) nanoparticle-encapsulating cyanine and its photostability, including *in vivo* bioimaging; c) nanoparticles-encapsulating naphthalenediimide including its pH response and living cell imaging.

Stabilizing the micelles by locking the micellar structure with cross-linking agent such as silane source has been developed as an attractive strategy to improve the micellar stability (Fig. S2†).^{20,21} Therefore, highly stable, not only for the content but also for the micelles, fluorescent nanoparticles have been constructed *via* cross-linking the micelles that encapsulate fluorophores. Recently, we have loaded naphthalimide dye into the polystyrene-*block*-polyacrylic acid (PS-*b*-PAA) micelles which are subsequently cross-linked by the silane source of MPTMS (Fig. 1a).²² The hydrophilic nanoparticles, whose hydrophilicity is a result of the outermost hydrophilic block (PAA), can exactly ensure the complete water solubility and further eliminate the solvatochromism. The nanoparticle-encapsulating naphthalimide in aqueous system possess the similar fluorescence quantum yield and life-time as the free dye in CH₂Cl₂ solution, highlighting the complete elimination of solvent effect. Impressively, after the cross-linking, the leakage of encapsulated dye molecules is reduced substantially because of the compact silica shell, thus achieving high long-term fluorescence stability (Fig. 1a and Fig. S3†). The excellent effectiveness in living cell imaging, resulted from the well-controlled particle size, defines this strategy as a fairly promising method for converting the hydrophobic species to hydrophilic ones, resulting in highly stable contrast agent for bioimaging. Notably, here the complicated pre-treatments are unnecessary, and also the concentration of entrapped dyes and size of particles can be easily tuned to a great extent.^{23,24}

Cyanine dye is one of the most common near-infrared (NIR) fluorophores, which is deeply plagued by the poor photo- and chemical stability.^{25,26} Based on the similar strategy, cyanine was utilized for constructing NIR fluorescent nanoparticles (Fig. 1b). Generally, the NIR fluorescence of cyanine dyes are

severely quenched by water or polar solvents. The encapsulation increases its fluorescence quantum yield by 450 fold in aqueous system, along with changing the original hydrophobic species into hydrophilic nanoparticles.²⁷ Moreover, the encapsulated fluorophores possess 95-fold longer half-life period than the FDA-approved ICG under continuous high density illumination due to the effective protection from the nanoparticle shell. Besides, the addition of reactive oxygen species (ROS) such as hypochlorite anion which is also lethal to free cyanine dyes has almost no effect on nanoparticle-encapsulating cyanine dyes. More importantly, after injection into the tumor tissue, the nanoparticles exhibit bright NIR fluorescence in *in vivo* tumor imaging with long retention time (more than 24 h). The excellent performance in bioimaging highlights the significance of the enhanced stability, especially for the enhanced permeability and retention (EPR) effect derived from the proper size of nanoparticles (Fig. S4†).²⁸

When reducing the cross-linking density, this strategy can also be utilized for fabricating fluorescent hybrid nanosensor system. In our group, a pH-responsive naphthalenediimide derivative was immobilized into spherical PS-*b*-PAA micelles and discreetly cross-linked by low density of MPTMS, exhibiting several promising features including complete solubility in water in spite of the hydrophobicity of free dye, low level of dissociation or leakage of encapsulated fluorophores, fast and precise pH response along with extremely low cytotoxicity and outstanding intracellular tumor cell labeling (Fig. 1c and Fig. S5†).²⁹ Consequently, the core-shell nanostructured particles provide an effective approach to construct highly stable contrast agents for bioimaging.³⁰

Except for the block copolymer-based nanoparticles, the enhancement of photostability can also be achieved by the encapsulation of fluorophores into the biological macromolecules such as proteins and liposomes.^{31,32} The unique microenvironment inside the macromolecules is capable of providing shielding of the inner fluorophores against the attack by ROS or other active species. However, the structurally specific effect of protein encapsulation can not guarantee it as widely applicable as the aforementioned block copolymer systems.³⁰ In addition, the enhancement of fluorophore stability can also be realized with tedious covalently conjugation with polymer or polymeric nanoparticles.^{33,34}

Fluorophore-doped nanoparticles based on inorganic matrixes

Fluorophore-doped materials, in which organic dyes are doped during the growth of inorganic nanoparticles, is another widely used strategy for the stability enhancement of traditional dyes.³⁵ Based on the well-developed Stöber method, the resulting dye-doped silica nanoparticles generally have diameters ranging from tens to hundreds of nanometers, along with efficiently encapsulating several dye molecules per nanoparticle. The constituent fluorophores are endowed with enhanced photostability and longer fluorescence life-time or stronger brightness (Fig. 2).^{36–39} Notably, the easy surface modification and biocompatibility of the silica-rich structure substantially reduces the nanoparticle cytotoxicity, making it suitable for living cell imaging and flow cytometry.⁴⁰




Fig. 2 Schematic diagram of dye-doped nanoparticles, its representative TEM image, and the enhanced stability of doped fluorophores.




Fig. 3 Schematic diagram of structural modification of cyanine dyes including cyclodextrin complex, acetyl modification, fluoro- and cyano-substitution, and the enhanced photostability of the cyano modified cyanine.

Dye nano-encapsulation system based on calcium phosphate (CP), which is “generally regarded as safe” by the FDA, has also been established as an effective platform for enhancing fluorophore photostability.⁴¹ In one approach, ICG was doped by CP surface modified with carboxylate or PEG termination for early stage *in vivo* tumor imaging. The fluorescence of dye-doped CP nanoparticles is little sensitive to solvent polarity, resulting in an increase in fluorescence quantum efficiency by 2-folds with respect to the free fluorophore. Importantly, their photostability is five folds higher at clinical imaging excitation power than that of the corresponding free dye. Here the enhanced stability and prolonged circulation times *in vivo* with passive tumor accumulation are highly desirable for diagnostic imaging (Fig. S6†).⁴² As well demonstrated, CP nanoparticles can efficiently provide improved stability to a variety of organic dyes.⁴³

Generally, nanoparticles based on both organic block copolymer and inorganic matrix (such as silica and calcium phosphate) have similar capacity to provide the encapsulated or doped dye molecules better photostability. Compared with the micelle-based ones, structure of the inorganic nanoparticles is more stable, but their surface functionalization is limited to some extent because of the relatively simple functional group on surface. On the other hand, the easy modification of the copolymer-based nanoparticles not only eliminates the micelle dissociation by cross-linking, but also endows the nanoparticles with a variety of functionality.⁴⁴

Molecular engineering on fluorescent chromophores

The key element for the enhancement of photostability is to hinder the energy or electron transfer between the excited fluorophores and ROS, which can also be achieved by the direct structural modification of fluorophores. As a matter of

fact, the delicate decoration of molecular structures can induce great change in the photostability of fluorophores (Fig. 3).^{45,46} For example, the simple replacement of oxygen by nitrogen atom in the traditional dicyanomethylene-4*H*-pyran (DCM) moiety creates a new family of fluorophore for realizing particular red light aggregation-induced emission (AIE) with significant stability.^{47–50} An early and efficient approach to enhancing the stability of fluorescent dyes was demonstrated by incorporating a cyclodextrin (or cucurbituril) ring onto cyanine fluorophore (Fig. 3).^{51–53} The crystal structure of the cyanine dye rotaxane demonstrated by Anderson *et al.* exhibits the tight encapsulation as well as protection for the dye molecules, explaining the enhanced photostability.⁵³ Recently, triplet-state quenchers such as cyclooctatetraene and 4-nitrobenzyl alcohol have been covalently conjugated with cyanine fluorophores to distinctly decrease the triplet state occupancy and thus the rate of singlet-oxygen generation and photo-oxidation.⁵⁴ In this way, the newly developed supramolecular-like fluorophores realize an efficient decrease of the blinking and photobleaching in both deoxygenated and oxygenated environments, extremely valuable for *in vivo* applications.⁵⁵ Additionally, introducing strong electron-withdrawing unit such as acetyl or cyano group,^{56–58} and fluorine,^{59,60} into tricyanopyran backbone can also improve the stability sharply (Fig. 3), which can be successfully utilized in the protein labelling and cancer bioimaging.^{61–63} As constructed with fluorophore cores, dendrimers are also an efficient approach to enhancing the photostability and water solubility of the core dyes due to the protection of the hydrophilic dendritic shell.^{64,65} For instance, Zimmerman *et al.* conjugated the hydrophobic dye (KFL-3) with water-soluble and biocompatible polyglycerol dendrimers (PGD) to fabricate far-red fluorescent probe PGD-KFL. With the help of the dendritic shell, PGD-KFL exhibits comparable photostability to Cy5 and especially long-lasting fluorescence

emission with fairly low level of blinking in the single-molecule imaging (Fig. S7†).⁶⁶

Up to date, novel NIR fluorophores equipped with better stability and efficacy are highly preferable as contrast agents. For example, a derivative of the well-known laser dye DCM, with 19-fold better photostability than ICG, has been successfully utilized to construct NIR theranostic prodrug. It exhibits highly specific tumor-activatable drug release, resulting in the turn-on NIR fluorescence for *in vivo* imaging as well as excellent antitumor activity with lower side effects than free drug (Fig. S8†).⁶⁷ Now more and more successful examples open a new window to design highly photostable fluorophores for visualizing disease therapy, tumor and biological processes.

Summary and outlook

The stability enhancement of fluorophores benefits for their practical applications in the fields of biological and biomedical imaging. In this highlight, we focused on the recent noteworthy efficient strategies to improve chromophore stability including the encapsulation and doping of fluorophores by nanoparticles, and structural modification on fluorophores. With the help of these strategies, numerous highly stable fluorescent nanoparticles, polymers and fluorophores have been particularly developed. However, there are still severe barriers against the practical application of the newly developed contrast agents, especially for the nanoparticle-based ones in the *in vivo* imaging. For example, the mononuclear phagocyte system (MPS) clearance presents challenges of effectively removing large fraction of available nanoparticles from circulation and leading to long retention times of potentially toxic nanoparticle components or metabolites.⁶⁸ Although most of the newly developed fluorescent contrast agents could still only be applied in laboratory due to the slight lack of comprehensive research, it is expected that these strategies have paved a promising way to fabricating highly stable contrast agents for real bioimaging.

Acknowledgements

This work was financially supported by National 973 Program (No. 2013CB733700), NSFC for Distinguished Young Scholars (Grant No. 21325625), NSFC/China, the Oriental Scholarship, National Major Scientific Technological Special Project (2012YQ15008709), SRFDP 20120074110002 and the Fundamental Research Funds for the Central Universities (WK1013002).

Notes and references

Shanghai Key Laboratory of Functional Materials Chemistry, Key Laboratory for Advanced Materials and Institute of Fine Chemicals, East China University of Science and Technology, Shanghai 200237, China. E-mail: whzhu@ecust.edu.cn

†Electronic Supplementary Information (ESI) available: More detailed description of the references. See DOI: 10.1039/b000000x/

- 1 M. Schäferling, *Angew. Chem. Int. Ed.*, 2012, **51**, 3532-3554.
- 2 J. Yao, M. Yang and Y. X. Duan, *Chem. Rev.*, 2014, **114**, 6130-6178.

- 3 B. J. Pichler, A. Kolb, T. Nägele and H. Schlemmer, *J. Nucl. Med.*, 2010, **51**, 333-336.
- 4 R. Bar-Shalom, N. Yefremov, L. Guralnik, D. Gaitini, A. Frenkel, A. Kuten, H. Altman, Z. Keidar and O. Israel, *J. Nucl. Med.*, 2003, **44**, 1200-1209.
- 5 Z. Q. Guo, S. Park, J. Yoon and I. Shin, *Chem. Soc. Rev.*, 2014, **43**, 16-29.
- 6 J. Y. Shao, H. Y. Sun, H. M. Guo, S. M. Ji, J. Z. Zhao, W. T. Wu, X. L. Yuan, C. L. Zhang and T. D. James, *Chem. Sci.*, 2012, **3**, 1049-1061.
- 7 Y. Liu, M. Chen, T. Y. Cao, Y. Sun, C. Y. Li, Q. Liu, T. S. Yang, L. M. Yao, W. Feng and F. Y. Li, *J. Am. Chem. Soc.*, 2013, **135**, 9869-9876.
- 8 S. Banerjee, E. B. Veale, C. M. Phelan, S. A. Murphy, G. M. Tocci, L. J. Gillespie, D. O. Frimannsson, J. M. Kelly and T. Gunnlaugsson, *Chem. Soc. Rev.*, 2013, **42**, 1601-1618.
- 9 Y. H. Li, G. X. Zhang, G. Yang, Y. L. Guo, C. A. Di, X. Chen, Z. T. Liu, H. Y. Liu, Z. Z. Xu, W. Xu, H. B. Fu and D. Q. Zhang, *J. Org. Chem.*, 2013, **78**, 2926-2934.
- 10 S. Luo, E. Zhang, Y. Su, T. Cheng and C. Shi, *Biomaterials*, 2011, **32**, 7127-7138.
- 11 C. Eggeling, J. Widengren, R. Rigler and C. A. M. Seidel, *Anal. Chem.*, 1998, **70**, 2651-2659.
- 12 Y. Sun, J. Liu, X. Lv, Y. Liu, Y. Zhao and W. Guo, *Angew. Chem. Int. Ed.*, 2012, **51**, 7634-7636.
- 13 B. Jeong, Y. H. Bae, D. S. Lee and S. W. Kim, *Nature*, 1997, **388**, 860-862.
- 14 Z. Ge and S. Liu, *Chem. Soc. Rev.*, 2013, **42**, 7289-7325.
- 15 S. Y. Zhang, Y. Wu, B. He, K. Luo and Z. W. Gu, *Sci. China Chem.*, 2014, **57**, 461-475.
- 16 V. Saxena, M. Sadoqi and J. Shao, *J. Photochem. Photobiol. B*, 2004, **74**, 29-38.
- 17 V. B. Rodriguez, S. M. Henry, A. S. Hoffman, P. S. Stayton, X. Li and S. H. Pun, *J. Biomed. Opt.*, 2008, **13**, 14025.
- 18 J. Tian, H. Chen, L. Zhuo, Y. Xie, N. Li and B. Tang, *Chem. Eur. J.*, 2011, **17**, 6626-6634.
- 19 Y. Noh, H. S. Park, M. Sung and Y. T. Lim, *Biomaterials*, 2011, **32**, 6551-6557.
- 20 D. C. Niu, Y. Li, X. Qiao, L. Li, W. R. Zhao, H. Chen, Q. Zhao, Z. Ma and J. L. Shi, *Chem. Commun.*, 2008, 4463-4465.
- 21 D. C. Niu, Y. Li, Z. Ma, H. Diao, J. Gu, H. Chen, W. Zhao, M. Ruan, Y. Zhang and J. L. Shi, *Adv. Funct. Mater.*, 2010, **20**, 773-780.
- 22 S. Chang, X. M. Wu, Y. S. Li, D. C. Niu, Z. Ma, W. R. Zhao, J. L. Gu, W. J. Dong, F. Ding, W. H. Zhu and J. L. Shi, *Adv. Healthcare Mater.*, 2012, **1**, 475-479.
- 23 G. Chen, F. Song, X. Wang, S. Sun, J. L. Fan and X. J. Peng, *Dyes Pigm.*, 2012, **93**, 1532-1537.
- 24 I. Miletto, A. Gilardino, P. Zamburlin, S. Dalmazzo, D. Lovisolo, G. Caputo, G. Viscardi and G. Martra, *Dyes Pigm.*, 2010, **84**, 121-127.
- 25 X. Chen, X. Peng, A. Cui, B. Wang, L. Wang and R. Zhang, *J. Photochem. Photobiol. A*, 2006, **181**, 79-85.
- 26 F. L. Song, X. J. Peng, E. Lu, R. Zhang, X. Chen and B. Song, *J. Photochem. Photobiol. A*, 2004, **168**, 53-57.
- 27 X. M. Wu, S. Chang, X. R. Sun, Z. Q. Guo, Y. S. Li, J. B. Tang, Y. Q. Shen, J. L. Shi, H. Tian and W. H. Zhu, *Chem. Sci.*, 2013, **4**, 1221-1228.
- 28 J. Fang, H. Nakamura and H. Maeda, *Adv. Drug. Deliver. Rev.*, 2011, **63**, 136-151.


- 29 S. Chang, X. M. Wu, Y. S. Li, D. C. Niu, Y. Gao, Z. Ma, J. L. Gu, W. R. Zhao, W. H. Zhu, H. Tian and J. L. Shi, *Biomaterials*, 2013, **34**, 10182-10190.
- 30 M. Akbulut, P. Ginart, M. E. Gindy, C. Theriault, K. H. Chin, W. Soboyejo and R. K. Prud'Homme, *Adv. Funct. Mater.*, 2009, **19**, 718-725.
- 31 R. Alonso, M. Yamaji, M. C. Jiménez and M. A. Miranda, *J. Phys. Chem. B*, 2010, **114**, 11363-11369.
- 32 S. T. Proulx, P. Luciani, S. Derzsi, M. Rinderknecht, V. Mumprecht, J. Leroux and M. Detmar, *Cancer Res.*, 2010, **70**, 7053-7062.
- 33 Z. Tian, A. D. Shaller and A. D. Q. Li, *Chem. Commun.*, 2009, 180-182.
- 34 Z. Lu, L. Mei, X. Zhang, Y. Wang, Y. Zhao and C. Li, *Polym. Chem.*, 2013, **4**, 5743-5750.
- 35 A. Van Blaaderen and A. Vrij, *Langmuir*, 1992, **8**, 2921-2931.
- 36 L. M. Rossi, L. Shi, F. H. Quina and Z. Rosenzweig, *Langmuir*, 2005, **21**, 4277-4280.
- 37 M. Nakamura, M. Shono and K. Ishimura, *Anal. Chem.*, 2007, **79**, 6507-6514.
- 38 X. Lu, Y. H. Hou, J. Zha and Z. Xin, *Ind. Eng. Chem. Res.*, 2013, **52**, 5880-5886.
- 39 S. Santra, P. Zhang, K. Wang, R. Tapeç and W. Tan, *Anal. Chem.*, 2001, **73**, 4988-4993.
- 40 H. Ow, D. R. Larson, M. Srivastava, B. A. Baird, W. W. Webb and U. Wiesner, *Nano Lett.*, 2004, **5**, 113-117.
- 41 H. S. Muddana, T. T. Morgan, J. H. Adair and P. J. Butler, *Nano Lett.*, 2009, **9**, 1559-1566.
- 42 E. I. Altinoğlu, T. J. Russin, J. M. Kaiser, B. M. Barth, P. C. Eklund, M. Kester and J. H. Adair, *ACS Nano*, 2008, **2**, 2075-2084.
- 43 T. T. Morgan, H. S. Muddana, E. I. Altinoğlu, S. M. Rouse, A. Tabaković, T. Tabouillot, T. J. Russin, S. S. Shanmugavelandy, P. J. Butler, P. C. Eklund, J. K. Yun, M. Kester and J. H. Adair, *Nano Lett.*, 2008, **8**, 4108-4115.
- 44 X. L. Hu, J. M. Hu, J. Tian, Z. S. Ge, G. Y. Zhang, K. F. Luo and S. Y. Liu, *J. Am. Chem. Soc.*, 2013, **135**, 17617-17629.
- 45 M. M. Rubner, C. Holzhauser, P. R. Bohländer and H. Wagenknecht, *Chem. Eur. J.*, 2012, **18**, 1299-1302.
- 46 N. I. Shank, H. H. Pham, A. S. Waggoner and B. A. Armitage, *J. Am. Chem. Soc.*, 2012, **135**, 242-251.
- 47 C. X. Shi, Z. Q. Guo, Y. L. Yan, S. Q. Zhu, Y. S. Xie, Y. S. Zhao, W. H. Zhu and H. Tian, *ACS Appl. Mater. Interfaces*, 2013, **5**, 192-198.
- 48 A. D. Shao, Z. Q. Guo, S. J. Zhu, S. Q. Zhu, P. Shi, H. Tian and W. H. Zhu, *Chem. Sci.*, 2014, **5**, 1383-1389.
- 49 Z. Q. Guo, W. H. Zhu and H. Tian, *Chem. Commun.*, 2012, **48**, 6073-6084.
- 50 Y. Yu, C. Feng, Y. N. Hong, J. Z. Liu, S. J. Chen, K. M. Ng, K. Q. Luo and B. Z. Tang, *Adv. Mater.*, 2011, **23**, 3298-3302.
- 51 J. Mohanty and W. M. Nau, *Angew. Chem. Int. Ed.*, 2005, **44**, 3750-3754.
- 52 R. Guether and M. V. Reddington, *Tetrahedron Lett.*, 1997, **38**, 6167-6170.
- 53 C. M. S. Yau, S. I. Pascu, S. A. Odom, J. E. Warren, E. J. F. Klotz, M. J. Frampton, C. C. Williams, V. Coropceanu, M. K. Kuimova, D. Phillips, S. Barlow, J. Bredas, S. R. Marder, V. Millar and H. L. Anderson, *Chem. Commun.*, 2008, 2897-2899.
- 54 R. B. Altman, D. S. Terry, Z. Zhou, Q. Zheng, P. Geggier, R. A. Kolster, Y. Zhao, J. A. Javitch, J. D. Warren and S. C. Blanchard, *Nat. Methods*, 2012, **9**, 68-71.
- 55 R. B. Altman, Q. Zheng, Z. Zhou, D. S. Terry, J. D. Warren and S. C. Blanchard, *Nat. Methods*, 2012, **9**, 428-429.
- 56 A. Samanta, M. Vendrell, R. Das and Y. Chang, *Chem. Commun.*, 2010, **46**, 7406-7408.
- 57 A. Toutchkine, D. Nguyen and K. M. Hahn, *Org. Lett.*, 2007, **9**, 2775-2777.
- 58 N. I. Shank, K. J. Zanotti, F. Lanni, P. B. Berget and B. A. Armitage, *J. Am. Chem. Soc.*, 2009, **131**, 12960-12969.
- 59 W. Sun, K. R. Gee, D. H. Klaubert and R. P. Haugland, *J. Org. Chem.*, 1997, **62**, 6469-6475.
- 60 B. R. Renikuntla, H. C. Rose, J. Eldo, A. S. Waggoner and B. A. Armitage, *Org. Lett.*, 2004, **6**, 909-912.
- 61 M. Vendrell, A. Samanta, S. W. Yun and Y. T. Chang, *Org. Biomol. Chem.*, 2011, **9**, 4760-4762.
- 62 A. Samanta, K. K. Maiti, K. S. Soh, X. J. Liao, M. Vendrell, U. S. Dinish, S. W. Yun, R. Bhuvaneswari, H. Kim, S. Rautela, J. Chung, M. Olivo and Y. T. Chang, *Angew. Chem. Int. Ed.*, 2011, **50**, 6089-6092.
- 63 P. R. Bohländer and H. A. Wagenknecht, *Org. Biomol. Chem.*, 2013, **11**, 7458-7462.
- 64 S. K. Yang and S. C. Zimmerman, *Adv. Funct. Mater.*, 2012, **22**, 3023-3028.
- 65 S. K. Yang, X. H. Shi, S. Park, S. Doganay, T. Ha and S. C. Zimmerman, *J. Am. Chem. Soc.*, 2011, **133**, 9964-9967.
- 66 S. K. Yang, X. H. Shi, S. Park, T. Ha and S. C. Zimmerman, *Nat. Chem.*, 2013, **5**, 692-697.
- 67 X. M. Wu, X. R. Sun, Z. Q. Guo, J. B. Tang, Y. Q. Shen, T. D. James, H. Tian and W. H. Zhu, *J. Am. Chem. Soc.*, 2014, **136**, 3579-3588.
- 68 S. Chapman, M. Dobrovolskaia, K. Farahani, A. Goodwin, A. Joshi, H. Lee, T. Meade, M. Pomper, K. Ptak, J. H. Rao, R. Singh, S. Sridhar, S. Stern, A. Wang, J. B. Weaver, G. Woloschak and L. Yang, *Nano Today*, 2013, **8**, 454-460.

Graphics for Content

Stability enhancement of fluorophores for lighting up practical application in bioimaging

Xumeng Wu and Weihong Zhu*

In this Highlight, we emphasize some representative strategies including nanoparticle-encapsulating dyes, dye-doped nanoparticles and molecular engineering for stabilizing fluorophores.



Dr Xumeng Wu received his PhD degree in Applied Chemistry (July 2014) from the East China University of Science & Technology (ECUST) supervised by Prof. Weihong Zhu. His research interests are mainly focused on the development of highly stable NIR fluorophores as contrast agents for in vivo imaging, prodrug, and fluorescent sensors.



Prof. Weihong Zhu received his PhD degree in 1999 from East China University of Science & Technology (ECUST), China. He worked in AIST Central 5, Tsukuba (Postdoctoral) and in Tsukuba University (visiting professor), Japan from 2001 to 2005. He became a full professor in 2004 and deputy director in 2006, and published 138 papers in international journals. He has received several awards, such as Oriental Scholar (2009), and NSFC for Distinguished Young Scholars (2013). His current research interest is focused on functional chromophores, including fluorescent sensors, photochromism, and metal free solar cell sensitizers.