

Polymer Chemistry

The home for the most innovative and exciting polymer chemistry, with an emphasis on polymer synthesis and applications thereof

rsc.li/polymers

The Royal Society of Chemistry is the world's leading chemistry community. Through our high impact journals and publications we connect the world with the chemical sciences and invest the profits back into the chemistry community.

IN THIS ISSUE

ISSN 1759-9962 CODEN PCOHC2 15(18) 1797–1898 (2024)



Cover

See Gulzar A. Bhat,
Donald J. Daresbourg et al.,
pp. 1803–1820.


Image reproduced by
permission of
Donald J. Daresbourg from
Polym. Chem., 2024, **15**,
1803.

REVIEW

1803

Post-polymerization functionalization of aliphatic polycarbonates using click chemistry

Mohsin Hassan, Gulzar A. Bhat* and
Donald J. Daresbourg*




COMMUNICATIONS

1821

Ultra-high molecular weight complex coacervates via polymerization-induced electrostatic self-assembly

Julia Y. Rho,* Angie B. Korpusik, Miriam Hoteit,
John B. Garrison and Brent S. Sumerlin*



Environmental Science: Atmospheres



GOLD
OPEN
ACCESS

Connecting communities and inspiring new ideas

rsc.li/submittoEA

Fundamental questions
Elemental answers




Registered charity number: 207890

COMMUNICATIONS

1826

Creep resistance in doubly crosslinked dynamic covalent networks

Swagata Mondal, Alexander J. Wong,
Mahendra A. Wagh, Lily Alperstein,
Gangadhar J. Sanjayan* and Brent S. Sumerlin*




PAPERS

1833

Visible-light-mediated Diels–Alder reactions under single-chain polymer confinement: investigating the role of the crosslinking moiety on catalyst activity


Michael Spicuzza, Shweta Prakesh Gaikwad,
Steven Huss, Annemarie A. Lee, Cristina V. Craescu,
Anna Griggs, Joshmi Joseph, Mark Puthenpurayil,
Wilson Lin, Christopher Matarazzo, Stanley Baldwin,
Victoria Perez, Diego Alejandro Rodriguez-Acevedo,
John R. Swierk and Elizabeth Elacqua*



1839

Crystallization-driven self-assembly of poly(3-hexylthiophene)-*b*-poly(2,5-bis(2-ethylhexyloxy)p-phenylene), a π -conjugated diblock copolymer with a rigid rod corona-forming block


Marcus Vespa, Liam R. MacFarlane, Zachary M. Hudson* and Ian Manners



1851


IUPAC recommended experimental methods and data evaluation procedures for the determination of radical copolymerization reactivity ratios from composition data

Anton A. A. Autzen, Sabine Beuermann, Marco Drache,
Christopher M. Fellows, Simon Harrisson, Alex M. van
Herk,* Robin A. Hutchinson, Atsushi Kajiwara,
Daniel J. Keddie, Bert Klumperman and
Gregory T. Russell



PAPERS


1862



Polysarcosine functionalised cationic polyesters efficiently deliver self-amplifying mRNA

Hulya Bayraktutan, Rafał J. Kopiasz, Amr Elsherbeny, Magda Martinez Espuga, Nurcan Gümüş, Umut Can Öz, Krunal Polra, Paul F. McKay, Robin J. Shattock, Paloma Ordóñez-Morán, Alvaro Mata, Cameron Alexander and Pratik Gurnani*


1877



N,N'-Bis(imidazolyl)guanidinylphosphines: powerful initiators for conjugate-addition polymerization of Michael-type monomers

Lang-Qi Wen, Wei Chen, Wei-Min Ren, Xiao-Bing Lu and Hui Zhou*

1884



Synthesis and characterization of α,ω -end orthogonally functionalizable glycopolymers from native glycans

Joseph M. Keil, Ka Keung Chan and Xue-Long Sun*

