


 Cite this: *RSC Adv.*, 2019, 9, 16966

Correction: A highly sensitive and selective fluorescent probe for quantitative detection of Al³⁺ in food, water, and living cells

 Qian Jiang,^a Mingxin Li,^a Jie Song,^b Yiqin Yang,^{cd} Xu Xu,^{ad} Haijun Xu^{ad}
and Shifa Wang^{*ad}

DOI: 10.1039/c9ra90037c

www.rsc.org/advances

 Correction for 'A highly sensitive and selective fluorescent probe for quantitative detection of Al³⁺ in food, water, and living cells' by Qian Jiang *et al.*, *RSC Adv.*, 2019, 9, 10414–10419.

The authors regret that the details of the affiliations were incorrectly shown in the original manuscript. The corrected list of affiliations is as shown herein.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aCollege of Chemical Engineering, Nanjing Forestry University, Nanjing, 210037, P. R. China

^bDepartment of Chemistry and Biochemistry, University of Michigan-Flint, Flint, MI 48502, USA

^cCollege of Light Industry and Food, Nanjing Forestry University, Nanjing, 210037, P. R. China

^dCo-Innovation Center of Efficient Processing and Utilization of Forest Resources, Nanjing Forestry University, Nanjing, 210037, P. R. China

