

Cite this: *RSC Adv.*, 2019, 9, 21518

DOI: 10.1039/c9ra90052g

www.rsc.org/advances

Correction: Cytotoxic trichothecene-type sesquiterpenes from the sponge-derived fungus *Stachybotrys chartarum* with tyrosine kinase inhibition

Yong Li,^a Dong Liu,^a Zhongbin Cheng,^a Peter Proksch^b and Wenhan Lin^{*a}Correction for 'Cytotoxic trichothecene-type sesquiterpenes from the sponge-derived fungus *Stachybotrys chartarum* with tyrosine kinase inhibition' by Yong Li *et al.*, *RSC Adv.*, 2017, 7, 7259–7267.

The authors regret that compound 5 was incorrectly labelled in Fig. 4 in the original manuscript. The corrected figure is shown below.

In addition, on page 7462 the sentence "In the present work, the absolute configurations of satratoxin G (6) and 2,4,12-trihydroxypotriconic acid (14) were established by the analyses of the X-ray diffraction data using Flack parameters (Fig. 4)" is corrected to "In the present work, the absolute configurations of mytoxin A (5) and 2,4,12-trihydroxypotriconic acid (14) were established by the analyses of the X-ray diffraction data using Flack parameters (Fig. 4)".




Fig. 4 X-ray structures of 3, 5, and 14.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aState Key Laboratory of Natural and Biomimetic Drugs, Peking University, Beijing, 100191, P. R. China. E-mail: whlin@bjmu.edu.cn; Fax: +86-10-82806188

^bInstitute of Pharmaceutical Biology and Biotechnology, Heinrich-Heine University, 40225 Duesseldorf, Germany

