Analyst



CORRECTION

View Article Online
View Journal | View Issue



Cite this: Analyst, 2020, 145, 295

Correction: A colorimetric probe for the real-time naked eye detection of cyanide and hydroxide ions in tap water: experimental and theoretical studies

Veikko Uahengo,*^a Johannes Naimhwaka,^a Likius S. Daniel,^a Ateeq Rahman,^a Mohamed I. Elzagheid,^b Lydia Rhyman,^{c,d} Ponnadurai Ramasami^{c,d} and Ping Cai^e

DOI: 10.1039/c9an90120e rsc.li/analyst

Correction for 'A colorimetric probe for the real-time naked eye detection of cyanide and hydroxide ions in tap water: experimental and theoretical studies' by Veikko Uahengo *et al.*, *Analyst*, 2019, **144**, 6422–6431.

The authors regret that incorrect details were given for ref. 27 in the original article. The correct version of ref. 27 is given below as ref. 1.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

References

1 Y. H. Qiao, H. K. H. Lin, J. Shao and H. K. H. Lin, A highly selective naked-eye colorimetric sensor for acetate ion based on 1,10-phenanthroline-2,9-dicarboxyaldehyde-di-(p-substitutedphenyl-hydrazone), *Spectrochim. Acta, Part A*, 2009, **72**, 378–381, DOI: 10.1016/j.saa.2008.10.007.

^aDepartment of Chemistry and Biochemistry, University of Namibia, 340 Mandume Ndemufayo Avenue, Windhoek, 9000, Namibia. E-mail: vuahengo@unam.na; Fax: +264 61 206 3465; Tel: +264 61 206 3465

^bDepartment of Chemical and Process Engineering, Jubail Industrial College, Jubail Industrial City 31961, Saudi Arabia

^cComputational Chemistry Group, Department of Chemistry, Faculty of Science, University of Mauritius, Réduit 80837, Mauritius

^dDepartment of Applied Chemistry, University of Johannesburg, Doornfontein Campus, Johannesburg 2028, South Africa

^eCollege of Chemistry and Molecular Sciences, Wuhan University, Wuhan, Hubei 430072, China