RSC Advances



View Article Online

PAPER

Check for updates

Cite this: RSC Adv., 2020, 10, 33221

Functional disruption of staphylococcal accessory regulator A from *Staphylococcus aureus* by silver ions[†]

Xiangwen Liao, 💿 * Guijuan Jiang, Jing Wang and Jintao Wang

Silver ions (Ag⁺) have attracted profound attention due to their broad-spectrum antimicrobial activities. Although the antibacterial properties of silver have been well known for many centuries, its mechanism of action is not fully understood and its protein targets remain largely unknown. *Staphylococcus aureus* (*S. aureus*) is the leading cause of hospital- and community-acquired infections. Staphylococcal accessory regulator protein family from *Staphylococcus aureus* has been found to play vital roles in the regulation of virulence genes. In this study, we demonstrated that silver ions bind to the staphylococcal accessory regulator A (SarA) of *S. aureus via* its cysteine residues. Importantly, binding of silver ions leads to functional disruption of SarA. In addition, qRT-PCR experiments showed that silver also significantly attenuated the mRNA transcription levels of the genes which SarA regulated. Overall, these results provide new insights into the antibacterial mechanism of silver ions.

Received 21st July 2020 Accepted 31st August 2020 DOI: 10.1039/d0ra06357f

rsc.li/rsc-advances

Introduction

Staphylococcus aureus (S. aureus), a worldwide human pathogen, is the leading cause of hospital- and community-acquired infections. The pathogen causes a series of human diseases ranging from minor skin infections to life-threating sepsis.¹ In particular, the emergence of drug-resistant strains of bacteria, such as methicillin-resistant and vancomycin-resistant S. aureus has posed a threat to public health worldwide.² Worse yet, resistance to vancomycin, linezolid and daptomycin have already been reported in clinical MRSA strains, compromising the therapeutic alternatives for life-threatening MRSA infections.3-5 The most serious infections such as endocarditis, osteomyelitis, necrotizing pneumonia and sepsis occur on dissemination of the bacteria into the bloodstream.⁶ In S. aureus, SarA is a 14.7 kDa winged helix turn helix transcriptional activator and known to up-regulate the agr based quorum sensing system to elicit the exoprotein level.^{7,8} Simultaneously, the SarA indirect role on down-regulation of various other regulatory loci such as rot, sarS, sarV, sarT are also well documented.9 Furthermore, SarA is also involved in the agr-independent expression of several other virulence genes including fnbA (fibronectin binding protein A), TSS (toxic shock syndrome) and icaRA (coagulase) and bap (biofilm associated proteins).¹⁰⁻¹² Recently, small molecule inhibitors targeting S.

aureus virulence regulators SarA were also reported to be efficacious in animal models, indicating that targeting this regulator proteins might be a promising anti-bacterial strategy.¹⁰

Silver and silver-containing materials had been widely employed as antimicrobial agents due to their broad-spectrum bactericidal activity.13-17 Recent studies showed that silver ions could enhance the antibiotic activity against Gram-negative bacteria as well as restoring antibiotic susceptibility of the resistant bacterial strain, implying the potential application of silver in treatment of drug-resistant bacteria infection.18 Silver could also eliminate Gram-positive bacteria, such as S. aureus. However, up to now, few Ag⁺ protein targets have been identified and characterized. It is suggested that Ag⁺ could bind to thiol group (-SH) of bacterial enzymes and subsequently causing enzyme deactivation.¹⁹ Our previous study demonstrated that Ag⁺ binds to CcpA (catabolite control protein A) from S. aureus via the two Cys residues both in vitro and in vivo, leading to disruption of protein functions, thus attenuating the bacterial growth, bacterial toxin expression and biofilm formation. However, the decrease of erythrocyte lysis activity observed in *ccpA::ccpA*^{2CS} mutant strain (in which Ag⁺ can't binding to CcpA) upon Ag⁺ treatment indicated that other hemolysin expression regulatory networks were also perturbed.20 Given the fact that the sole and conserved Cys residue in SarA acts as a redox switch to modulate the regulatory functions.21 We hypothesis that SarA also serves as a potential target of Ag⁺ in *S. aureus*. Herein, we investigated the interaction between staphylococcal accessory regulator A from Staphylococcus aureus and silver ions. In this study, we demonstrated that silver ion binds to the staphylococcal accessory regulator A

School of Pharmacy, Jiangxi Science & Technology Normal University, Nanchang, 330013, China. E-mail: liao492008522@163.com; Fax: +86 791 8380 2393; Tel: +86 791 8380 2393

[†] Electronic supplementary information (ESI) available. See DOI: 10.1039/d0ra06357f

(SarA) of *S. aureus via* its cysteine residues. Importantly, binding of silver ions leads to functional disruption of SarA.

Results and discussion

Ellman's assay

SarA is a 14.7 kDa winged helix turn helix transcriptional activator and has a conserved Cys residue (Cys9) (Fig. S1⁺). Given the highly thiophilic property of Ag⁺, the free cysteines of SarA could probably involve in Ag⁺ binding. At first, to test the hypothesis, we used the Ellman's assay to monitor the number of free sulfhydryl groups in SarA after pre-incubation with different molar equivalents of Ag⁺. The Ellman's reagent DTNB specifically reacts with the free sulfhydryl group to yield NTB, which exhibits maximum absorption at 412 nm in the UV-Vis spectra.²² As shown in Fig. 1, for SarA, the absorbance at 412 nm decreased with the increasing Ag⁺/protein ratios, indicative of the direct binding of Ag⁺ to the free sulfhydryl group. However, the absorbance at 412 nm levelled off after addition of around 1 molar equivalents of Ag⁺. This result suggested that silver ion could bind to the staphylococcal accessory regulator A (SarA) of S. aureus via its cysteine residues.

Inductively coupled plasma mass spectrometry

To further investigate whether S. aureus SarA can bind silver ions, inductively coupled plasma mass spectrometry (ICP-MS) was used to monitor the Ag⁺-binding capacities of SarA after pre-incubation with excess amounts of silver ions. In brief, different molar equivalents of Ag⁺ were incubated with SarA protein followed by desalting to remove unbound Ag⁺. The protein concentrations were measured by BCA assay and protein-bound Ag⁺ contents were quantified by ICP-MS. As the results showed in Fig. 2, SarA bound 1.32 \pm 0.23 molar equivalents of Ag⁺, which consistent with the Ellman's assay. In contrast, after pre-incubation with three molar equivalents of DTNB, the Ag⁺-binding capabilities of the SarA was not detectable. In addition, the Cys mutant SarA^{C9S} (cysteine was mutated to serine) were also expressed and purified. Once again, ICP-MS measurement showed that SarA^{C9S} had no Ag⁺ binding capability (Fig. S3[†]). These results indicated again that silver ions bind to the SarA of S. aureus via its free sulfhydryl group.



Fig. 1 Ag⁺-binding to SarA monitored by Ellman's assay (A). SarA was pre-incubated with various molar equivalents of Ag⁺ as indicated, the remained free thiols in protein samples were measured by Ellman's assay. The absorbance at 412 nm was plotted against Ag⁺/protein ratios (B).



Fig. 2 Ag^+ -binding capability of SarA determined by ICP-MS (A). SarA or SarA pre-incubated with DTNB were treated with 3 molar equivalents of Ag^+ . Excess amounts of Ag^+ were removed by a desalting column. The bound Ag^+ contents were determined by ICP-MS and protein concentrations were measured by BCA assay (B).

Isothermal titration calorimetry (ITC)

In order to further investigate the Ag⁺-binding properties of SarA, isothermal titration calorimetry (ITC) was applied to monitor the titration of Ag⁺ into SarA. As shown in Fig. 3, isothermal titration calorimetry (ITC) data confirmed that SarA could bind 1.07 ± 0.04 molar equivalents of Ag⁺ with an apparent dissociation constant (K_d) of $10.2 \pm 1.39 \mu$ M. In addition, the binding of Ag⁺ to SarA which pre-incubation with three molar equivalents of DTNB was also investigated by ITC. Once again, SarA with no free sulfhydryls had no detectable Ag⁺ binding capability. These data are in consistent with the results obtained from ICP-MS and Ellman's assay. Collectively, these data demonstrate that SarA binds Ag⁺ *via* its conserved cysteine residues and SarA could bind 1 molar equivalents of Ag⁺ with an apparent dissociation constant (K_d) of $10.2 \pm 1.39 \mu$ M.

Ag⁺ binding decreases SarA thermal stability

Previously study have showed that silver binding could decrease the thermal stabilization of target proteins.²⁰ Therefore, the



Fig. 3 Calorimetric titration of Ag⁺ to SarA (A) and SarA which preincubation with three molar equivalents of DTNB (B). All protein samples were prepared in 50 mM Tris–HNO₃ buffer supplemented with 150 mM NaNO₃, pH 7.4. The titrations were carried out at 25 °C. The titration curves were fitted to one-set of site binding model using the Origin software.



Fig. 4 Thermal shift analysis of SarA stability after Ag⁺ treatment. Fluorescence signals are plotted against temperature and presented as sigmoidal curves. The melting temperatures are calculated for each curve.

thermal stability of SarA was investigated upon silver binding. In brief, SarA was incubated with different molar equivalents of Ag⁺ and the apparent melting temperature ($T_{\rm m}$) were determined by protein thermal shift assay as described in the Experimental section. As shown in Fig. 4, SarA exhibited typical S-shape thermal denaturation curve with a calculated $T_{\rm m}$ of 50.6 °C. Significant down shift of $T_{\rm m}$ was observed upon Ag⁺ binding, with $T_{\rm m}$ of 47.5 and 47.1 °C for 1 and 2 molar equivalents of Ag⁺, respectively. This results indicated that Ag⁺ substantially decreased SarA protein thermal stability.

Ag⁺ binding abolishes SarA DNA-binding capability

As a global transcription factor, SarA bind to the putative DNA sequences and regulates downstream gene expression. Recently study showed that the sole and conserved Cys residue in SarA acts as a redox switch to modulate the regulatory functions.²¹ Subsequently, we further measured the DNA binding capabilities of SarA by BioLayer Interferometry (BLI) with or without silver treated. Biotin-labeled hla DNA probe was immobilized on a streptavidin sensor to perform kinect analysis of SarA binding to hla promoter. All the data were collected and analyzed using the global fit binding model over five concentrations of SarA on a ForteBio Octet Red 96 system. As shown in Fig. 5A, SarA could specific binding to *hla* promoter sequence which in line with previous report.²¹ SarA possessed a strong binding affinity for *hla* with a K_d value of 10.5 \pm 0.27 nM. However, after with Ag⁺ treated, the binding of SarA for *hla* is undetectable (Fig. 5B). In contrast, biolayer interferometry (BLI) assay also indicated that SarA^{C9S}, which cysteine was mutated to serine, could binding to hla promoter even in the presence of silver ions (Fig. S4[†]). These results clearly demonstrated that Ag⁺ binding to the Cys residues of SarA and Ag⁺ binding disrupts its DNA binding capability.

Quantitative real-time PCR analysis of genes regulated by SarA after Ag⁺ treatment

To further investigate the Ag⁺ effect on the SarA regulation function, the mRNA levels of three different SarA-regulated



Fig. 5 The DNA binding capabilities of SarA (A), SarA with Ag⁺ (B) were measured by BioLayer Interferometry (BLI). Biotinylated *hla* (300 nM) were captured on pre-immobilized streptavidin Dip and Read sensor heads for 3 min. Association occurred from 0 to 180 s and dissociation was monitored thereafter up to 360 s. The K_d values are presented as the mean \pm s.e.m. derived from a global fitting of all binding curves.

genes, including *hla*, *hld* and *fnbA* are examined by quantitative real-time PCR. Cytotoxic virulence factors like hemolysins are coded by *hla* and *hld* genes. The gene *fnbA* encodes fibronectin binding protein A, which mediates adherence to the host extracellular matrix and is important for bacterial virulence. As shown in Fig. 6, the mRNA transcription levels of all the three genes are significantly attenuated upon treatment of 10 μ M silver nitrate (Ag⁺), indicating that SarA targeted by Ag⁺ would remarkably perturb its downstream regulated gene transcription. The results are consistent with a previous report that the SarA targeted inhibitor could down-regulated the expression of the hemolysin (*hld*, *hla*), and fibronectin-binding protein (*fnbA*).^{10,23}

Experimental

Protein expression and purification

The *sarA* genes were amplified by PCR using *S. aureus* Newman genomic DNA as template. The fragments and expression



Fig. 6 Quantitative transcript analysis of *hla*, *hld* and *fnbA* of wide type *S. aureus* with or without Ag⁺ treatment. All experiments were performed with three biological replicates. The mean value of transcription level in wide type *S. aureus* control groups are set as 1. The Ag⁺ treated groups are normalized to that of control groups. Results are shown as mean \pm sd.

plasmid pET47b were double digested with the corresponding restriction enzymes and ligated by T4 ligase. The generated expression plasmids pET47b-sarA were verified by DNA sequencing (Sangon, China) and transformed into Escherichia *coli* (*E. coli*) BL21 (DE₃) strain for protein expression. BL21 (DE₃) cell, which harbored the expression plasmid, was grown in 1 L of Luria-Bertani (LB) medium for 3 h aerobically at 37 °C until OD₆₀₀ reached 0.6. IPTG was added to a final concentration of 0.5 mM to induce protein expression. The bacteria were harvested after further incubation for 16 h at 25 °C by centrifugation (5000g for 20 min at 4 °C). The pellets were resuspended in resuspension buffer (20 mM Tris-HCl, 150 mM NaCl, pH 7.4). Cell pellets were lysed by sonication at 4 °C with 1 mM PMSF as protease inhibitor. The lysate was centrifuged at 15 000g for 10 min and the supernatant was collected. The supernatant was then dialyzed against 50 mM Tris-HCl (pH 8.0) buffer overnight and subsequently applied to a 5 mL HiTrap Q column (GE Healthcare). Purified protein was buffer-exchanged into Tris-HNO₃ buffer (50 mM Tris-HNO₃, 150 mM NaNO₃, pH 7.4) by HiTrap desalting column (GE healthcare) to remove DTT and chloride ion immediately before use. Plasmids for SarA^{C9S} mutant expression were generated via site-directed mutagenesis using Phusion high fidelity DNA polymerase. The expression and purification of SarA mutants were similar to wild-type SarA.

Ellman's assay

Ellman's assays were carried out in Tris–HNO₃ buffer. Different molar equivalents of Ag⁺ were added into 50 μ M SarA and incubated for 20 min at room temperature (RT). Excess amounts of 5,5-dithio-bis-(2-nitrobenzoic acid) (Ellman's reagent, DTNB) were subsequently added with a final concentration of 160 μ M. After further incubation of 20 min at RT, absorbance of each sample at 412 nm was measured by UV-Vis spectroscopy. The absorbance at 412 nm was plotted against Ag⁺/protein ratio.

Isothermal titration calorimetry

Isothermal titration calorimetry (ITC) experiments were performed on a Malvern MicroCal iTC200 at 25 °C. The SarA were prepared in Tris–HNO₃ buffer with concentration of 25 μ M. The Ag⁺ titrant was prepared by dissolving AgNO₃ in Tris–HNO₃ buffer (0.25 mM). Typically, 40 μ L of AgNO₃ titrants were titrated into 200 μ L protein sample with 150 s interval between each injection. AgNO₃ was titrated into Tris–HNO₃ buffer without protein for ligand-to-buffer subtraction. The ITC data were analyzed using the Origin software and fitted by one-set-ofsite binding model.

Inductively coupled plasma mass spectrometry

All inductively coupled plasma mass spectrometry (ICP-MS) experiments were conducted on a Thermo Scientific iCAP Q ICP-MS spectrometer. Each sample was quantified three times and the average value was used. Around 3 molar equivalents of Ag^+ were added into approximate 200 μ M SarA in Tris-HNO₃ buffer. After incubation for 30 minute at RT, excess amounts of Ag^+ were removed by HiTrap desalting column. The eluted

protein concentration was measured by bicinchoninic acid (BCA) assay and the bound Ag^+ was determined by ICP-MS.

Protein thermal shift assay

Protein thermal stability of SarA were examined by thermal shift assay (TSA) using a StepOnePlus real-time PCR system (Life Technologies) as described previously.²⁴ Prior to use, the environmentally sensitive fluorescent dye SYPRO orange stock solution in DMSO was diluted 1 : 125 in Tris–HNO₃ buffer. The TSA samples were prepared in a 96-well plate in triplicate, which contained 3 μ L of protein solution (1.0 mg mL⁻¹), 2.5 μ L of freshly diluted SYPRO orange dye and 19.5 μ L of Tris–HNO₃ buffer (20 mM Tris, 150 mM NaNO₃, pH 7.5). The plate was sealed with optical quality sealing tape and centrifuged at 10 000*g* for 5 min. The fluorescent intensity was monitored as the plate was heated from 298 to 368 K in an increment of 1 K min⁻¹. The fluorescent data was analyzed using a Boltzmann model and the melting temperature (*T*_m) was calculated.

Bio-layer interferometry assay (BLI)

Interactions between purified SarA and the biotin labeled promoter region of hla were measured using biolayer interferometry (BLI) on an Octet Red96 system (ForteBio). Binding experiments were performed at 37 °C in binding buffer (25 mM Tris-HNO₃, 80 mM NaNO₃, 35 mM KNO₃, 10 mM Mg(NO₃)₂, 0.1% Triton X-100, 10% glycerol, 0.1% BSA and 0.01% Tween 20, pH 7.5). Around 300 nM of biotinylated DNA probe was captured on pre-immobilized streptavidin Dip and Read sensor heads for 3 min. DNA-immobilized sensor heads were subsequently incubated in binding buffer for 30 s to reach equilibrium. The sensor was subsequently incubated in binding buffer containing various concentrations of purified SarA (100 nM to 6.25 nM in two-fold dilutions) with or without silver ions and the association of the protein with promoter was measured over 180 seconds. Dissociation was subsequently monitored over 180 seconds in binding buffer without protein. All data were normalized and analyzed using the global fit binding model over all concentrations using the software provide by Fortebio to derive k_{on} , k_{off} and K_D values.

Measurement of gene expression by quantitative real time PCR

The *S. aureus* Newman strains were grown overnight in TSB medium. The next day, the cell cultures were 1 : 100 diluted into fresh TSB and grown until OD_{600} reached 0.6. Subsequently, the culture was treated with 10 μ M AgNO₃ at 37 °C for 1 hour. Total RNAs from both untreated (as control) and treated group were isolated with SV total RNA isolation system (Promega) according to the manufacturer's recommendations. cDNA was generated by reverse transcription using GoScript Reverse Transcriptase (Promega). The transcription level of detected gene was subsequently determined by real-time PCR using GoTaq qPCR Master Mix kit (Promega) on a StepOnePlus real-time PCR system (Life Technologies). The rrsA (16S rRNA) was used as an internal control. All of the experiments were conducted in triplicate and relative expression levels were measured using the $2^{-\Delta\Delta C_t}$

View Article Online RSC Advances

method. The mean value before Ag^+ treatment was set as 1 and data are presented as mean \pm SD. The Ag^+ treated groups were normalized to that of control groups. The following primers were used for real-time PCR: 16S rRNA-For and 16S rRNA-Rev, *hla*-For and *hla*-Rev, *hld*-For and *hla*-Rev, *fnbA*-For and *fnbA*-Rev (Table S1†).

Conclusion

Despite the broad-spectrum antimicrobial activities of silver, its molecular targets remain obscure. It reported that silver damages multiple enzymes in glycolysis and tricarboxylic acid (TCA) cycle, leading to the stalling of the oxidative branch of the TCA cycle and an adaptive metabolic divergence to the reductive glyoxylate pathway in E. coli.25 In addition, GAPDH also reported as one of the vital molecular targets of Ag⁺ against E. coli. Ag⁺ could binds to the three cysteine sites of GAPDH and inhibits the enzymatic activity of GAPDH.²⁶ In S. aureus, the staphylococcal accessory regulator (SarA) protein is a global regulator that governs many of the virulence factors produced by S. aureus.27,28 In addition, SarA is also an important positive regulator of biofilm formation, in part because of its reciprocal repressive activity on protease and nuclease production.27 Recent studies reported that the SarA targeted inhibitor showed negligible antimicrobial activity but markedly reduced the minimum inhibitory concentration of conventional antibiotics when used in combination.²³ Interestingly, silver ion could also enhance the antibiotic activity against bacteria as well as restoring antibiotic susceptibility of the resistant bacterial strain.¹⁸ Therefore, we assumed that S. aureus SarA might act as a putative target of Ag⁺. We showed clearly that Ag⁺ binds to SarA via the sole and conserved Cys residues in vitro. SarA could bind 1 molar equivalents of Ag⁺ with an apparent dissociation constant (K_d) of 10.2 \pm 1.39 μ M. Importantly, binding of silver ions leads to functional disruption of SarA. In addition, qRT-PCR experiments showed that silver also significantly attenuated the mRNA transcription levels of the genes which SarA regulated. Collectively, this work demonstrates that the SarA in S. aureus is a target of Ag^+ , which further expanded our understanding on the antibacterial mechanism of Ag⁺.

Conflicts of interest

The authors have declared that there is no conflict of interest.

Acknowledgements

We gratefully acknowledge the generous support provided by The Natural Science Foundation of Jiangxi, China (20192BAB213002); Department Education Science and Technology Research Project of Jiangxi, China (GJJ180634); Jiangxi Science & Technology Normal University (KFGJ18017).

References

- 1 D. Franklin and F. D. Lowy, *N. Engl. J. Med.*, 1998, 339, 520–532.
- 2 R. M. Klevens, M. Morrison and J. Nadle, *JAMA*, 2007, 298, 1763–1771.
- 3 E. Nannini, B. E. Murray and C. A. Arias, *Curr. Opin. Pharmacol.*, 2010, **10**, 516–521.
- 4 M. Roch, P. Gagetti, J. Davis, P. Ceriana, L. Errecalde, A. Corso and A. E. Rosato, *Front. Microbiol.*, 2017, **8**, 2303.
- 5 C. J. Chen, Y. C. Huang and S. S. Shie, *Front. Microbiol.*, 2020, **11**, 1414.
- 6 O. M. El-Halfawy, T. L. Czarny, R. S. Flannagan, J. Day, J. C. Bozelli Jr, R. C. Kuiack, A. Salim, P. Eckert, R. M. Epand, M. J. McGavin, M. G. Organ, D. E. Heinrichs and E. D. Brown, *Nat. Chem. Biol.*, 2020, **16**, 143–149.
- 7 A. L. Cheung, A. S. Bayer, G. Y. Zhang, H. Gresham and Y. Q. Xiong, *FEMS Immunol. Med. Microbiol.*, 2004, 1, 1–9.
- 8 K. E. Beenken, L. N. Mrak, L. M. Griffin, A. K. Zielinska, L. N. Shaw, K. C. Rice, A. R. Horswill, K. W. Bayles and M. S. Smeltzer, *PLoS One*, 2010, 5, e10790.
- 9 R. Arya and S. A. Princy, *Future Microbiol.*, 2013, **10**, 1339–1353.
- 10 R. Arya, R. Ravikumar, R. S. Santhosh and S. A. Princy, *Front. Microbiol.*, 2015, **6**, 416.
- 11 C. R. Arciola, D. Campoccia, P. Speziale, L. Montanaro and J. W. Costerton, *Biomaterials*, 2012, **33**, 5967–5982.
- 12 D. O. Andrey, A. Renzoni, A. Monod, D. P. Lew, A. L. Cheung and W. L. Kelley, *J. Bacteriol.*, 2010, **192**, 6077–6085.
- 13 T. Bechert, P. Steinrucke and J. P. Guggenbichler, *Nat. Med.*, 2000, **6**, 1053–1056.
- 14 S. Chernousova and M. Epple, *Angew. Chem., Int. Ed.*, 2013, 52, 1636–1653.
- 15 L. Rizzello and P. P. Pompa, *Chem. Soc. Rev.*, 2014, **43**, 1501–1518.
- 16 S. Eckhardt, P. S. Brunetto, J. Gagnon, M. Priebe, B. Giese and K. M. Fromm, *Chem. Rev.*, 2013, **113**, 4708–4754.
- 17 T. Veranobraga, R. Miethlinggraff, K. Wojdyla, A. Rogowska-Wrzesinska, J. R. Brewer, H. Erdmann and F. Kjeldsen, ACS Nano, 2014, 8, 2161–2175.
- 18 J. R. Moronesramirez, J. A. Winkler, C. S. Spina and J. J. Collins, *Sci. Transl. Med.*, 2013, **5**, 190ra81.
- 19 S. Y. Liau, D. C. Read, W. J. Pugh and A. D. Russell, *Lett. Appl. Microbiol.*, 1997, **25**, 279–283.
- 20 X. Liao, F. Yang, R. Wang, X. He, H. Li, R. Y. T. Kao, W. Xia and H. Sun, *Chem. Sci.*, 2017, **8**, 8061–8066.
- 21 F. Sun, Y. Ding, Q. Ji, Z. Liang, X. Deng, C. C. Wong, C. Yi, L. Zhang, S. Xie, S. Alvarez, L. M. Hicks, C. Luo, H. Jiang, L. Lan and C. He, *Proc. Natl. Acad. Sci. U. S. A.*, 2012, **109**, 15461–15466.
- 22 W. L. Zahler and W. W. Cleland, J. Biol. Chem., 1968, 243, 716–719.
- 23 P. Balamurugan, V. P. Krishna, D. Bharath, R. Lavanya,P. Vairaprakash and S. A. Princy, *Front. Microbiol.*, 2017, 8, 1290.

- 24 F. F. Soon, K. M. Suino-Powell, J. Li, E.-L. Yong, H. E. Xu and K. Melcher, *PLoS One*, 2012, 7, e47857.
- 25 H. Wang, A. Yan, Z. Liu, X. Yang, Z. Xu, Y. Wang, R. Wang, M. Koohi-Moghadam, L. Hu, W. Xia, H. Tang, Y. Wang, H. Li and H. Sun, *PLoS Biol.*, 2019, 17, e3000292.
- 26 H. Wang, M. Wang, X. Yang, X. Xu, Q. Hao, A. Yan, M. Hu, R. Lobinski, H. Li and H. Sun, *Chem. Sci.*, 2019, **10**, 7193– 7199.
- 27 L. Li, A. Cheung, A. S. Bayer, L. Chen, W. Abdelhady,
 B. N. Kreiswirth, M. R. Yeaman and Y. Q. Xiong, *J. Infect. Dis.*, 2016, 214, 1421–1429.
- 28 P. M. Dunman, E. Murphy, S. Haney, D. Palacios, G. Tucker-Kellogg, S. Wu, E. L. Brown, R. J. Zagursky, D. Shlaes and S. J. Projan, *J. Bacteriol.*, 2001, 183, 7341–7353.