


 Cite this: *RSC Adv.*, 2020, **10**, 15034

DOI: 10.1039/d0ra90030c

rsc.li/rsc-advances

Correction: Noninvasive target CT detection and anti-inflammation of MRSA pneumonia with theranostic silver loaded mesoporous silica

 Hao Zhang,^a Qingqing Ding^a and Jing Ding^{*b}

 Correction for 'Noninvasive target CT detection and anti-inflammation of MRSA pneumonia with theranostic silver loaded mesoporous silica' by Hao Zhang *et al.*, *RSC Adv.*, 2016, **6**, 5049–5056.

The authors regret that an incorrect version of Fig. 1 was included in the original article. The correct version of Fig. 1 is presented below.




Fig. 1 (A) SEM image of PEGylated SLS NPs; inset: high-resolution TEM image highlighting the anchored Ag NPs. (B) XPS result of the SLS NPs and silver element. (C) DLS and zeta-potential profiles of the SLS NPs pre- and post-PEGylation.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Geriatric Gastroenterology, The First Affiliated Hospital with Nanjing Medical University, Nanjing, People's Republic of China

^bDepartment of Respiratory Medicine, The Affiliated Nanjing Children Hospital with Nanjing Medical University, Nanjing, 210008, People's Republic of China. E-mail: djnjch@sina.com; Fax: +86-25-83304239; Tel: +86-25-83117319

