Chemical Science

EDGE ARTICLE

Cite this: Chem. Sci., 2020, 11, 3164

C All publication charges for this article have been paid for by the Royal Society of Chemistry

Received 29th November 2019 Accepted 14th February 2020

DOI: 10.1039/c9sc06053g

rsc.li/chemical-science

Introduction

Peroxynitrite $(ONOO^{-})$ is a highly reactive nitrogen species generated from the spontaneous reaction between superoxide $(0₂⁻)$ and nitric oxide (NO). In cells, ONOO $^-$ is generated predominantly in the mitochondria and is involved in cellular signalling processes, via nitration of tyrosine residues on proteins and nitrosylation of protein thiols.¹⁻⁴ In contrast, elevated levels of $ONOO⁻$ can lead to significant oxidative and nitrosative damage to lipids, proteins and DNA and has been implicated in several diseases including Alzheimer's, Huntington's, and Parkinson's disease.⁵⁻⁷ Therefore, ONOO⁻ has become a very important target for detection in a cellular environment.

The ability to detect ONOO⁻ selectively would facilitate a better understanding of its roles in cellular biology, disease diagnosis, and therapies based on redox signalling events (e.g. photodynamic therapy and radiotherapy).⁸ In recent years, cold atmospheric plasma (CAP) has emerged as a promising new biomedical technology for the treatment of chronic wounds and

b Department of Chemistry, Durham University, South Road, Durham, DH1 3LE, UK c Advanced Light Source, Berkeley Lab., 1 Cyclotron Road, Berkeley, CA 94720, USA

Time-resolved luminescence detection of peroxynitrite using a reactivity-based lanthanide probe†

Colum Breen,^a [Rob](http://orcid.org/0000-0001-5217-0683)ert Pal[,](http://orcid.org/0000-0001-9515-2602) \mathbb{D}^{b} Mark R. J. Elsegood, \mathbb{D}^{a} Simon J. T[eat](http://orcid.org/0000-0001-8109-3330), \mathbb{D}^{c} Felipe Iza, d Kristian Wende, \mathbf{D}^e Benjamin R. Buckle[y](http://orcid.org/0000-0002-8028-0828) \mathbf{D}^a and Stephen J. Butler \mathbf{D}^{*a}

Peroxynitrite (ONOO⁻) is a powerful and short-lived oxidant formed in vivo, which can react with most biomolecules directly. To fully understand the roles of ONOO⁻ in cell biology, improved methods for the selective detection and real-time analysis of $ONOO^-$ are needed. We present a water-soluble, luminescent europium(III) probe for the rapid and sensitive detection of peroxynitrite in human serum, living cells and biological matrices. We have utilised the long luminescence lifetime of the probe to measure ONOO⁻ in a time-resolved manner, effectively avoiding the influence of autofluorescence in biological samples. To demonstrate the utility of the Eu(III) probe, we monitored the production of ONOO⁻ in different cell lines, following treatment with a cold atmospheric plasma device commonly used in the clinic for skin wound treatment. **EDGE ARTICLE**
 (a) Check for updates
 EDGE ARTICLE
 EDGE ARTICLE
 EDGE ARTICLE
 EDGE ARTICLE DESCRIPT TO PERECUT ACTIVE ASSEMENT ARTICLE CONDITIES CONTRIGUES AND PROPERTIES CONDITIES CONDITIES CONDITIES CONDITIE

cancer (e.g. breast, skin, lung, and pancreatic cancer). $9-11$ The therapeutic effects of CAP are linked to the high concentrations of reactive oxygen and nitrogen species (RONS) generated by the plasma.¹²

In chronic wound treatment, plasma generated NO and ONOO⁻ are proposed to break down bacterial biofilm by interacting with the lipid membrane, forming pores that facilitate further RONS ingress.^{13,14} The selective killing of cancer cells by plasma has been attributed to high levels of RONS (e.g. NO, ONOO⁻, H_2O_2), which exceeds the cancer cell's compromised oxidative defence mechanisms.⁹ Despite the importance of RONS in plasma-based cell therapy, very little is known about the specific interactions between plasma and biological samples. To elucidate the mechanisms that deliver plasma generated RONS to cells and tissues, improved methods for the precise measurement of specific RONS are needed.

Detecting $ONOO⁻$ is particularly difficult due to its very short lifetime (10 ms) and propensity to react, forming longer-lived species $(NO₃⁻)$. A traditional assay for $ONOO⁻$ detection involves immunostaining of 3-nitrotyrosine;¹⁵ however, this approach is not applicable for live-cell imaging studies. In recent years, fluorescent molecular probes have emerged as attractive tools for imaging ONOO⁻ in a cellular environment. A series of reactivity-based probes have been devised that signal $ONOO^-$ by a change in fluorescence.^{16a–e} Notwithstanding some notable exceptions,^{16b,e} the majority of existing $ONOO^-$ probes have limitations in performance, due to their lack of solubility in 100% aqueous media, limited selectivity for ONOO⁻ over other RONS (e.g. NO, hypochlorite, hydroxyl radicals), and relatively slow response times, which prevents real-time measurements. One major difficulty encountered with organic

a Department of Chemistry, Loughborough University, Epinal Way, Loughborough, LE11 3TU, UK. E-mail: S.J.Butler@lboro.ac.uk

^aCentre for Biological Engineering, Department of Mechanical, Electrical and Manufacturing Engineering, Loughborough University, LE11 3TU, UK

e Leibniz-Institute for Plasma Science and Technology, ZIK plasmatis, Felix-Hausdorff-Str.2, 17489 Greifswald, Germany

[†] Electronic supplementary information (ESI) available. CCDC 1965719. For ESI and crystallographic data in CIF or other electronic format see DOI: 10.1039/c9sc06053g

probes stems from their short-lived fluorescence, which can be difficult to distinguish from the background fluorescence of biomolecules, often precluding accurate measurements of $0N00^{-17}$

Luminescent lanthanide probes offer unique photophysical advantages over classical organic fluorescent probes,^{18,19} including: (1) long emission lifetimes that enable time-gated and time-resolved measurements, thereby increasing precision and signal to noise;^{20,21} (2) well-defined emission bands that may vary in intensity in response to specific analytes, allowing quantitative analysis;²² and (3) large separations between the absorption and emission spectra, which minimises self-quenching processes. Several water-soluble lanthanide complexes have been developed into effective cellular imaging probes, which localise to specific subcellular compartments and report on target species with high spatial and temporal resolution.23,24 A few lanthanide probes have been developed to detect ONOO⁻;^{25,26} however, their sensing mechanisms rely upon quenching of an excited state complex, involving charge transfer with the electron rich ONOO⁻. Such probes are limited in cellular imaging applications because other electron rich species present in the cell (e.g. urate, ascorbate) are known to induce excited state quenching,^{27,28} and could also give rise to the observed decrease in luminescence. Edge Article

probas stems from their stressor of energy of the distinction and the stressor of the common intervents of the common intervents are the common intervent of the stress are the common intervent intervent inte

In this work, we report the design and synthesis of a watersoluble, luminescent Eu(III) complex, Eu.1 (Fig. 1A) for the time-resolved detection of ONOO⁻ in human blood serum and living cells. The probe comprises a quinoline antenna functionalised at the 8-position with a benzyl boronic acid, which undergoes rapid oxidative cleavage in the presence of ONOO⁻ to reveal an 8-hydroxyquinoline unit, which shuts down energy transfer to the $Eu(m)$ ion and switches off luminescence (Fig. 1B). Eu.1 displays nanomolar sensitivity to $ONOO⁻$ and provides a long-lived luminescence signal, which permits timeresolved measurements of ONOO⁻, completely eliminating background autofluorescence from the biological sample. To

Fig. 1 (A) Structure of Eu(III) probe Eu.1 and control complex Eu.Bn. (B) Mechanism of detection of ONOO⁻, based on oxidative cleavage of the phenyl boronic acid group of Eu.1 to form non-emissive complex Eu.8HQ.

demonstrate its utility in cellular applications, the probe was used to quantify $ONOO^-$ in different cell lines, following treatment with a commercial plasma device, CAP jet kINPEN® MED, clinically used to foster chronic and acute wound healing.

Results and discussion

Probe design, synthesis and characterisation

Probe Eu.1 is based on a nonadentate macrocyclic ligand, possessing a single coordinating quinoline group that acts as an efficient sensitizer of $Eu(m)$ emission. The quinoline unit binds to the $Eu(m)$ ion in a bidentate manner, effectively shielding the metal centre from surrounding water molecules, thereby enhancing the emission intensity and lifetime of Eu.1. The probe is functionalised with a benzyl boronic acid group, which we envisaged would react rapidly and selectively with ONOO⁻, causing oxidative cleavage to reveal an 8-hydroxyquinoline unit, which prevents energy transfer to the $Eu(m)$ ion and triggers a decrease in time-resolved luminescence (Fig. 1B). The probe exploits the considerably higher reactivity of phenyl boronic acids towards $ONOO^{-}$ ($k \approx 10^{6}$ M⁻¹ s⁻¹) at physiological pH, compared with other RONS (e.g. H₂O₂, $k \approx 2.2 \text{ M}^{-1} \text{ s}^{-1}$).²⁹ A control complex, Eu.Bn (Fig. 1A), lacking the boronic acid moiety, was synthesised to validate the response of Eu.1 towards ONOO⁻. Additionally, Eu.8HQ, the expected product of the reaction between $Eu.1$ and $ONOO^-$, was synthesised to confirm its lack of luminescence in water.

Full details of the synthesis of Eu.1, Eu.Bn and Eu.8HQ are provided in the ESI.[†] Briefly, Eu.1 was synthesised starting from 8-hydroxyquinoline-2-carboxaldehyde, which was O-alkylated with 4-iodobenzyl bromide, followed by reduction of the aldehyde to the primary alcohol. Subsequent mesylation of the methyl alcohol and alkylation onto a tert-butyl protected DO3A gave the macrocyclic ligand, which was deprotected and complexed with EuCl₃. The Eu(m) complex was subjected to a Miyaura borylation to provide Eu.1 after purification by reverse-phase HPLC.

Selected photophysical data for Eu.1, Eu.Bn, and Eu.8HQ are provided in Table 1. The UV-Vis absorption spectra of Eu.1 and Eu.Bn in water are similar and feature a broad band centred at 321 nm (Fig. 2A). In contrast, Eu.8HQ displays a signicantly red-shifted band centred at 384 nm (Fig. 2B), which may be associated with a charge-transfer transition, involving transfer of charge density from the quinoline oxygen atom to the quinoline unit.³² The emission properties of Eu.1 and Eu.8HQ in buffered aqueous solution (100 mM PBS, pH 7.4) were very different (Fig. 2). Eu.1 displayed significant Eu(m) centred luminescence with a quantum yield of 10% ($\lambda_{\rm exc} = 321$ nm). The emission spectrum is characterised by three components in the $\Delta J = 1$ band (585–605 nm), indicating a structure of low symmetry, and a prominent $\Delta J = 2$ (605–630 nm) band. In contrast, Eu.8HQ was found to be very weakly emissive ($\phi_{\rm em}$ < 0.5%) over the pH range 4–10 (Fig. 2B and S2†), when excited at either 321 nm or 384 nm. The weak luminescence of Eu.8HQ can be attributed to the low lying excited state of the 8 hydroxyquinolinate group (around $17 100 \text{ cm}^{-1}$),³³ and its inability to effectively populate the $Eu(m)$ excited state.³⁴ The

Table 1 Photophysical data for Eu(III) complexes (100 mM PBS, pH 7.4)

^a Errors in quantum yields and lifetimes are $\pm 15\%$. ^b Values of hydration state, $q \neq 20\%$ were derived using literature methods.³⁰ Values for Eu.Bn in parentheses were determined in water previously, by Williams.³¹

Fig. 2 Absorption and emission spectra of (A) Eu.1 (25 μ M, λ_{exc} = 321 nm, $\lambda_{em} = 550 - 720$ nm); (B) Eu.8HQ (25 µM, $\lambda_{exc} = 384$ nm, $\lambda_{em} =$ 550–720 nm), measured in aqueous buffer (100 mM PBS, pH 7.4).

free ligand $8HQ$ is also nonfluorescent (Fig. $S3\dagger$), consistent with efficient non-radiative decay of the 8-hydroxyquinoline excited state, due to intermolecular proton transfer.^{35,36} In support of this hypothesis, strong fluorescence was observed for the iodo-ligand precursor to Eu.1 (Fig. S3†), in which the benzyl ether prevents non-radiative energy loss via a proton transfer mechanism.

Eu.1 possesses a long luminescence lifetime in water (0.52 ms), which increases slightly in D_2O (0.66 ms). The hydration state (q value) of **Eu.1** was calculated to be 0.2 ,³⁰ indicating a lack of coordinated water in the first coordination sphere. This was supported by synchrotron X-ray analysis of the crystal structure of Eu.1 (Fig. 3; CCDC 1965719, see ESI† for further details), grown from slow evaporation of an aqueous solution.

Fig. 3 X-ray crystal structure of Eu.1, revealing a lack of water in the first coordination sphere of Eu(III).

The $Eu(m)$ ion is encapsulated by the nonadentate ligand in a twisted square antiprismatic geometry, coordinated to four nitrogen atoms from the macrocyclic ring, three oxygen atoms from the carboxylate groups, one nitrogen from the quinoline group and one axial oxygen atom from the quinoline 8-alkoxyl group, inhibiting water access. The nearest water molecules are over 6.5 Å away from the Eu(m) ion (Fig. S4†); such effective shielding from water increases the luminescence of Eu.1, by minimising deactivation of the $Eu(m)$ excited state via energy transfer to O–H vibrations. The structurally related complex, Eu.Bn, has a hydration state close to zero, and is expected to adopt a similar coordination geometry to that of Eu.1, in which the benzyloxy group occupies the axial position, preventing water binding.³¹ For Eu.8HQ, a q value of 0.5 was found, indicating 'partial hydration' of the complex,³⁰ in which a water molecule is bound in the second hydration sphere, possibly held by hydrogen bonds to the quinoline 8-hydroxyl group. Chemical Science

Tebe 4. Procedures Associates Article

Complex Article

music article and the common access Article and Tebe 2020. The California Creative Common access Article and Tebe 2020. The California Creative Com

Evaluation of Eu.1 for selective detection of peroxynitrite

The ability of Eu.1 to detect peroxynitrite was evaluated in aqueous buffer (100 mM PBS pH 7.4). Addition of 1 equivalent of ONOO⁻ to Eu.1 (25 μ M) resulted in immediate and almost complete loss of $Eu(m)$ luminescence (Fig. 4A), consistent with rapid oxidative cleavage of the benzyl boronic acid group and quantitative formation of the weakly emissive complex Eu.8HQ. This was confirmed by UV-Vis analysis of the reaction mixture, which showed a characteristic red-shifted band centred at 384 nm, and LC-MS revealed a single peak with $m/z = 654.1$ corresponding to the single charged complex $[Eu.8HQ + H]^+$ (Fig. S5†). The fast sensing kinetics of Eu.1 is an important feature given the transient nature of ONOO⁻ in biological systems.

In contrast, treatment of Eu.1 with 1 equivalent of H_2O_2 (25 μ M), the longest-lived reactive species in cellulo,³⁷ caused a minor (approximately 5%) decrease in emission intensity (Fig. S6†), and a much higher concentration of H_2O_2 (500 μ M) was required to induce a gradual 45% decrease in emission intensity after 20 minutes (Fig. 4A). Treatment of the control complex Eu.Bn with ONOO⁻ or H_2O_2 under the same conditions resulted in less than 15% change in emission intensity and negligible changes in absorption spectra (Fig. S7†).

The high selectivity of Eu.1 for $ONOO^-$ was demonstrated fully by incubating the probe with a range of RONS $(100 \mu M)$ HO', NO, NO $_2$ ⁻, NO₃⁻, O₂^{·-}, ¹O₂), as well as common biological cations (e.g. 1 mM Mg^{2+} , Ca²⁺), anions (1 mM ATP, ADP bicarbonate, chloride) and biomolecules (e.g. BSA, glutathione) (Fig. 4B). The only species that induced a signicant (>20%)

Fig. 4 (A) Immediate and dramatic response of Eu.1 to ONOO⁻ (25 μ M, red) compared with the gradual response to H₂O₂ (500 μ M, black), measured in 100 mM PBS, pH 7.4 (λ_{ex} = 321 nm); (B) selective response of Eu.1 (25 μ M) towards ONOO⁻ (25 μ M), over other RONS including 100 μ M HO', NO, NO $_2^-$, NO $_3^-$, O $_2$ ' $^-$, 1 O $_2$, as well as biological analytes $(1 \text{ mM } Cl^-$, HCO_3^- , Ca^{2+} , ATP, ADP, phosphate, glucose, fructose, phosphoglucose, glutathione, cysteine, and BSA), recorded after 30 minute incubation in 100 mM PBS, pH 7.4 ($\lambda_{\text{ex}} = 321$ nm, $\lambda_{\text{em}} = 605$ -630 nm); (C) calibration plot for the time-resolved detection of micromolar (1-25 μ M) ONOO⁻ using Eu.1 (25 μ M); and (D) calibration plot for the time-resolved detection of nanomolar (1–1000 nM) ONOO⁻ using Eu.1 (5 µM) (λ_{ex} = 321, λ_{em} = 605–630 nm, integration time $60 - 400 \,\mu s$).

change in luminescence of **Eu.1** was hypochlorite $[OCI^{-}]$; addition of 50 μ M OCl⁻ caused a 50% decrease in emission intensity of Eu.1 (Fig. S9†). Considering that the concentration of OCl⁻ in cells is estimated to be less than 1 μ M,³⁸ and that it reacts rapidly with endogenous thioethers and amines (e.g. Met $= 3.8 \times 10^7$, His $= 1.0 \times 10^5$ M⁻¹ s⁻¹),^{39,40} it can be assumed that OCl^{-} will not compete for **Eu.1** in a cellular environment.

The sensitivity of Eu.1 towards $ONOO^-$ was evaluated by incubating the probe with different concentrations of ONOO and recording the time-resolved emission intensity using a plate reader. Pleasingly, the linear decrease in time-resolved luminescence of $Eu.1$ can be used to detect $ONOO⁻$ in the nanomolar concentration range (1–1000 nM) (Fig. 4D). The probe is thus well suited for measuring steady state concentrations of intracellular $ONOO^-$, estimated to be in the nanomolar range.⁴¹ Further, the dynamic range of ONOO⁻ detection can be tuned by varying the concentration of Eu.1: incremental addition of ONOO^{$-$} (1–25 μ M) to Eu.1 (25 μ M) provided a linear calibration plot (Fig. 4C), suitable for the measurement of micromolar levels of ONOO⁻. Such levels may be generated in experiments designed to administer reactive species to cells and tissues (e.g. by using ionizing plasma). $42-46$

Time-resolved measurement of peroxynitrite in human serum

To further demonstrate the high sensitivity and selectivity of Eu.1 for ONOO⁻, a competition experiment was undertaken in human serum, containing excess H_2O_2 . The time-resolved emission

Fig. 5 Time-resolved measurement of $ONOO⁻$ in human serum. (A) Change in emission intensity of Eu.1 (50 μ M) following incubation with $H₂O₂$ (500 µM, red), ONOO⁻ (50 µM, blue), and ONOO⁻ plus $H₂O₂$ (50 µM and 500 µM respectively, grey). (B) Time-dependent change in emission intensity of Eu.1 (50 μ M) following incubation with 500 μ M SIN-1 (red), and SIN-1 plus 500 μ M TEMPO (black), measured in human serum (pH 7.0–7.4), $\lambda_{ex} = 321$, $\lambda_{em} = 605-630$ nm, integration time $60 - 400$ µs.

response of Eu.1 towards ONOO⁻, in the absence and presence of 500 μ M H₂O₂, was essentially the same (Fig. 5A), revealing the ability of Eu.1 to detect ONOO⁻ in biological media, in a background of excess H_2O_2 . Next, the production of ONOO $^-$ in human serum was monitored in real time, by incubating Eu.1 with 3-morpholinosydnonimine (SIN-1, 250 μ M), which decomposes to release equimolar amounts of NO and O_2 ⁻⁻, leading to spontaneous and sustained production of ONOO⁻ (mimicking cellular ONOO⁻ production). Incubation with SIN-1 caused a 75% reduction in timeresolved luminescence of Eu.1 after approximately 20 minutes (Fig. 5B), corresponding to the formation of approximately 40 µM $ONOO^-$, determined from the linear calibration plot (Fig. S8†). Further, the simultaneous addition of SIN-1 and the superoxide scavenger, TEMPO (2,2,6,6-tetramethylpiperidine-N-oxyl), resulted in a significantly smaller (25%) decrease in time-resolved emission of Eu.1 over a 30 minute period (Fig. 5B), corresponding to the formation of 10 μ M ONOO^{$-$} under these conditions.

Cellular uptake and localisation studies

Having shown that Eu.1 can be used to measure the production of micromolar levels of ONOO⁻ in human serum, by gating out short-lived autofluorescence from biological fluorophores, we next investigated the ability of Eu.1 to measure dynamic changes in $ONOO^-$ concentration in living cells. First, the cellular uptake behaviour of Eu.1 in HeLa cells was evaluated using fluorescence and laser scanning confocal microscopy (LSCM). Eu.1 (250 μ M) was incubated in HeLa cells for 4 hours, resulting in uptake of the $Eu(m)$ complex and predominant localisation to the mitochondria ($\lambda_{\rm exc} = 355$ nm, $\lambda_{\rm em} = 605$ –720 nm), confirmed by colocalisation studies using MitoTracker Green ($\lambda_{\text{exc}} = 488 \text{ nm}$, $\lambda_{\text{em}} = 500 - 530 \text{ nm}$), which gave a Pearson's coefficient, $P = 0.80$ (Fig. 6A–C). The preferential distribution of Eu.1 in the mitochondria augured well for the detection of endogenous ONOO⁻, because the precursor species, NO and $O_2^{\text{--}}$, react predominately in the mitochondria, and we have previously demonstrated that these reactive species do not interfere with the emission response of Eu.1 (Fig. 4B).

A time-lapsed series of images revealed maximum uptake Eu.1 in HeLa cells after 4 hours (Fig. S10A†). Imaging of Eu.1 in

Fig. 6 LSCM images showing localisation of Eu.1 in the mitochondria of HeLa cells. (A) Eu.1 only (250 µM, 4 h incubation); (B) MitoTracker Green[™]; and (C) merge image ($P = 0.80$). (D) LSCM image of Eu.1 (250 μ M, 4 h); (E) Eu.1 (250 μ M, 4 h) followed by SIN-1 (500 μ M, 30 minute incubation); and (F) Eu.1 (250 μ M, 4 h) following incubation with SIN-1 and TEMPO (500 µM and 1 mM respectively, 30 minute incubation).

the mitochondria was possible over extended time periods (up to 40 hours), during which time the brightness of the observed images did not vary significantly $(\pm 15\%)$ and the cells appeared to be healthy and growing. Analysis of ICP-MS data showed that for 4×10^6 HeLa cells incubated with Eu.1 (250 µM), a given cell contained 26 μ M (\pm 10%) of Eu.1 (Fig. S10C†), hence the intracellular concentration of the $Eu(m)$ probe reaches 10% of the loading buffer after 4 hours. Cytotoxicity studies were undertaken for Eu.1 at 24 hours using image cytometry assays (involving DAPI and acridine orange stains), which showed an IC₅₀ value of greater than 250 μ M (Fig. S10B†). Therefore, it can be assumed that the $Eu(m)$ probe did not exhibit cytotoxicity during the timeframe of these imaging experiments.

Imaging changes in peroxynitrite levels in living cells

Next, HeLa cells stained with Eu.1 were incubated with the ONOO⁻ donor, SIN-1, for 30 minutes. This resulted in a significant (approx. 90%) decrease in emission intensity (Fig. 6E), indicating an increase in mitochondrial ONOO⁻ levels upon $SIN-1$ stimulation. It is unlikely that any $ONOO^-$ generated in the cell culture medium will cross cell membranes;^{3,41} however, the ability of NO to penetrate cell membranes is known. So, the observed decrease in image brightness is consistent with SIN-1 mediated delivery of NO inside the cell, which combines with superoxide in the mitochondria to form ONOO⁻ spontaneously.² In contrast, incubation of Eu.1-stained cells with SIN-1 and the superoxide scavenger, TEMPO, induced a significantly smaller (35%) decrease in luminescence compared with untreated cells (Fig. 6F), indicating reduced intracellular formation of ONOO⁻ compared with the SIN-1 treatment alone.

The $Eu(m)$ probe remained predominantly in the mitochondria during the time scale of the experiments. Further, ICP-MS analysis of cells treated with SIN-1 (and SIN-1 plus TEMPO), showed less than 10% variation in the concentration of accumulated Eu(m), relative to untreated cells (Fig. S10C \dagger).

Therefore, the possibility that incubation with SIN-1 and/or TEMPO promotes efflux of Eu.1 from cells can be ruled out on the timescale of the experiment.

To confirm that the increase in intracellular $ONOO^{-1}$ is responsible for the decrease in emission of Eu.1, a control experiment was undertaken using probe Eu.Bn, which lacks the reactive boronic acid moiety. LSCM images, following incubation of HeLa cells with Eu.Bn $(250 \mu M)$, revealed a similar localisation to the mitochondria (Fig. S12A–C†), although a slightly slower rate of uptake was observed compared with Eu.1 (maximum uptake at 18 hours, Fig. S11†). Crucially, upon treatment of Eu.Bn-stained HeLa cells with SIN-1, less than a 5% decrease in $Eu(m)$ emission intensity was observed, and the simultaneous addition of SIN-1 and TEMPO induced a negligible change in emission intensity (Fig. S12D–G†). Thus, Eu.Bn serves as an effective negative control probe, verifying that the SIN-1 induced change in luminescence of Eu.1 corresponds to an increase in mitochondrial ONOO⁻ levels. Taken together, these live-cell imaging experiments demonstrate the powerful potential of Eu.1 for visualising changes in ONOO concentration within the mitochondria of living cells. Chemical Science

Commons are comparison to the common access that the interests are common action at the interests in the common access are common access in consistent in the interests are the common action of the access

Time-resolved measurement of peroxynitrite in living cells treated with cold atmospheric plasma

To further demonstrate the biological applications of Eu.1, the probe was used to monitor dynamic changes in ONOO⁻ levels in different cell lines, following treatment with a commercially available cold atmospheric plasma device, kINPEN® MED, which is used in the clinic for skin wound treatment.¹⁰ Plasma generated NO and ONOO⁻ are proposed to interact with bacterial cell membranes, forming pores that promote further ingress of RONS. There are multiple mechanisms proposed for the intracellular formation of ONOO⁻, following plasma treatment.47,48 One mechanism involves plasma generated NO penetrating cell membranes and combining with O_2 ⁻⁻ in the mitochondria to form ONOO⁻. Therefore, we wished to test the ability of Eu.1 to selectively visualise intracellular $ONOO^-$, derived from RONS generated externally by the plasma.

First, the expected breakdown of Eu.1 to Eu.8HQ upon treatment with ionizing plasma was confirmed by HR-TOF measurements of buffered aqueous samples containing Eu.1 (Fig. $S14\dagger$), reflecting the formation of ONOO⁻ in the treated liquid. Next, Eu.1 (250 μ M) was incubated with two different cell lines, THP and Jurkat cells, for 24 hours. The cells were centrifuged, washed with 100 mM PBS, and suspended in a glass bottom 96-well plate. Time-resolved luminescence spectra of **Eu.1** within the cells were recorded using a microplate reader (Fig. S13†).

Samples of each cell line were then treated with cold atmospheric plasma using the kINPen® MED device for 5, 10 and 30 seconds (using an argon gas flow) and the change in timeresolved luminescence was recorded (Fig. 7A). For both cell lines, a 75–90% decrease in total emission intensity of Eu.1 was observed after 30 seconds, corresponding to a significant increase in intracellular ONOO⁻. In THP cells, the emission intensity had decreased by 45% following 5 seconds treatment,

Fig. 7 (A) Treatment of THP and Jurkat cell lines with the kINPen™ MED device . THP and Jurkat cells show significant loss of Eu.1 signal following plasma treatment; (B) different gas mixtures induce different intensity responses of Eu.1 in THP cells. Conditions: time-resolved emission ($\lambda_{\text{ex}} = 321$, $\lambda_{\text{em}} = 670 - 720$ nm, integration time 60-400 µs), 5 mM PBS, pH 7.4.

whereas Jurkat cells showed a 25% decrease in luminescence under the same conditions, indicating a lower initial level of ONOO⁻ in Jurkat cells.

To investigate the effect of different plasma gases on the intracellular concentration of $ONOO^-$, 0.5% oxygen and 0.5% nitrogen was added individually and in combination to the argon gas flow. THP cells incubated with Eu.1 (250 μ M), were then treated with the kINPen® MED device for 5 and 10 seconds using the different gas flows (Fig. 7B). The introduction of 0.5% N_2 gas induced a substantial 80% decrease in emission intensity of Eu.1 after 5 seconds, whereas only a 45% decrease in luminescence was observed when using argon gas alone. This correlates with a higher intracellular level of ONOO⁻ when nitrogen is used in the feed gas, consistent with a higher concentration of NO generated by the plasma. This corresponds perfectly with the observed modulation of NO generation by plasmas in pure argon and argon doped with molecular gases, respectively.49,50 Thus, Eu.1 can be used to visualise elevated levels of ONOO⁻ in different cell lines following extracellular treatment with a plasma therapy device. Edge Article. Published on 18 February 2020. The mean active continues and on 18 February 2020. The mean active commonline is like the state of the creative Commonline is like the state of the commonline is like the state

Conclusions

We have developed a robust, water-soluble luminescent euro $pium(m)$ probe for the rapid and sensitive detection of $ONOO$ in living cells. The probe displays excellent selectivity for ONOO⁻ over other RONS, and provides a change in luminescence that is directly proportional to ONOO⁻ concentration in the nanomolar to low micromolar range. The $Eu(m)$ probe offers advantages over classical organic fluorescent probes, including an instantaneous and long-lived luminescence signal, which enables time-resolved measurements of ONOO⁻ to be undertaken, avoiding the influence of autofluorescence in biological samples, thereby enhancing precision and signal-to-noise.

To demonstrate the utility of our probe, a plate reader-based assay was developed for the quantification of $ONOO⁻$ in human serum, with minimal interference from other reactive species, biological cations, anions and protein. The $Eu(m)$ probe was shown to permeate a range of different cell lines and localise preferentially to the mitochondria, allowing the presence of

endogenous and/or externally induced ONOO⁻ to be monitored with sub-cellular resolution using fluorescence microscopy. Finally, the Eu(III) probe was applied for the first time in monitoring elevated levels of ONOO⁻ in living cells, following treatment with a cold atmospheric plasma device standardised for clinical applications. The probe design features established in this work will inform the future development of emissive $Eu(m)/Tb(m)$ probes, capable of measuring $ONOO^-$ by providing a ratiometric signal that is intrinsically normalised, and thus independent of probe concentration.

In conclusion, the $Eu(m)$ probe can provide valuable insight into the spatial and temporal distribution of $ONOO⁻$ in cells, enabling a better understanding of its roles in cell biology and the mechanisms of transport of RONS into cells. This could facilitate the development of more effective therapies and devices, tailored to delivering specific levels of $ONOO⁻$ to targeted sites within cells and enabling safe doses of treatment to be determined.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by Loughborough University's Centre for doctoral training on Gas Plasma Interactions with Organic Liquids, and a Royal Society Research Grant (SJB). RP acknowledges the Royal Society URF scheme. The German Federal Ministry of Education and Research (BMBF), grant no. 03Z22DN12 (KW) supported parts of the work. The experimental contribution of Felix Niessner and Giuliana Bruno is gratefully acknowledged (Leibniz Institute for Plasma Science and Technology). This research used resources of the Advanced Light Source, a DOE Office of Science User Facility under contract no. DE-AC02-05CH11231.

Notes and references

- 1 D. B. Graves, J. Phys. D: Appl. Phys., 2012, 45, 263001.
- 2 P. Pacher, J. S. Beckman and L. Liaudet, Physiol. Rev., 2007, 87, 315–424.
- 3 R. Radi, J. Biol. Chem., 2013, 288, 26464–26472.
- 4 S. Bartesaghi and R. Radi, Redox Biol., 2018, 14, 618–625.
- 5 W. H. Koppenol, Quim. Nova, 1998, 21, 326–331.
- 6 G. Spiteller, Free Radical Biol. Med., 2006, 41, 362–387.
- 7 G. Ferrer-Sueta, N. Campolo, M. Trujillo, S. Bartesaghi, S. Carballal, N. Romero, B. Alvarez and R. Radi, Chem. Rev., 2018, 118, 1338–1408.
- 8 G. Manda, G. Isvoranu, M. V. Comanescu, A. Manea, B. Debelec Butuner and K. S. Korkmaz, Redox Biol., 2015, 5, 347–357.
- 9 M. Keidar, Plasma Sources Sci. Technol., 2015, 24, 033001.
- 10 S. Bekeschus, A. Schmidt, K. D. Weltmann and T. von Woedtke, Clin. Plasma Med., 2016, 4, 19–28.
- 11 P. J. Bruggeman, M. J. Kushner, B. R. Locke, J. G. E. Gardeniers, W. G. Graham, D. B. Graves,
- R. C. H. M. Hofman-Caris, D. Maric, J. P. Reid, E. Ceriani, D. Fernandez Rivas, J. E. Foster, S. C. Garrick, Y. Gorbanev, S. Hamaguchi, F. Iza, H. Jablonowski, E. Klimova, J. Kolb,
- F. Krcma, P. Lukes, Z. MacHala, I. Marinov, D. Mariotti,
- S. Mededovic Thagard, D. Minakata, E. C. Neyts, J. Pawlat,
- Z. L. Petrovic, R. Pflieger, S. Reuter, D. C. Schram, S. Schröter, M. Shiraiwa, B. Tarabová, P. A. Tsai, J. R. R. Verlet, T. Von Woedtke, K. R. Wilson, K. Yasui and G. Zvereva, Plasma Sources Sci. Technol., 2016, 25, 053002.
- 12 G. Lloyd, G. Friedman, S. Jafri, G. Schultz, A. Fridman and K. Harding, Plasma Processes Polym., 2010, 7, 194–211.
- 13 A. Patange, D. Boehm, D. Ziuzina, P. J. Cullen, B. Gilmore and P. Bourke, Int. J. Food Microbiol., 2019, 293, 137–145.
- 14 C. Hoffmann, C. Berganza and J. Zhang, Med. Gas Res., 2013, 3, 21.
- 15 R. Radi, Proc. Natl. Acad. Sci. U. S. A., 2004, 101, 4003–4008.
- 16 (a) X. Sun, Q. Xu, G. Kim, S. E. Flower, J. P. Lowe, J. Yoon, J. S. Fossey, X. Qian, S. D. Bull and T. D. James, Chem. Sci., 2014, 5, 3368–3373; (b) A. C. Sedgwick, W. T. Dou, J. B. Jiao, L. Wu, G. T. Williams, A. T. A. Jenkins, S. D. Bull, J. L. Sessler, X. P. He and T. D. James, J. Am. Chem. Soc., 2018, 140, 14267-14271; (c) C. Szíjjártő, E. Pershagen, N. O. Ilchenko and K. E. Borbas, Chem.–Eur. J., 2013, 19, 3100–3109; (d) H. Li, X. Li, X. Wu, W. Shi and H. Ma, Anal. Chem., 2017, 89, 5519–5525; (e) Q. Zhang, Z. Zhu, Y. Zheng, J. Cheng, N. Zhang, Y. T. Long, J. Zheng, X. Qian and Y. Yang, J. Am. Chem. Soc., 2012, 134, 18479–18482. Open Access Article. Published on 18 February 2020. Downloaded on 10/3/2024 7:27:37 AM. This article is licensed under a [Creative Commons Attribution 3.0 Unported Licence.](http://creativecommons.org/licenses/by/3.0/) **[View Article Online](https://doi.org/10.1039/c9sc06053g)**
	- 17 M. C. Y. Chang, A. Pralle, E. Y. Isacoff and C. J. Chang, J. Am. Chem. Soc., 2004, 126, 15392–15393.
	- 18 J. C. G. Bünzli, J. Coord. Chem., 2014, 67, 3706-3733.
	- 19 M. C. Heffern, L. M. Matosziuk and T. J. Meade, Chem. Rev., 2014, 114, 4496–4539.
	- 20 C. Szíjjártő, E. Pershagen, N. O. Ilchenko and K. E. Borbas, Chem.–Eur. J., 2013, 19, 3100–3109.
	- 21 (a) S. H. Hewitt, R. Ali, R. Mailhot, C. R. Antonen, C. A. Dodson and S. J. Butler, Chem. Sci., 2019, 10, 5373– 5381; (b) S. H. Hewitt, J. Parris, R. Mailhot and S. J. Butler, Chem. Commun., 2017, 53, 12626–12629.
	- 22 (a) M. Tropiano and S. Faulkner, Chem. Commun., 2014, 50, 4696–4698; (b) S. Shuvaev, M. Starck and D. Parker, Chem.– Eur. J., 2017, 23, 9974–9989; (c) A. B. Aletti, D. M. Gillen and T. Gunnlaugsson, Coord. Chem. Rev., 2018, 354, 98–120.
	- 23 (a) S. J. Butler and D. Parker, Chem. Soc. Rev., 2013, 42, 1652– 1666; (b) R. Mailhot, T. Traviss-Pollard, R. Pal and S. J. Butler, Chem.–Eur. J., 2018, 24, 10745–10755.
	- 24 E. Mathieu, A. Sipos, E. Demeyere, D. Phipps, D. Sakaveli and K. E. Borbas, Chem. Commun., 2018, 54, 10021–10035.
	- 25 J. Wu, H. Liu, Y. Yang, H. Wang and M. Yang, Opt. Mater., 2018, 77, 170–177.
	- 26 C. Song, Z. Ye, G. Wang, J. Yuan and Y. Guan, Chem.–Eur. J., 2010, 16, 6464–6472.
	- 27 R. A. Poole, F. Kielar, S. L. Richardson, P. A. Stenson and D. Parker, Chem. Commun., 2006, 221, 4084–4086.
- 28 G. L. Law, D. Parker, S. L. Richardson and K. L. Wong, Dalton Trans., 2009, 8481–8484.
- 29 A. Sikora, J. Zielonka, M. Lopez, J. Joseph and B. Kalyanaraman, Free Radical Biol. Med., 2009, 47, 1401– 1407.
- 30 A. Beeby, I. M. Clarkson, R. S. Dickins, S. Faulkner, D. Parker, L. Royle, A. S. de Sousa, J. A. G. Williams and M. Woods, J. Chem. Soc., Perkin Trans. 2, 1999, 493–504.
- 31 D. Maffeo and J. A. G. Williams, Inorg. Chim. Acta, 2003, 355, 127–136.
- 32 G. Farruggia, S. Iotti, L. Prodi, M. Montalti, N. Zaccheroni, P. B. Savage, V. Trapani, P. Sale and F. I. Wolf, J. Am. Chem. Soc., 2006, 128, 344–350.
- 33 G. Bozoklu, C. Marchal, J. Pécaut, D. Imbert and M. Mazzanti, Dalton Trans., 2010, 39, 9112–9122.
- 34 J.-C. G. Bunzli and P. Claude, Chem. Soc. Rev., 2005, 34, 1048–1077.
- 35 S.-Y. Park, P. Ghosh, S. O. Park, Y. M. Lee, S. K. Kwak and O.-H. Kwon, RSC Adv., 2016, 6, 9812–9821.
- 36 M. Cölle, R. E. Dinnebier and W. Brütting, Chem. Commun., 2002, 49, 2908–2909.
- 37 G. Bauer, Redox Biol., 2019, 26, 101291.
- 38 D. Cheng, Y. Pan, L. Wang, Z. Zeng, L. Yuan, X. Zhang and Y.-T. Chang, J. Am. Chem. Soc., 2017, 139, 285–292.
- 39 D. I. Pattison and M. J. Davies, Chem. Res. Toxicol., 2001, 14, 1453–1464.
- 40 J. Zielonka, A. Sikora, M. Hardy, J. Joseph, B. P. Dranka and B. Kalyanaraman, Chem. Res. Toxicol., 2012, 25, 1793–1799.
- 41 G. Ferrer-Sueta and R. Radi, ACS Chem. Biol., 2009, 4, 161– 177.
- 42 B. M. Matata and M. Galiñanes, J. Biol. Chem., 2002, 277, 2330–2335.
- 43 A. Lin, Y. Gorbanev, J. De Backer, J. Van Loenhout, W. Van Boxem, F. Lemière, P. Cos, S. Dewilde, E. Smits and A. Bogaerts, Adv. Sci., 2019, 6, 1802062.
- 44 F. Girard, V. Badets, S. Blanc, K. Gazeli, L. Marlin, L. Authier, P. Svarnas, N. Sojic, F. Clément and S. Arbault, RSC Adv., 2016, 6, 78457–78467.
- 45 F. Girard, M. Peret, N. Dumont, V. Badets, S. Blanc, K. Gazeli, C. Noël, T. Belmonte, L. Marlin, J. P. Cambus, G. Simon, N. Sojic, B. Held, S. Arbault and F. Clément, Phys. Chem. Chem. Phys., 2018, 20, 9198–9210.
- 46 G. Bauer, Redox Biol., 2019, 26, 101291.
- 47 B. Tarabová, P. Lukeš, M. U. Hammer, H. Jablonowski, T. von Woedtke, S. Reuter and Z. Machala, Phys. Chem. Chem. Phys., 2019, 21, 8883–8896.
- 48 P. Lukes, E. Dolezalova, I. Sisrova and M. Clupek, Plasma Sources Sci. Technol., 2014, 23, 015019.
- 49 A. Schmidt-Bleker, R. Bansemer, S. Reuter and K.-D. Weltmann, Plasma Processes Polym., 2016, 13, 1120– 1127.
- 50 H. Jablonowski, A. Schmidt-Bleker, K.-D. Weltmann, T. von Woedtke and K. Wende, Phys. Chem. Chem. Phys., 2018, 20, 25387–25398.