



Correction: Optical humidity sensors based on lead-free Cu-based perovskite nanomaterials

Cite this: *Nanoscale Adv.*, 2022, 4, 5189

Hoseok Lee,^a Donghwa Lee,^a Haedam Jin,^b Dohun Baek,^a Mi Kyong Kim,^b Jeongbeom Cha,^b Sung-Kon Kim^{*a} and Min Kim^{*ab}

DOI: 10.1039/d2na90084j

Correction for 'Optical humidity sensors based on lead-free Cu-based perovskite nanomaterials' by Hoseok Lee *et al.*, *Nanoscale Adv.*, 2022, 4, 3309–3317, <https://doi.org/10.1039/D2NA00168C>.

rsc.li/nanoscale-advances

The authors regret that the funding information was incorrectly shown in the acknowledgements section of the original manuscript. The authors wish to replace the grant number, “NRF-2021M2D2A1A0204148211”, with “NRF-2021M2D2A1A02041482”. The corrected funding acknowledgement is as shown below.

S.-K. K. acknowledges the support from the National Research Foundation of Korea (NRF) grant funded by the Korea government (MSIT) (NRF-2021M2D2A1A02041482).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aSchool of Chemical Engineering, Jeonbuk National University, Jeonju 54896, Republic of Korea. E-mail: skkim@jbnu.ac.kr

^bGraduate School of Integrated Energy-AI, Jeonbuk National University, Jeonju 54896, Republic of Korea. E-mail: minkim@jbnu.ac.kr

