


 Cite this: *RSC Adv.*, 2022, 12, 3856

Assessing the potential biological activities of TiO₂ and Cu, Ni and Cr doped TiO₂ nanoparticles

 Shamsa Munir,^a Faiza Asghar,^b Faryal Younis,^a Saira Tabassum,^c Afzal Shah^d and Sher Bahadar Khan^e

Nanoparticles are like magic bullets and nanomaterials exhibit appealing properties. Their size and morphology can be switched by dopants for certain biological activities. Nanoparticles in combination with certain drugs enhance the antibiotic effects and may be valuable in combating bacterial resistance. The antimicrobial potency of nanoparticles depends upon their ability to bind to the surface of microbial cell membranes resulting in modulation of basic cell functions such as respiration. We report herein the antibacterial, antifungal and antioxidant activities of pure TiO₂ and TiO₂ doped with 4% Cu, Ni and Cr. The performance of pure and doped nanoparticles has been compared with reference compounds. A comparison of the antifungal activities of the samples doped with TiO₂ reveals that Cu–TiO₂ exhibits improved performance against *A. fumigatus* but lower antifungal activity against *Mucor* sp. and *F. solani*. Cu–TiO₂ and Ni–TiO₂ showed good antibacterial action against *B. bronchiseptica*, while Cr–TiO₂ nanoparticles displayed better activity against *S. typhimurium* as compared to pure TiO₂. Moreover, pristine TiO₂ and Ni–TiO₂ nanoparticles were found to demonstrate maximum total antioxidant capacity.

Received 2nd October 2021

Accepted 21st January 2022

DOI: 10.1039/d1ra07336b

rsc.li/rsc-advances

1. Introduction

Nanotechnology is an emerging technology in the modern world providing a wide variety of applications in chemistry, biology, physics, materials and health sciences. A literature survey reveals that physico-chemical and biological properties of nanoparticles depend upon their size and shape.^{1–4} Nanoparticles exert their antimicrobial action by binding to the surface of microbial cell membranes and altering their basic cellular functions.⁵ Moreover, nanoparticles have been reported to penetrate the microbial cells and interact with nitrogen, sulfur and phosphorus of biomolecules.⁶ The size and morphology of nanoparticles have been found to exhibit noticeable potential for certain biological activities.^{7–10} In fact nanoparticles are employed in combination with certain drugs to enhance the antibiotic effects and to combat bacterial resistance.⁶

Semiconductor oxide nanoparticles are widely synthesized by chemical as well as green routes for application in biological sciences owing to their potential as antibacterial, antifungal and antioxidant materials.^{11–16} A recent article about the antibacterial activity of TiO₂ doped ZnO composite material has

reported that TiO₂ doping in ZnO increased the activity index.¹⁷ Chitosan coated biologically synthesized TiO₂ nanoparticles displayed good antibacterial activities against pandrug resistant (PDR) *E. coli* strain with the prominent zone of inhibition of 23 mm.¹⁸ In 2019, Islam *et al.*, reported the biological activities of gold nanoparticles functionalized with *Salix alba* synthesized *via* a green route which displayed good antifungal activity and also showed appreciable antinociceptive and muscle relaxant properties.¹⁹ Ahamed *et al.*, prepared copper oxide nanoparticles by precipitation method and found these materials to demonstrate excellent antimicrobial potential against various bacterial strains.²⁰ Similarly Ag nanoparticles obtained through chemical and greener means have been found to demonstrate strong antimicrobial action.^{12,16,21–25} Metal nanoparticles such as those of palladium have been considered as ecofriendly materials owing to their antifungal potential.²⁶

TiO₂ nanoparticles are recognized as promising materials due to their biocompatibility, environment friendliness, stability and nontoxic nature. They exhibit strong antimicrobial and anticancer activities. It has been shown that the biological activities of TiO₂ nanoparticles can be significantly improved with dopants and thus doping can be employed to tune their antimicrobial properties.^{27,28} In the present research, we have evaluated the antibacterial, antifungal and antioxidant potential of undoped TiO₂ and doped titania with 4% Cu, Ni and Cr synthesized by a chemical route. We found that the doped TiO₂ displayed appreciable antimicrobial properties compared to many previously reported studies on nanoparticles for biological activities. The excellent antimicrobial potential of doped

^aSchool of Applied Sciences and Humanities, National University of Technology (NUTECH), Islamabad, 44000, Pakistan

^bDepartment of Chemistry, University of Wah, Quaid Avenue, Wah, Pakistan

^cDepartment of Biotechnology, Quaid-Azam University, Islamabad, 45320, Pakistan

^dDepartment of Chemistry, Quaid-i-Azam University, Islamabad, 45320, Pakistan. E-mail: afzals_qau@yahoo.com

^eDepartment of Chemistry, King Abdulaziz University, P.O. Box 80203, Jeddah 21589, Saudi Arabia


nanoparticles suggests their potential for practical applications as alternative or combinational drugs.

2. Materials and methods

TiO₂ and doped TiO₂ nanoparticles were synthesized *via* a sol gel method using titanium(IV)-iso-propoxide Ti[OCH(CH₃)₂]₄ precursor as described earlier.²⁹ Copper, chromium and nickel acetate were employed as precursors for doping titania with 4% Cu, Ni and Cr. Analytical grade 1-propanol and deionized water were used as media in the synthesis procedure. Characterization of nanoparticles prepared by the same method has been reported in our previous work.³⁰ The statistical analysis of antibacterial and antifungal activities was performed by using SPSS Pearson's product moment correlation coefficient method. All experiments for biological activities were performed in triplicate.

2.1. Biological activities protocols

The potential of the material against bacterial strains was evaluated according to literature reported procedure.³¹ Samples to be tested (5 μL of 4 mg per mL DMSO; 100 μg per disc) were pervaded on 6 mm discs of sterile filter paper put on seeded nutrient agar plate Cefixime-USP (20 μg per disc) and DMSO impregnated discs were employed as +ve and -ve controls, respectively.^{31,32} Clear zones of inhibition were determined after 24 hours of incubation time. Fungal strains were bought from fungal culture bank of Pakistan and antifungal activity was determined according to procedures described earlier.³¹ 100 μL of harvested spores of each type were placed on plates containing 25 mL sterilized Sabouraud dextrose agar (SDA). 5 μL of each sample to be tested (4 mg per mL DMSO; 100 μg per disc) and standard drug (50 μg per disc) were pervaded in filter paper discs. Samples were incubated for 24–48 h at 28 °C. Afterwards, clear inhibition zones were measured employing a vernier caliper.

Total antioxidant activity of extracts was evaluated by method with a little modification as described elsewhere.³³ A 4 mg per mL of each sample was dissolved in DMSO solvent. A 100 μL volume of each sample solution was then combined with 900 μL of solutions prepared using H₂SO₄ (0.6 M), NH₄MoO₄ (4 mM) and Na₃PO₄ (28 mM). Incubation of the reaction mixtures was done for about 90 min at 95 °C, followed by cooling to room temperature. Then, the absorbance was determined at the wavelength of 695 nm.³² A 100 μL of DMSO was used as a standard. Moreover, ascorbic acid was employed as positive standard for calibration curve with a concentration of 4 mg mL⁻¹. The total antioxidant capacity (TAC) was indicated in μg ascorbic acid equivalent (μg AAE) per mg dry weight.

The reduction potential was investigated according to procedure described earlier.³³ A 4 mg per mL of each sample was dissolved in DMSO solvent. A 100 μL volume of each sample solution was then combined with 200 μL of 0.2 M phosphate buffer and 250 μL of 1% w/v potassium ferricyanide. Incubation of the mixtures was done for 20 min at a temperature of 50 °C. Following this a 200 μL of 10% w/v trichloroacetic acid was added to the mixture for acidification. The resulting mixtures were centrifuged at the rate of 3000 rpm for about 10 min. The

150 μL of the supernatant layer was mixed with 50 μL of 0.1% w/v FeCl₃ solution and optical density was measured at 630 nm using microplate reader.³² The results were expressed as μg AAE per mg dry weight using ascorbic acid as positive standard.

For estimating free radical scavenging potential, we used 2,2-diphenyl-1-picryl hydrazyl (DPPH). The mixture of 10 μL of extract (4 mg per mL) and 190 μL of DPPH (0.004% w/v) in methanol was incubated for 1 h in the dark. The optical density was similarly determined at the wavelength of 515 nm through microplate reader. Samples to be evaluated were first tested at a concentration of 200 μg per mL and those exhibiting good quenching activity (*i.e.* ≥50%) were tested at smaller concentration (200, 66.6, 22.2, 7.41 μg per mL) to find IC₅₀ values. Following formula was employed to calculate the percent inhibition:

$$\begin{aligned} \% \text{ Inhibition of the sample} &= \% \text{ of scavenging activity} \\ &= (1 - Ab_s/Ab_c) \times 100. \end{aligned}$$

where, the absorbance of the DPPH solution along with sample is represented by Ab_s and absorbance of the negative standard (*i.e.*, reagent and solvent) is represented by Ab_c. IC₅₀ was evaluated by using Table curve software 2D version 4.

3. Results and discussion

3.1. Biological activities

The synthesized nanoparticles were examined for the evaluation of their antifungal, antibacterial and antioxidant potential. The antifungal activities of TiO₂ and doped TiO₂ analyzed against *A. fumigatus*, *Mucor* sp. and *F. solani* in comparison with the standard drug terbinafine can be seen in Fig. 1. Although the synthesized compounds demonstrate lower activity than the reference drug used against the fungal strains, but a comparison of the activities of the doped samples with pristine TiO₂ reveals improved performance of Cu-TiO₂ against *A. fumigatus* but a lower activity against *Mucor* sp. and *F. solani* as depicted from the zone of inhibition values of 18, 15 and 10 mm, respectively. A recent article indicate that TiO₂ nanoparticles synthesized *via* green route exhibit no activity against *A. fumigatus* at concentrations of 10, 20 and 30 mg mL⁻¹.³⁴ In another report, biologically synthesized ZrO₂ nanoparticles displayed a zone of inhibition of 34 ± 1 mm at a concentration of 15 mg mL⁻¹.³⁵ Similarly 15% Zr doped CeO₂ nanoparticles employed against *A. fumigatus* have been reported to have a maximum zone of inhibition of 10 mm.³⁶

Ag nanoparticles are widely investigated for antimicrobial action. According to the recent literature Ag nanoparticles show no significant activity towards *Mucor* sp.³⁷ Cu, Ni and Cr doped TiO₂ indicated reduced activity against *F. solani* than that of the pure TiO₂ nanoparticles. Moreover, literature survey reveals few reports using metal nanoparticles as antifungal agents against *F. solani*.³⁸ One report manifested the reduction of the growth of *F. solani* to 1.42% (as compared to 93% of the control), at a concentration of 100 mg mL⁻¹ for TiO₂ nanoparticles prepared *via* a greener route.³⁹ Direct comparison is difficult to make due to different experimental conditions and concentrations of the samples.






Fig. 1 Comparative analysis of antifungal and antibacterial activities of TiO₂ and doped TiO₂ nanoparticles with reference drugs.

Antibacterial activities were also determined for TiO₂ and doped TiO₂ nanoparticles and compared with the reference drug cefixime. The result of antibacterial activity against *E. aerogens*, *B. bronchiseptica* and *S. typhimurium* has been displayed in Fig. 1. Although TiO₂ and doped TiO₂ displayed lower antibacterial action than that of the reference drug, but demonstrated enhanced performance compared to many reported studies employing nanoparticles as antibacterial agents. For instance, a study of the antibacterial action of chemically synthesized TiO₂ encapsulated into zeolite and SiO₂-TiO₂ composite nanoparticles displayed no activity against *E. aerogenes*⁴⁰ compared to our data of 12, 19, 15 and 10 mm for TiO₂, Cu-TiO₂, Cr-TiO₂ and Ni-TiO₂, respectively. Recent literature also showed that the Ag nanoparticles possess zone of inhibition of 7.1,⁴¹ 24 (ref. 42) and 11 mm⁴³ against *E. aerogens* at various concentrations of Ag nanoparticles. Similarly, MnO nanoparticles prepared *via* a green route displayed 9 mm zone of inhibition⁴⁴ against *B. bronchiseptica*. Antibacterial action of nanoparticles against *S. typhimurium* has been reported for Ag,⁴⁵ Se,⁴⁶ Au⁴⁷ and ZnO⁴⁸ employing other methods and sample concentrations. Cu nanoparticles capped with 1% gum arabic⁴⁹ displayed a higher zone of inhibition of 27 mm. Phosphorous and fluorine co-doped TiO₂ are also reported against *S. typhimurium* (approximately 10⁶ CFU mL⁻¹) under day light.⁵⁰ However, comparison of the results cannot be made with literature data due to different conditions of measurements and concentrations of the samples.

We further evaluated the antioxidant activities of the pure TiO₂ as well as doped TiO₂. Total antioxidant capacity (TAC) values were found to be highest for Ni-TiO₂ followed by pristine TiO₂ nanoparticles (see Fig. 2 & Table 1) whereas; minimum TAC values were obtained for Cu-TiO₂ nanoparticles. Literature

survey on the cytotoxic effects of TiO₂ shows no significant cytotoxic effects on lung epithelial cells at a concentration of 0.1 mg mL⁻¹ titania.⁵¹ Another article on the cytotoxicity studies of TiO₂ and doped TiO₂ on human cells demonstrates high oxidative stress mediated cytotoxicity on lung epithelial cells at a concentration of 2-200 µg mL⁻¹ (ref. 52) which can be greatly reduced by the antioxidant *N*-acetyl cysteine.⁵³ Mg and Cu co-doped TiO₂ display high antibacterial potential against *E. coli* and *S. aureus* with exceptional cytocompatibility.⁵⁴ The *in vitro* release kinetic study of co-doped TiO₂ reveals that Cu ions at a concentration greater than 9 mg L⁻¹ is cytotoxic to MC3T3-E1 cells, however maximum single day release is 2.29 mg L⁻¹.⁵⁴ A recent study has reported the cytotoxicity of Ni (1%) and Pt




Fig. 2 Comparative analysis of total antioxidant capacity (TAC) and total reducing power (TRP) of TiO₂ and doped TiO₂ nanoparticles using bar graph.



Table 1 Summary of the antifungal, antibacterial and antioxidant activities of TiO₂ and doped TiO₂ nanoparticles prepared by sol-gel method

Activity	TiO ₂	4% Cu doped TiO ₂	4% Cr doped TiO ₂	4% Ni doped TiO ₂	Ref. drugs
Antifungal					Terbinafine
<i>A. fumigatus</i>	13 ± 1.91	18 ± 1.81	15 ± 1.23	14 ± 1.14	21 ± 1.46
<i>Mucor sp.</i>	18 ± 1.49	15 ± 1.41	15 ± 1.34	19 ± 1.27	25 ± 0.26
<i>F. solani</i>	14 ± 1.32	10 ± 0.19	10 ± 0.149	11 ± 0.707	18 ± 0.808
Antibacterial					Cefixime
<i>E. aerogenes</i>	12 ± 1.51	19 ± 1.477	15 ± 1.473	10 ± 1.41	24 ± 1.11
<i>B. bronchiseptica</i>	18 ± 1.81	20 ± 1.23	14 ± 1.14	20 ± 1.46	25 ± 1.44
<i>S. typhimurium</i>	15 ± 1.41	17 ± 1.34	19 ± 1.27	12 ± 1.21	26 ± 1.12
Antioxidant					
DPPH	85	75	80	85	—
TAC µg AAE per mg sample	115 ± 1.11	80 ± 0.21	95 ± 0.21	120 ± 0.21	—
TRP µg AAE per mg sample	70 ± 0.77	66 ± 0.75	75 ± 1.41	77 ± 0.88	—

Table 2 Correlation coefficients of antifungal activities of nanoparticles obtained by statistical analysis

	TiO ₂	Cu-TiO ₂	Cr-TiO ₂	Ni-TiO ₂	Terbinafine
TiO ₂	1				
Cu-TiO ₂	-0.047 (0.970)	1			
Cr-TiO ₂	0.327 (0.788)	0.929 (0.242)	1		
Ni-TiO ₂	0.807 (0.402)	0.5 (0.667)	0.786 (0.425)	1	
Terbinafine	0.807 (0.402)	0.552 (0.628)	0.822 (0.386)	0.998 (0.039)	1

(0.2%) doped TiO₂ in ARP-19 cells and dermal cells of balb/c mice where the ARP-9 cells have been found more susceptible to Pt doped TiO₂ and less susceptible to Ni doped TiO₂.⁵⁵ Hence, to establish the toxicological effects of TiO₂ and doped TiO₂ nanoparticles further concentration based cytotoxicity studies are required.

Total reducing power (TRP) was highest for Ni-TiO₂ followed by Cr-TiO₂ and TiO₂ nanoparticles. The values of TAC and TRP coincided well with percent inhibition of DPPH as well (see Table 1).

3.1.1. Statistical analysis. Statistical analysis of antibacterial and antifungal activities was performed by using SPSS, where TiO₂, Cu-TiO₂, Cr-TiO₂ and Ni-TiO₂ were taken as variables to find out the correlation of antifungal/antibacterial activities between the reference drug and the nanoparticles.

The correlation data between nanoparticles and the reference drug for antifungal activities as presented in the Table 2, is positive and moderate to strong ($r = 0.807$, $r = 0.552$, $r = 0.822$, $r = 0.998$). Data show the strongest correlation of reference drug with Ni-TiO₂, Cr-TiO₂ and TiO₂ as seen from the correlation value of 0.998, 0.822 and 0.807, respectively. Although the antifungal activities against all the fungal strains are not much significant for Ni-TiO₂, however the statistical analysis is

representing the overall correlation of doped samples against all three strains with reference drug and is complementing our results of antifungal activities. In addition to the correlation of reference drug with doped samples, the correlation of TiO₂ with doped samples can be seen from statistical data listed in Table 2. TiO₂ has non-significant weak negative correlation with Cu ($r = -0.047$, $p = 0.97$) which indicates less correlation between TiO₂ and Cu-TiO₂ antifungal activities as manifested in our values. Similarly, moderate positive correlation with Cr-TiO₂ ($r = 0.327$, $p = 0.788$), strong positive correlation of Ni-TiO₂ ($r = 0.842$, $p = 0.363$) with pristine TiO₂ is in accordance with our results. Correlations are all non-significant *i.e.*, the p values are greater than 0.05 due to small sample size ($n = 3$). The large p values do not manifest invalid results rather it is a consequence of small data set.⁵⁶

Similarly for antibacterial activities TiO₂ has non-significant positive correlation with Cu-TiO₂ ($r = 0.327$, $p = 0.788$), weak negative correlation with Cr-TiO₂ ($r = -0.189$, $p = 0.879$), strong positive correlation with Ni-TiO₂ ($r = 0.945$, $p = 0.212$) (see Table 3). These complement the antibacterial activities given in Table 1. The negative values correspond to the pattern (increasing or decreasing) with the reference. Again, non-significant p values are due to small data set. Cefixime has

Table 3 Correlation coefficients of antibacterial activities of nanoparticles obtained by statistical analysis

	TiO ₂	Cu-TiO ₂	Cr-TiO ₂	Ni-TiO ₂	Cefixime
TiO ₂	1				
Cu-TiO ₂	0.327 (0.788)	1			
Cr-TiO ₂	-0.189 (0.879)	-0.990 (0.091)	1		
Ni-TiO ₂	0.945 (0.212)	0.619 (0.575)	-0.500 (0.667)	1	
Cefixime	0.500 (0.667)	-0.655 (0.546)	0.756 (0.454)	0.189 (0.879)	1



non-significant positive correlation with TiO₂ ($r = 0.500$, $p = 0.667$), good negative correlation with Cu–TiO₂ ($r = -0.655$, $p = 0.546$), good positive correlation with Cr–TiO₂ ($r = 0.756$, $p = 0.454$) and weak positive correlation with Ni–TiO₂ ($r = 0.189$, $p = 0.879$).

4. Mechanism of action of nanoparticles

The nanoparticles are known to have antimicrobial action (a) due to binding with the cell membrane and thus altering their basic cell functions such as respiration and (b) by penetration of the nanoparticles inside the cell and interaction with sulfur and phosphorous containing compounds, particularly DNA. The cell walls of microbes are composed of metal binding ligands which can reduce the metal ions by donating electrons and thus allowing metals to penetrate inside the cell.⁵⁷ The accumulated metal ions can further penetrate into the cell components and damage the cell depending upon the cell's resistant for that metal. The severity of cell damage depends on various factors such as composition of cell wall, the sorption site, and the chemical interaction of the metal ions. Thus titanium ions can enter into the cell membrane and bind with DNA *via* direct bonding⁵⁸ thus disrupting their normal function. This in turn prevents the cell replication and ultimately results in the death of the microorganisms.⁵⁹ Doping of TiO₂ resulted in the substitution of Ti⁴⁺ ions by the dopant metal (*i.e.* Cu²⁺, Cu⁺, Ni²⁺, Ni³⁺ or Cr³⁺ in our case) depicted by XPS. We have seen that Cu, Cr and Ni doped TiO₂ have shown better antifungal and antibacterial activities in general as compared to the undoped TiO₂ and similarly reported data for other nanoparticles, indicating stronger interaction and sorption of Cu, Cr and Ni doped TiO₂ into the microbial cells.

5. Conclusions

TiO₂ nanoparticles were synthesized and doped with 4% Cu, Ni and Cr *via* sol–gel chemical method and evaluated for their antibacterial, antifungal and antioxidant potential. A comparison of the activities of the doped samples with pristine TiO₂ reveals better performance of Cu–TiO₂ against *A. fumigatus* but lower antifungal activity against *Mucor* sp. and *F. solani*. The antibacterial action of TiO₂ and doped TiO₂ was found lower than the reference drug but better than many reported studies employing nanoparticles as antibacterial agents. Statistical analysis provided an overall comparison of antibacterial/antifungal activities of doped samples with pristine TiO₂ as well as reference drugs. Strong to moderate correlations were predicted from data of antimicrobial activities, however, correlations were non-significant (*i.e.*, $p > 0.05$) due to small sample size. The total antioxidant capacity (TAC) values were found to be the highest for pristine TiO₂ and Ni–TiO₂ nanoparticles. Cu, Ni and Cr led to alteration of the antimicrobial action of TiO₂ nanoparticles due to stronger chemical interaction and sorption of these metals into the microbial cells that led to cell death. The results of the biological assay demonstrated

promising potential of doped TiO₂ as alternative or combinational drug for practical applications.

Author contributions

Dr Shamsa Munir synthesized and characterized the nanoparticles, Dr Faiza Asghar analyzed the data. Dr Saira Tabassum carried out the biological activities of the samples. Dr Faryal Younis performed the statistical analysis of the results. Dr Afzal Shah and Dr Sher Bahadar Khan helped in writing of the manuscript.

Conflicts of interest

The authors declare no conflict of interest.

Acknowledgements

Prof. Dr Sher Bahadar Khan graciously acknowledges the Deanship of Scientific Research (DSR) at King Abdul Aziz University, Jeddah, Saudi Arabia for project under grant No. (KEP-32-130-42). Dr Shamsa Munir gratefully acknowledges the Higher Education Commission of Pakistan for project number 21-2499/SRGP/R&D/HEC/2019 and Quaid-i-Azam University Islamabad, Pakistan for providing laboratory facilities.

References

- 1 V. Yadav, *Adv. Electron. Elec. Eng.*, 2013, **3**, 771–778.
- 2 N. Beyth, Y. Hourri-Haddad, A. Domb, W. Khan and R. Hazan, *Evidence-Based Complementary and Alternative Medicine*, 2015, 2015.
- 3 N. Yudasari, P. A. Wiguna, W. Handayani, M. M. Suliyanti and C. Imawan, *Appl. Phys. A: Mater. Sci. Process.*, 2021, **127**, 1–11.
- 4 A. S. Vijayanandan and R. M. Balakrishnan, *Appl. Phys. A: Mater. Sci. Process.*, 2020, **126**, 1–13.
- 5 P. Mazur, I. Skiba-Kurek, P. Mrowiec, E. Karczewska and R. Drożdż, *Int. J. Nanomed.*, 2020, **15**, 3551.
- 6 E. Sánchez-López, D. Gomes, G. Esteruelas, L. Bonilla, A. L. Lopez-Machado, R. Galindo, A. Cano, M. Espina, M. Ettcheto and A. Camins, *Nanomaterials*, 2020, **10**, 292.
- 7 S. Pal, Y. K. Tak and J. M. Song, *Appl. Environ. Microbiol.*, 2007, **73**, 1712–1720.
- 8 A. H. Hammadi, S. A. Habeeb, L. F. Al-Jibouri and F. H. Hussien, *Syst. Rev. Pharm.*, 2020, **11**, 431–439.
- 9 Y. Huo, Y. X. Han, P. Singh, J. P. Kang, J. Y. Pu, C. H. Piao and D. C. Yang, *Appl. Phys. A: Mater. Sci. Process.*, 2021, **127**, 1–10.
- 10 C. Anuradha and P. Raji, *Appl. Phys. A: Mater. Sci. Process.*, 2021, **127**, 1–9.
- 11 A. J. Haider, R. H. AL-Anbari, G. R. Kadhim and C. T. Salame, *Energy Procedia*, 2017, **119**, 332–345.
- 12 A. Thirumurugan, S. Ramachandran, N. A. Tomy, G. Jiflin and G. Rajagomathi, *Korean J. Chem. Eng.*, 2012, **29**, 1761–1765.
- 13 M.-K. Yeo and M. Kang, *Korean J. Chem. Eng.*, 2009, **26**, 711–718.



- 14 M. Ahmadi, P. Amiri and N. Amiri, *Korean J. Chem. Eng.*, 2015, **32**, 1327–1332.
- 15 S. Rajeswaran, S. S. Thirugnanasambandan, S. R. Subramanian, S. Kandasamy and R. Vilwanathan, *Appl. Phys. A: Mater. Sci. Process.*, 2019, **125**, 105.
- 16 G. Zhang, F. Zhang, H. Morikawa and Y. Chen, *Appl. Phys. A: Mater. Sci. Process.*, 2014, **114**, 1277–1283.
- 17 A. Menazea and N. S. Awwad, *J. Mater. Res. Technol.*, 2020, **9**, 9434–9441.
- 18 N. Zafar, B. Uzair, M. B. K. Niazi, S. Sajjad, G. Samin, M. J. Arshed and S. Rafiq, *Adv. Polym. Technol.*, 2020, **2020**, 8456024.
- 19 N. U. Islam, K. Jalil, M. Shahid, A. Rauf, N. Muhammad, A. Khan, M. R. Shah and M. A. Khan, *Arabian J. Chem.*, 2019, **12**, 2914–2925.
- 20 M. Ahamed, H. A. Alhadlaq, M. Khan, P. Karuppiah and N. A. Al-Dhabi, *J. Nanomater.*, 2014, **2014**, 637858.
- 21 A. A. Mostafa, S. R. Sayed, E. N. Solkamy, M. Khan, M. R. Shaik, A. Al-Warthan and S. F. Adil, *J. Nanomater.*, 2015, **2015**, 789178.
- 22 A. Roy, O. Bulut, S. Some, A. K. Mandal and M. D. Yilmaz, *RSC Adv.*, 2019, **9**, 2673–2702.
- 23 B. K. Salunke, J. Shin, S. S. Sawant, B. Alkotaini, S. Lee and B. S. Kim, *Korean J. Chem. Eng.*, 2014, **31**, 2035–2040.
- 24 S. M. Shaban and D.-H. Kim, *Korean J. Chem. Eng.*, 2020, **37**, 1008–1019.
- 25 B. K. Salunke, E. Sathiyamoorthi, T. K. Tran and B. S. Kim, *Korean J. Chem. Eng.*, 2017, **34**, 943–951.
- 26 F. J. Osonga, S. Kalra, R. M. Miller, D. Isika and O. A. Sadik, *RSC Adv.*, 2020, **10**, 5894–5904.
- 27 C. Gomez-Polo, S. Larumbe, A. Gil, D. Muñoz, L. R. Fernández, L. F. Barquín, A. García-Prieto, M. Fdez-Gubieda and A. Muela, *Surf. Interfaces*, 2021, **22**, 100867.
- 28 K. Mukherjee, K. Acharya, A. Biswas and N. R. Jana, *ACS Appl. Nano Mater.*, 2020, **3**, 2016–2025.
- 29 S. Munir, S. M. Shah and H. Hussain, *Mater. Des.*, 2016, **92**, 64–72.
- 30 S. Munir, S. M. Shah and H. Hussain, *Mater. Des.*, 2016, **92**, 64–72.
- 31 A. Ihsan-Ul-Haq, I. Ahmed, I. Hussain, M. Jamil and B. Mirza, *Pak. J. Bot.*, 2012, **44**, 1487–1490.
- 32 H. Zafar, A. Ali, J. S. Ali, I. U. Haq and M. Zia, *Front. Plant Sci.*, 2016, **7**, 535.
- 33 S. Tabassum, M. Ahmed, B. Mirza, M. Naeem, M. Zia, Z. K. Shanwari and G. M. Khan, *BMC Complementary Altern. Med.*, 2017, **17**, 1–13.
- 34 W. Ahmad, K. K. Jaiswal and S. Soni, *Inorg. Nano-Met. Chem.*, 2020, **50**, 1032–1038.
- 35 N. C. Joshi, N. Chaudhary and N. Rai, *Bionanoscience*, 2021, **11**, 497–505.
- 36 R. Bakkiyaraj, M. Balakrishnan, G. Bharath and N. Ponpandian, *J. Alloys Compd.*, 2017, **724**, 555–564.
- 37 T. Khan, A. Yasmin and H. E. Townley, *Colloids Surf., B*, 2020, **194**, 111156.
- 38 A. Prasad, L. Williams, J. Garvasis, K. Shamsheera, S. M. Basheer, M. Kuruvilla and A. Joseph, *J. Mol. Liq.*, 2021, 115805.
- 39 S. A. Monclou-Salcedo, S. N. Correa-Torres, M. I. Kopytko, C. Santoyo-Muñoz, D. M. Vesga-Guzmán, R. Castellares-Lozano, M. López-Amaris, A. D. Saavedra-Mancera and A. P. Herrera-Barros, *Int. J. Agric. Nat. Resour.*, 2020, **47**, 126–133.
- 40 L. R. Kalankesh, S. Rodríguez-Couto, M. A. Zazouli, Y. D. Shahamat, R. A. Dianati and M. Arghiani, *J. Microbiol. Methods*, 2019, **167**, 105736.
- 41 E. Bernardo-Mazariegos, B. Valdez-Salas, D. González-Mendoza, A. Abdelmoteleb, O. T. Camacho, C. C. Duran and F. Gutiérrez-Miceli, *Rev. Argent. Microbiol.*, 2019, **51**, 103–109.
- 42 A. V. A. Mariadoss, V. Ramachandran, V. Shalini, B. Agilan, J. H. Franklin, K. Sanjay, Y. G. Alaa, M. A.-A. Tawfiq and D. Ernest, *Microb. Pathog.*, 2019, **135**, 103609.
- 43 A. Ashraf, S. Zafar, K. Zahid, M. S. Shah, K. A. Al-Ghanim, F. Al-Misned and S. Mahboob, *J. Infect. Public Health*, 2019, **12**, 275–281.
- 44 S. A. Khan, S. Shahid, B. Shahid, U. Fatima and S. A. Abbasi, *Biomolecules*, 2020, **10**, 785.
- 45 S. Sinsinwar, M. K. Sarkar, K. R. Suriya, P. Nithyanand and V. Vadivel, *Microb. Pathog.*, 2018, **124**, 30–37.
- 46 A. Rangrazi, H. Bagheri, K. Ghazvini, A. Boruziniat and M. Darroudi, *Mater. Res. Express*, 2020, **6**, 1250h1253.
- 47 B. Lee and D. G. Lee, *J. Appl. Microbiol.*, 2019, **127**, 701–712.
- 48 R. C. d. Souza, L. U. Haberbeck, H. G. Riella, D. H. Ribeiro and B. A. Carciofi, *Braz. J. Chem. Eng.*, 2019, **36**, 885–893.
- 49 P. Chawla, N. Kumar, A. Bains, S. B. Dhull, M. Kumar, R. Kaushik and S. Punia, *Int. J. Biol. Macromol.*, 2020, **146**, 232–242.
- 50 G. Schneider, B. Schweitzer, A. Steinbach, B. Z. Pertics, A. Cox and L. Körösi, *Foods*, 2021, **10**, 1786.
- 51 S. Wadhwa, C. Rea, P. O'Hare, A. Mathur, S. Roy, P. Dunlop, J. Byrne, G. Burke, B. Meenan and J. McLaughlin, *J. Hazard. Mater.*, 2011, **191**, 56–61.
- 52 K. Kaviyarasu, N. Geetha, K. Kanimozhi, C. M. Magdalane, S. Sivaranjani, A. Ayeshamariam, J. Kennedy and M. Maaza, *Mater. Sci. Eng., C*, 2017, **74**, 325–333.
- 53 J. Ahmad, M. Siddiqui, M. Akhtar, H. Alhadlaq, A. Alshamsan, S. Khan, R. Wahab, A. Al-Khedhairi, A. Al-Salim and J. Musarrat, *Hum. Exp. Toxicol.*, 2018, **37**, 496–507.
- 54 B. Wang, Z. Wu, S. Wang, S. Wang, Q. Niu, Y. Wu, F. Jia, A. Bian, L. Xie and H. Qiao, *Mater. Sci. Eng., C*, 2021, **128**, 112322.
- 55 S.-E. Jin, E.-J. Kim, H. Kim, H. Kim, W. Hwang and S. W. Hong, *Mater. Sci. Eng., C*, 2020, **115**, 110843.
- 56 S. Greenland, S. J. Senn, K. J. Rothman, J. B. Carlin, C. Poole, S. N. Goodman and D. G. Altman, *Eur. J. Epidemiol.*, 2016, **31**, 337–350.
- 57 B. Igiri, S. Okoduwa, G. O. Idoko, E. P. Akabuogu, A. O. Adeyi and I. K. Ejiogu, *J. Toxicol.*, 2018, **2018**, 2568038.
- 58 N. Asefifeyzabadi, P. K. Das, A. H. Onorimuo, G. Durocher and M. H. Shamsi, *RSC Adv.*, 2021, **11**, 28332–28341.
- 59 I. X. Yin, J. Zhang, I. S. Zhao, M. L. Mei, Q. Li and C. H. Chu, *Int. J. Nanomed.*, 2020, **15**, 2555.

