

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *Biomater. Sci.*, 2023, **11**, 341**Correction: Chemo-photodynamic combined gene therapy and dual-modal cancer imaging achieved by pH-responsive alginate/chitosan multilayer-modified magnetic mesoporous silica nanocomposites**Hong Yang,^{a,b} Yin Chen,^a Zhongyuan Chen,^a Yue Geng,^a Xiaoxue Xie,^a Xue Shen,^a Tingting Li,^a Shun Li,^{a,b} Chunhui Wu^{a,b} and Yiyao Liu^{*a,b}DOI: 10.1039/d2bm90095e
rsc.li/biomaterials-scienceCorrection for 'Chemo-photodynamic combined gene therapy and dual-modal cancer imaging achieved by pH-responsive alginate/chitosan multilayer-modified magnetic mesoporous silica nanocomposites' by Hong Yang *et al.*, *Biomater. Sci.*, 2017, **5**, 1001–1013, <https://doi.org/10.1039/c7bm00043j>.

The authors regret that the incorrect image was used in Fig. 2B in the original version of the manuscript. The corrected Fig. 2B is shown below.




Fig. 2 B. TEM image of M-MSNs. The scale bar is 30 nm.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Biophysics, School of Life Science and Technology, University of Electronic Science and Technology of China, Chengdu 610054, Sichuan, P. R. China.
E-mail: liuyiyao@uestc.edu.cn, liuyiyao@hotmail.com; Fax: +86-28-8320-8238; Tel: +86-28-8320-3353

^bCenter for Information in Biology, University of Electronic Science and Technology of China, Chengdu 610054, Sichuan, P. R. China

