

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Biomater. Sci.*, 2023, **11**, 341

## Correction: Chemo-photodynamic combined gene therapy and dual-modal cancer imaging achieved by pH-responsive alginate/chitosan multilayer-modified magnetic mesoporous silica nanocomposites

Hong Yang,<sup>a,b</sup> Yin Chen,<sup>a</sup> Zhongyuan Chen,<sup>a</sup> Yue Geng,<sup>a</sup> Xiaoxue Xie,<sup>a</sup> Xue Shen,<sup>a</sup> Tingting Li,<sup>a</sup> Shun Li,<sup>a,b</sup> Chunhui Wu<sup>a,b</sup> and Yiyao Liu<sup>\*a,b</sup>

Correction for 'Chemo-photodynamic combined gene therapy and dual-modal cancer imaging achieved by pH-responsive alginate/chitosan multilayer-modified magnetic mesoporous silica nanocomposites' by Hong Yang *et al.*, *Biomater. Sci.*, 2017, **5**, 1001–1013, <https://doi.org/10.1039/c7bm00043j>.

DOI: 10.1039/d2bm90095e  
[rsc.li/biomaterials-science](http://rsc.li/biomaterials-science)

The authors regret that the incorrect image was used in Fig. 2B in the original version of the manuscript. The corrected Fig. 2B is shown below.




Fig. 2 B. TEM image of M-MSNs. The scale bar is 30 nm.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>Department of Biophysics, School of Life Science and Technology, University of Electronic Science and Technology of China, Chengdu 610054, Sichuan, P. R. China.  
E-mail: liuyiyao@uestc.edu.cn, liuyiyao@hotmail.com; Fax: +86-28-8320-8238; Tel: +86-28-8320-3353

<sup>b</sup>Center for Information in Biology, University of Electronic Science and Technology of China, Chengdu 610054, Sichuan, P. R. China