

## CORRECTION

[View Article Online](#)  
[View Journal](#) | [View Issue](#)



Cite this: *Environ. Sci.: Water Res. Technol.*, 2024, 10, 2253

## Correction: Removal rate constants are not necessarily constant: the case of organic micropollutant removal in wastewater treatment plants

Tamara J. H. M. van Bergen,<sup>\*ab</sup> A. M. Schipper,<sup>ac</sup> D. Mooij,<sup>a</sup> A. M. J. Ragas,<sup>a</sup> M. W. Kuiper,<sup>d</sup> A. J. Hendriks,<sup>a</sup> M. A. J. Huijbregts<sup>a</sup> and R. van Zelm<sup>\*a</sup>

Correction for ‘Removal rate constants are not necessarily constant: the case of organic micropollutant removal in wastewater treatment plants’ by Tamara J. H. M. van Bergen *et al.*, *Environ. Sci.: Water Res. Technol.*, 2024, <https://doi.org/10.1039/D4EW00377B>.

DOI: 10.1039/d4ew90025a

rsc.li/es-water

In section 2, superscript formatting has been omitted from eqn (1). It should read as  $C_e = C_i \cdot e^{-k \text{HRT}}$  instead of  $C_e = C_i \cdot e^{-k} \text{ HRT}$ . The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.



<sup>a</sup> Department of Environmental Science, Radboud Institute for Biology and Environmental Science, Radboud University, Nijmegen, The Netherlands.  
E-mail: tamara.van.bergen@rivm.nl, rosalie.vanzelm@ru.nl

<sup>b</sup> National Institute for Public Health and the Environment, Bilthoven, The Netherlands

<sup>c</sup> PBL Netherlands Environmental Assessment Agency, The Hague, The Netherlands

<sup>d</sup> Waterschap Drents Overijsselse Delta, Zwolle, The Netherlands