## **RSC Advances**



## CORRECTION

View Article Online
View Journal | View Issue



Cite this: RSC Adv., 2024, 14, 31385

Correction: Janus N,N-dimethylformamide as a solvent for a gradient porous wound dressing of poly(vinylidene fluoride) and as a reducer for in situ nano-silver production: anti-permeation, antibacterial and antifouling activities against multi-drug-resistant bacteria both in vitro and in vivo

Menglong Liu,<sup>a</sup> Ying Wang,<sup>a</sup> Xiaodong Hu,<sup>b</sup> Weifeng He,<sup>a</sup> Yali Gong,<sup>a</sup> Xiaohong Hu,<sup>a</sup> Meixi Liu,<sup>a</sup> Gaoxing Luo,<sup>\*a</sup> Malcolm Xing<sup>\*ad</sup> and Jun Wu<sup>\*ac</sup>

Correction for 'Janus N,N-dimethylformamide as a solvent for a gradient porous wound dressing of poly(vinylidene fluoride) and as a reducer for *in situ* nano-silver production: anti-permeation, antibacterial and antifouling activities against multi-drug-resistant bacteria both *in vitro* and *in vivo*' by Menglong Liu *et al.*, RSC Adv., 2018, 8, 26626–26639, https://doi.org/10.1039/C8RA03234C.

DOI: 10.1039/d4ra90102a

rsc.li/rsc-advances

The authors regret that an incorrect version of Fig. 1 was included in the original article. The correct version of Fig. 1 is presented below.

<sup>\*</sup>Institute of Burn Research, State Key Laboratory of Trauma, Burn and Combined Injury, Southwest Hospital, Third Military Medical University (Army Medical University), Chongqing 400038, China. E-mail: logxw@yahoo.com; malcolm.xing@umanitoba.ca; editorinchief@burninchina.com; Fax: +86-23-65461677; Tel: +86-23-68754173

bState Key Laboratory of Polymer Materials Engineering, Polymer Research Institute of Sichuan University, Chengdu, 610065, China

Department of Burns, The First Affiliated Hospital, SunYat-Sen University, Guangzhou 510080, China

<sup>&</sup>lt;sup>d</sup>Department of Mechanical Engineering, University of Manitoba, Winnipeg, MB, R3T 2N2, Canada




Fig. 1 (A) Macroscopic appearances of solutions and the corresponding formed films of PVDF, PVDF/NS10, PVDF/NS25 and PVDF/NS50 (from left to right) after 24 h incubation. (B) SEM images of PVDF, PVDF/NS10, PVDF/NS25 and PVDF/NS50 films. Magnification of top surface and bottom surface images:  $\times$ 3000; magnification of cross-section images:  $\times$ 300.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.