



Cite this: *Dalton Trans.*, 2025, **54**, 2283

Morphology-dependent Li^+ ion dynamics in X-ray amorphous and crystalline Li_3PS_4 prepared by solvent-assisted synthesis†

Jonas Spychala,^a Christoph Mandl,^a Katharina Hogrefe,^a
H. Martin R. Wilkening^{*a,b} and Bernhard Gadermaier^{*a}

Solid-state electrolytes with high ionic conductivity will be crucial for future energy storage systems. Among many possible materials, thiophosphates offer both favourable mechanical properties and fast ionic transport. $\beta\text{-Li}_3\text{PS}_4$, as a member of the thiophosphate family, has gained recent attention, due to its remarkable increase in Li^+ ionic conductivity when prepared via solvent-assisted synthesis. Despite earlier studies, the lithium ion migration processes causing the increased conductivity remain, however, still uncertain. Here, we study both long-range cation transport and local Li^+ jump processes by broadband impedance spectroscopy and nuclear magnetic resonance (NMR), respectively. In particular, we focus on the comparison between mechanochemical and solvent-assisted synthesis to determine the origin of the increased ionic conductivity observed in the latter. Our measurements reproduce the previously reported high ionic conductivity and reveal that synthesis conditions significantly affect the Arrhenius pre-exponential factor governing ionic conductivity. Diffusion-controlled ^7Li (and ^{31}P) NMR spin relaxation rates confirm rapid, anisotropic lithium ion hopping that is characterized by timescale-dependent activation energies E_a ranging from 0.40 eV (long-range transport, as also seen by conductivity spectroscopy) to values down to 0.09 eV (local barriers).

Received 16th September 2024,
Accepted 1st November 2024

DOI: 10.1039/d4dt02636e

rsc.li/dalton

1 Introduction

The transformation towards an ecologically sustainable society necessitates energy storage devices at various scales, from hand-held devices to large stationary grid storage.¹ To realize such a wide range of applications, further advancements in battery technology are urgently needed.² Though lithium-ion batteries (LIBs) have become the standard solution for high-energy density storage, open questions remain concerning safety and cycleability.

Since their commercialization in the 1990s, conventional LIBs have taken advantage of liquid electrolytes, which are flammable, and in many cases are also highly toxic or at least hazardous when released into the environment. Over the last years, solid-state batteries³ have gained much attention because they might offer improved safety and increased energy

density. In such types of batteries, the flammable liquids are replaced with solids or even ceramic electrolytes that possess extraordinary Li^+ conduction properties. In this way one would not only improve device safety but also open the door to further improvements in energy density as solid electrolytes might enable the use of Li metal anodes.⁴ If acting as a negative electrode material, the use of Li metal would lead, in the ideal case of materials combination, to a considerable increase in gravimetric energy density.⁵

Such a projection remains, however, also a bit theoretical, as current solid electrolytes are not always able to reliably produce ionic conductivities that are comparable to their liquid counterparts. Among the most promising materials in this regard we find oxides,^{3,6} that is, garnet-type materials^{7,8} including high-entropy variants,⁹ phosphates, sulfides and even halides.^{10–16} In particular, oxides and phosphates have shown to suffer from high interface resistance in combination with unfavourable mechanical properties such as increased hardness and/or brittleness. Consequently, softer materials from the sulfide and thiophosphate groups showing very high conductivities might prove advantageous.^{17,18} Their mechanical properties make them highly suitable to be used in solid-state batteries because the resistive issues at the interfaces can be greatly reduced.

^aGraz University of Technology, Institute of Chemistry and Technology of Materials (NAWI Graz), Stremayrgasse 9, 8010 Graz, Austria

^bAlistore – ERI European Research Institute, CNRS, Hub de l'Energie, Rue Baudelocque, F-80039 Amiens, France

† Electronic supplementary information (ESI) available: Rietveld refinement, conductivity isotherms, analysis of NMR relaxation data with a 1D model. See DOI: <https://doi.org/10.1039/d4dt02636e>

The large family of thiophosphates comprises many different structure variants such as $\text{Li}_{10}\text{GeP}_2\text{S}_{12}$,^{19,20} lithium argyrodites $\text{Li}_6\text{PS}_5\text{X}$ ($\text{X} = \text{Br}, \text{Cl}, \text{I}$),^{11,21–23} Li_3PS_4 ,^{24–28} $\text{Li}_4\text{PS}_4\text{I}$ ^{29,30} and even completely amorphous ones such as mixtures of the binaries Li_2S and P_2S_5 .^{31–33} In particular, amorphous and glassy materials in the Li_2S – P_2S_5 compositional space have shown very high room temperature ionic conductivities reaching values as high as 1 mS cm^{-1} , which sensitively depend on the exact Li_2S – P_2S_5 ratio.³⁴ Moreover, these materials are reported to be compatible with many active materials.^{35–37} Over the last decade, research has also focused on crystalline compounds within the Li_2S – P_2S_5 phase diagram such as Li_3PS_4 and $\text{Li}_7\text{P}_3\text{S}_{11}$ as the key players in this research area.³⁸ Recent research also evaluates recycling strategies of Li_3PS_4 -based batteries.³⁹

Li_3PS_4 prepared by mechanochemical synthesis, either using planetary or shaker ball mills, exhibits in many cases ionic conductivities below $10^{-7} \text{ S cm}^{-1}$, far from sufficient for battery applications, especially if the γ -form of Li_3PS_4 is considered.^{24,40} Liu *et al.*⁴¹ were, however, able to prepare a sample with vastly increased ionic conductivity of approximately 0.1 mS cm^{-1} through precipitation from a tetrahydrofuran (THF) suspension. This remarkable improvement is mainly achieved by stabilizing the high-temperature β -phase of Li_3PS_4 at room temperature, possibly due to the surface morphology of the precipitated particles.⁴¹ The exact origin of the increased conductivity in this sample, as well as the underlying transport mechanism in this and similarly prepared samples,⁴² remain, however, still uncertain. Importantly, in a recent study, Raman spectroscopy and X-ray diffraction showed the presence of solvent residuals in these samples.⁴³ These residuals form a separate $\text{Li}_3\text{PS}_4 \cdot \text{THF}$ phase making most samples *multiphase* materials.⁴³ Such a phase composition may significantly influence both the crystallinity and the overall (long-range) ionic conductivity.

Recent theoretical studies have demonstrated the anisotropic nature of lithium-ion migration in both the α modification and the β form of Li_3PS_4 as a contributing factor to the increased conductivity of β - Li_3PS_4 compared to that of its γ -phase.^{44,45} The crystal structure has been well explored by previous studies, and powerful calculations have been used to shed light on the dynamic processes. However, considering these studies, strong conclusive evidence for a single, prevailing diffusion mechanism is still lacking a bit. Our own recent study on mechanically prepared nanocrystalline Li_3PS_4 points to a zig-zag, channel-like (low-dimensional) diffusion pathway that governs diffusion-induced NMR spin relaxation.²⁵

The present study aims at shedding light at the origins of enhanced ion conductivity in Li_3PS_4 samples prepared by solvent-assisted methods. In this regard it is also important to understand the changes of dynamic parameters as a function of crystallinity or morphology of these samples. Here, we use a combination of conductivity spectroscopy and diffusion-induced ^7Li NMR to directly compare the results of samples either prepared by (mechanochemical) solid-state synthesis and solvent-assisted approaches.

2 Experimental

2.1 Solvent-assisted sample preparations

We prepared multiple variations of β - Li_3PS_4 for this study *via* a solvent-assisted synthesis route adopted from Liu *et al.*⁴¹ Stoichiometric amounts of Li_2S (Alfa Aesar, 99.9%) and P_2S_5 (Honeywell Fluka, 99%) were manually homogenized in an agate mortar, before suspension in 30 ml tetrahydrofuran (THF, Alfa Aesar, 99.8%, anhydrous). The suspension was left to stir at room temperature for 24 h. Afterwards, the suspension was centrifuged for 4 min at 1100 rpm using a Heraeus Megafuge 10, then decanted, and finally re-suspended in 10 ml THF. This washing process was repeated three times; it seems to be necessary to obtain rather pure Li_3PS_4 . After the final purification step, the remaining solvent was decanted and the wet product was set to dry for 24 h at 80 °C under a dynamic vacuum in a glass oven (Büchi B-585). The resulting β - Li_3PS_4 precursor will be called LPS-80. The batch was divided and heat-treated, again under dynamic vacuum, at 120 °C and 170 °C, respectively. The resulting samples, consisting of transparent crystals, will be referred to as LPS-120 and LPS-170 according to the highest temperature of the heat-treatment step. As a reference, we use a sample prepared *via* a mechanochemical synthesis route, which will be called LPS-solid. Information on the synthesis and characterization of this reference sample has been published earlier.²⁵ Unless stated otherwise, all synthesis steps were carried out in glove boxes with an inert argon atmosphere (H_2O and $\text{O}_2 \leq 1 \text{ ppm}$). The solvents used were dried by means of molecular sieves (3 Å; solvent-to-sieve ratio of 10 : 1) for at least 48 h.

2.2 X-ray diffractometry to study the macroscopic crystal structure

X-ray powder diffraction (XRPD) measurements were performed with a Rigaku MiniFlex 600 diffractometer (θ – 2θ Bragg–Brentano geometry, $\text{Cu K}\alpha$) with a D/teX Ultra silicon strip detector. Diffractograms were recorded in a 2θ range from 10° to 80° using a step size of 0.01° and a scanning rate of $2.5^\circ \text{ min}^{-1}$. The sample was protected from any contact with moisture and air through the use of an airtight sample holder equipped with a Kapton foil window. Baseline correction and Rietveld refinement was carried out with Malvern Panalytical X'PertHighScorePlus. Reference patterns for phase analysis were taken from the Inorganic Crystal Structures Database (ICSD).

2.3 Impedance spectroscopy to measure the macroscopic ionic transport properties

For the variable-temperature impedance measurements, the β - Li_3PS_4 samples were pressed into pellets of 5 mm diameter by using a uniaxial Specac Mini Pellet press. We equipped the resulting pellets with Au electrodes in a vacuum with a LEICA EM SCD050 sputter coater. An Au layer with a thickness of 50 nm on each side of the pellet ensured good electrical contact. Subsequently, impedance experiments were carried out with a NovoControl Concept 80 broadband dielectric



spectrometer that can cover a frequency range from 10^{-2} to 10^7 Hz. The temperature inside the airtight, home-built sample chamber, which was placed into the impedance cell (ZGS, Novocontrol), was controlled with a QUATRO cryosystem (Novocontrol) and varied from -80 °C to 160 °C in 20 K steps. The measurement chamber was continuously flushed with a stream of freshly evaporated N_2 gas.

2.4 MAS and time-domain NMR measurements

2.4.1 MAS NMR to probe local magnetic environments.

While the samples were studied by magic angle spinning (MAS) NMR to study local magnetic structures, diffusion-induced spin-lattice relaxation (SLR) NMR measurements were used to probe spin-fluctuations the spins are subjected to because of self-diffusion processes. The ^6Li and ^{31}P MAS NMR measurements were performed with a Bruker Avance III spectrometer connected to a shimmed magnet with a nominal field of 11.7 T corresponding to a proton Larmor frequency of $\omega_0(^1\text{H})/2\pi \approx 500$ MHz. MAS NMR spectra were recorded with the help of zirconia rotors (2.5 mm diameter) which were spun at 25 kHz. During the single-pulse experiments, the sample was kept at 30 °C using a heated gas stream. We accumulated up to 256 scans to obtain the free induction decays (FID), which resulted in the spectra shown after Fourier transformation without any manipulation of the time-domain data. Polycrystalline LiCOOCH_3 and CaHPO_4 were used as references to determine the chemical shifts of ^6Li (73.6 MHz) and ^{31}P (202.4 MHz), respectively.

2.4.2 SLR NMR to probe diffusion properties. For our static, that is, non-MAS, SLR NMR measurements, the polycrystalline powder samples were flame-sealed under dynamic vacuum in Duran glass tubes (5 mm diameter) to protect them permanently from any traces of moisture. SLR rates of ^7Li ($\omega_0(^7\text{Li})/2\pi \approx 116.6$ MHz) and ^{31}P ($\omega_0(^{31}\text{P})/2\pi \approx 121.4$ MHz) were measured with a Bruker Avance III spectrometer connected to a shimmed magnet with a nominal magnetic field of 7 T ($\omega_0(^1\text{H})/2\pi \approx 300$ MHz). We recorded SLR not only in the laboratory frame of reference but also in the so-called rotating frame by using the spin-lock technique, see below. The temperature in the ceramic NMR sample chamber of the broadband probe (Bruker Biospin) was adjusted by a Eurotherm temperature controller *via* a dry, but heated N_2 stream. We collected SLR rates from -80 °C to 240 °C. The area under the recorded FIDs were evaluated and plotted against the respective delay times t_{delay} or spin-lock times t_{lock} to construct the magnetisation transient $M(t_{\text{delay(lock)}})$ for each temperature. All transients were approximated by stretched exponentials, which in the case of the spin-lock experiments in the rotating frame read:

$$M_p(t_{\text{lock}}) \propto \exp(-(t_{\text{lock}}/T_{1\rho}(\omega_1, T))^k) \text{ with } 0 < k \leq 1 \quad (1)$$

For laboratory-frame SLR NMR we have:

$$M(t_{\text{delay}}) \propto 1 - \exp(-(t_{\text{delay}}/T_1(\omega_0, T))^{k'}) \text{ with } 0 < k' \leq 1 \quad (2)$$

$1/T_{1\rho} \equiv R_{1\rho}$ denotes the spin-lock relaxation rate that depends on both absolute temperature T and the spin-locking frequency ω_1 ; similarly, $1/T_1 \equiv R_1$ recorded in the laboratory frame of reference depends on T and the angular Larmor frequency ω_0 . The is orders of magnitude larger than ω_1 and takes values in the MHz rather than in the kHz range as in the case of spin-lock $R_{1\rho}$ SLR NMR. The stretching exponents k and k' were allowed to adopt values ranging between 0 and 1 . In general, for 3D ion conductors, the rates follow a temperature dependence dictated by the so-called BPP model introduced by Bloembergen, Purcell and Pound which was developed for isotropic, uncorrelated motions.⁴⁶ Models for spatially restricted diffusivity (2D and the limiting case for 1D) have been introduced by Richards⁴⁷ and Sholl.⁴⁸

3 Results and discussion

3.1 Structural characterization

For structural analysis and phase identification, we recorded XRPD patterns of all three samples. Fig. 1a shows the corresponding patterns of the dried precursor LPS-80 (black) and the samples annealed at 120 °C, LPS-120 (blue), and 170 °C, LPS-170 (red). The dried sample, LPS-80, shows no identifiable reflections but appears completely amorphous, which is well in line with previous reports indicating that the precipitate is a fine, non-crystalline powder. Annealing at 120 °C hardly influences the atomic long-range order, as shown by the XRPD pattern of LPS-120, which is indistinguishable from that of the dried precursor. However, we cannot rule out the formation of X-ray invisible nanocrystalline regions embedded in an amorphous matrix as has been suggested and verified earlier by Tatsumisago and co-workers for the $75\text{Li}_2\text{S} \cdot 25\text{P}_2\text{S}_5$ system.⁴⁹ As shown below, ^{31}P and ^6Li MAS NMR spectra do not change much up to 120 °C. Here, only annealing at 170 °C, that is, above the crystallization temperature of 140 °C,⁴¹ induces crystallization that is clearly seen in XRPD. Rietveld refinement of the LPS-170 pattern indicates that the main phase is $\beta\text{-Li}_3\text{PS}_4$ (ICSD: 180319) and that very small amounts of impurities of $\text{Li}_4\text{P}_2\text{S}_6$ and unreacted Li_2S are present (see Fig. S1†).

According to Mercier *et al.*,⁵⁰ the crystal structure of $\beta\text{-Li}_3\text{PS}_4$ is well described by the $Pnma$ space group with the lattice parameters $a = 13.066(3)$ Å, $b = 8.015(2)$ Å and $c = 6.101(2)$ Å, as determined by synchrotron XRPD. Additionally, neutron diffraction data indicate a high degree of disorder in the lithium sublattice.⁵¹ $\beta\text{-Li}_3\text{PS}_4$ has three different lithium positions Li1 (8d), centred in the LiS_4 tetrahedron, Li2 (4b) as part of an LiS_6 octahedron and Li3 (4c). While the Li1 site is fully occupied, the other sites, Li2 and Li3, show occupancies of 0.7 and 0.3 , respectively.

To gain further insight into the local structure and the extent of (site) disorder in the samples, we employed high-resolution ^{31}P and ^6Li MAS NMR to probe site-specific environments. The corresponding NMR spectra are shown in Fig. 1b and c, respectively. The ^{31}P NMR spectra reveal a broad line for LPS-80 and LPS-120, centred around a chemical shift of






Fig. 1 (a) XRPD patterns of the β - Li_3PS_4 precursor (bottom) and the samples annealed at 120 °C (middle) and 170 °C (top), respectively. Vertical bars shown at the very bottom indicate the reference pattern (ICSD: 180319) of β - Li_3PS_4 . Values in brackets refer to the hkl indices. The inset shows the corresponding ^1H MAS NMR lines. (b) ^{31}P MAS NMR spectra (25 kHz spinning speed) of the samples annealed at the indicated temperatures $\vartheta_{\text{annealing}}$. For comparison, the corresponding spectrum of the mechanochemically prepared β - Li_3PS_4 sample is shown in grey.²⁵ (c) ^6Li MAS NMR spectra (25 kHz) for the same samples as in (b); again, the sample obtained via the solid-state mechanochemical approach is indicated in grey.²⁵

83.7 ppm. This resonance can be identified with ^{31}P of the PS_4^{3-} tetrahedra, in accordance with previous ^{31}P MAS measurements and Raman spectroscopy data.⁴³ Its chemical shift is comparable to that reported for ^{31}P in amorphous samples, see, e.g., Marchini *et al.*⁴³ A line width of ≈ 9 ppm (≈ 1.8 kHz) points to a large distribution of local chemical environments indicative of significant local disorder and/or polyhedra distortions.

Compared to LPS-80 and LPS-120, for crystalline LPS-170, we notice a considerably narrowed MAS NMR line with a width of 2 ppm (0.4 kHz). This decrease in line width can be explained by the higher extent of local ordering because of the increasing degree of crystallinity as already found by XRPD, see above. The absence of a broad ^{31}P NMR line as seen for LPS-120, shows that LPS-170 is to be regarded as a sample with a low amount of amorphous material. Line narrowing is accompanied by a change in isotropic NMR chemical shift, which slightly increases to 86.2 ppm. This shift points to a change in the dominant local environment, sensed by the ^{31}P nuclei. It is consistent with findings usually met for crystalline β - Li_3PS_4 .^{43,51} In contrast to other studies on β - Li_3PS_4 samples prepared by liquid-based synthesis, we do not observe multiple ^{31}P MAS NMR lines which have been earlier reported and associated with a rather high THF content.⁵² In our case, either most of the THF was removed during the vacuum drying process or the remaining THF did not lead to distinct coordination environments. To qualitatively assess the THF content remaining after the

drying step, all samples were additionally investigated by ^1H MAS NMR. The corresponding NMR spectra are shown in Fig. 1a (see inset); they are composed of three distinct, closely spaced ^1H lines corresponding to the three different coordination environments of $\text{Li}_3\text{PS}_4 \cdot 3\text{THF}$, see Gobet *et al.*⁵² LPS-170 shows, however, a significantly lowered intensity in two of the THF lines indeed confirming a reduced THF content for this sample. Likely atomic rearrangements during crystallization enhanced the release of THF during the drying period.

Finally, ^6Li MAS NMR spectra were recorded to collect information on the local magnetic environments to which Li is subjected in the three samples. As is shown in Fig. 1c, we observe only a single line for LPS-80 and LPS-120 at a chemical shift of 0.27 ppm. As observed by XRPD and ^{31}P MAS NMR, the local and long-range order is very similar in these two samples. This shift increases to 0.62 ppm for LPS-170, reflecting the onset of crystallization as verified by XRPD. In previous studies, multiple ^6Li NMR lines were detected and assigned to distinct Li sites. In all three samples, a single ^6Li line is observed representing a population-weighted average chemical shift. The chemical environment of the Li-positions may be too similar to be resolved or fast exchange between the positions causes coalescence. While the chemical shift observed in LPS-170 resembles that of the LPS-solid sample, or LPS-80 and LPS-120, the chemical shift has no clear analogue in the literature, which could be explained by the local disorder of these samples.



3.2 Electrical conductivity

We used conductivity spectroscopy to study long-range ion transport in β -Li₃PS₄. Fig. 2a shows the real part of the complex ionic conductivity as $\sigma' T$ vs. $1/T$ of all three samples. For each temperature, the ionic conductivity was extracted from the frequency-independent plateaus of the conductivity isotherms, hence $\sigma'(\nu \rightarrow 0)$ can be identified with the direct current (DC) conductivity σ_{DC} (see Fig. 3a and Fig. S2†).

While only a single plateau is observed in the amorphous samples, the crystalline LPS-170 sample shows two plateaus (see Fig. 3a). Using an appropriate equivalent circuit to simulate the data, we extracted capacitances of 3 pF for the more conductive process at higher frequencies and 11 nF for the less conductive one appearing at lower frequencies (see Fig. 3b). Considering these values, we ascribe the response with a higher conductivity to electrical relaxation in the bulk crystalline regions of the LPS-170 sample. A value of 11 nF indicates processes influenced by g.b. regions or amorphous fractions covering the crystallites.

To gain insight into the dimensionality of ionic transport, we analyzed the dispersive regimes of the conductivity isotherms with Jonscher's power law: $\sigma \propto \nu^p$.⁵³ As pointed out by Sidebottom,⁵⁴ the exponent p can be used as a first indication of the underlying dimensionality of the transport process in solids. Here, p adopts values ranging from 0.69 to 0.54 possibly suggesting that low-dimensional or at least anisotropic transport processes governing the isotherms at sufficiently low T .

However, the Jonscher exponents are at best indicators and should not be interpreted as conclusive evidence for low dimensional charge carrier movements. For nanocrystalline, mechanosynthesised β -Li₃PS₄ studied by some of us earlier, exponents range from 0.5 to 0.35 and excellently agree with NMR results revealing quasi-1D (zig-zag) diffusion pathways in mechanosynthesised β -Li₃PS₄.²⁵

To determine activation energies E_a for Li⁺ conduction in the three samples, we used linear fits to analyse the data shown in the Arrhenius plot of Fig. 2a. All three samples show very similar activation energies, $E_a \approx 0.4$ eV and agree well with values reported in previous studies.^{43,55} While E_a does not change much, the increase in ionic conductivity upon annealing is driven through a rise of the associated Arrhenius pre-exponential factor. The highest ionic conductivity is found for LPS-170 characterized by 0.1 mS cm⁻¹ at room temperature. However, reducing the annealing temperature to only 120 °C does not change the conductivity drastically. This finding suggests that the onset of long-range crystallographic ordering, which might form favourable transport pathways is not the only reason to explain facile transport in this system. Surface morphology effects or the formation of conductive (nano-)crystalline–amorphous interfacial regions might be considered as well to explain the changes detected, see below.

Interestingly, in the case of mechanochemically synthesized β -Li₃PS₄, amorphous samples often exhibit higher conductivities than their crystalline counterparts.²⁵ In other cases, strongly disordered regions or defects have been shown to






Fig. 2 (a) Change of ionic conductivity, plotted as $\sigma_{DC} T$ vs. $1/T$, to determine Arrhenius activation energies and pre-exponential factors (σ_0) of the β -Li₃PS₄ samples. Values in eV indicate activation energies. $\log(\sigma_0)$ values are shown in the upper part. While total conductivities are represented by filled symbols, half-filled symbols show the bulk conductivities referring to plateau II, see Fig. 3a. The latter separation is possible for the sample annealed at 170 °C. (b) Comparison of the overall (total) room temperature (25 °C) ionic conductivity of the β -Li₃PS₄ samples synthesized either via mechanochemical routes^{25–27} or solvent-assisted methods^{28,41,43} against their respective annealing temperatures.



To further illustrate the impact of synthesis conditions, that is, annealing temperature $\vartheta_{\text{annealing}}$, in Fig. 2b, we

Further analysis of the impedance data of the LPS-170 sample shown in Fig. 4, reveals a discrepancy between conductivity measurements and hopping processes identified by plotting the impedance loss angle as a function of frequency. The loss angle, in agreement with the location curve in the Nyquist representation (Fig. 3b), displays two distinct maxima representing two electrical (relaxation) processes. As



can be seen in Fig. 4a, these processes differ in their respective apex frequencies by more than two orders of magnitude irrespective of temperature. At first glance, one would expect a similar difference to emerge also in the conductivity spectra. Indeed, as mentioned above, the conductivity isotherms are composed of two plateaus. The associated change in ionic conductivity is, however, significantly lower than one magnitude. This marked difference might be explained by a change in the number density of charge carriers N_c participating in each process. Indeed, N_c determining the interfacial grain boundary (g.b.) process, which itself depends on the (unknown) extent and geometry of the g.b. regions, is expected to be different as compared to that governing intra-grain transport.

3.3 Elementary steps of ion hopping probed by NMR

To understand ion hopping seen by NMR and how it connects to long-range ionic transport probed by electrical conductivity measurements, we recorded variable-temperature ^7Li and ^{31}P NMR SLR rates⁵⁷ in both the laboratory (R_1) and the rotating frame of reference ($R_{1\rho}$). Here, we compare results on crystalline LPS-170 with those from our earlier study focussing on mechanochemically prepared nanocrystalline Li_3PS_4 (LPS-solid).²⁵ Fig. 5 shows the temperature-dependent ^7Li and ^{31}P NMR relaxation rates of these two samples.

3.3.1 Mechanosynthesised sample. The ^7Li NMR relaxation rates R_1 and $R_{1\rho}$ of LPS-solid presented in Fig. 5a are taken from Prutsch *et al.*²⁵ As discussed in our preceding study pointing to anisotropic Li^+ diffusion²⁵ that is influenced by correlation effects,^{45,55,58,59} the activation energies of 0.09 eV and 0.2 eV characterize Li^+ hopping along the vacancy-rich zig-zag pathways in $\beta\text{-Li}_3\text{PS}_4$. These values excellently agree with the migration and activation energy calculated by Yang *et al.* for a knock-off mechanism.⁵⁸ Alternatively, diffusion of negatively charged lithium vacancies (0.26 eV) might influence this rate flank.⁵⁸ The quasi-1D feature of the knock-off pathway involving interstitial Li sites is reflected by the shape of the $R_1(1/T)$ peak and the fact that the rates R_1 and $R_{1\rho}$ do not coincide on the high-temperature flanks (see arrow). The slope of the flank is characterized by $0.2 \text{ eV}/2 = 0.1 \text{ eV}$ as expected for 1D hopping, see Fig. 5a. Finally, the low-temperature flank of the ^7Li NMR $R_{1\rho}(1/T)$ peak yields 0.40 eV in perfect agreement with long-range ion transport probed by electrical conductivity measurements, see above.^{43,51}

To shed further light on Li^+ diffusivity in $\beta\text{-Li}_3\text{PS}_4$, we performed ^{31}P SLR NMR, since the P spins act as helpful local probes that sense magnetic fluctuations in their direct vicinity. These fluctuations can also originate from Li^+ hopping processes; hence, ^{31}P SLR NMR is able to indirectly sense the relaxation of the mobile cations. In addition, ^{31}P SLR NMR




Fig. 5 ^7Li and ^{31}P NMR SLR and spin-lock rates of (a) mechanochemically prepared $\beta\text{-Li}_3\text{PS}_4$ obtained after an annealing step²⁵ and (b) solvent-assisted $\beta\text{-Li}_3\text{PS}_4$ prepared in this work. Straight lines (dashed or solid) reflect linear fits used to analyse the slopes (in eV) of the flanks of the diffusion-induced relaxation rate peaks. See text for further details.



would be directly affected by any rotational jump processes of the PS_4^{3-} units themselves.

When coming from low temperatures, the ^{31}P NMR SLR R_1 rates (Fig. 5a) seem to strongly depend on temperature. As soon as ^7Li R_1 enters the flank with 0.09 eV, the ^{31}P NMR rates adopt the same temperature dependence until they pass into a regime that is governed by an activation energy of 0.25 eV, see above. The local maxima seen in ^{31}P SLR NMR might indicate the presence of rotational jump process the PS_4^{3-} units are involved in. However, such motions are predicted by theory to take place at much higher T .^{33,45}

The corresponding diffusion-induced spin-lock ^{31}P NMR rates $R_{1\rho}$ pass through a peak located at a temperature of 250 K. They sense dynamic processes with correlation rates in the kHz range. The rate peak detected is almost symmetric with activation energies of 0.20 eV and 0.22 eV, respectively (see Fig. 5a). The very similar activation energies observed on the low- T flank of the ^{31}P R_1 and $R_{1\rho}$ peaks suggest that, on the average, the same overall process is being sensed by the ^{31}P spins. However, ^{31}P relaxation NMR is unable to see the quasi-1D diffusion process; instead the rates on the high- T side are additionally controlled by further motional processes in $\beta\text{-Li}_3\text{PS}_4$, which might include rotational jump processes.^{33,45} On the other hand, the ^{31}P NMR $R_{1\rho}(1/T)$ peak appears at the same temperature (250 K) as the corresponding spin-lock ^7Li NMR peak. Hence, we conclude that the fluctuations produced by the rapid Li^+ translational motions dictate at least the position on the temperature scale rather than the flanks of this peak.

3.3.2 Solvent-assisted synthesized sample. Having discussed the relaxation behaviour of LPS-solid helps us analyse the results collected for the sample prepared *via* the solvent-assisted approach, that is, LPS-170. In Fig. 5b the diffusion-controlled ^7Li and ^{31}P NMR SLR rates are shown. At low temperatures, the ^7Li NMR SLR R_1 rates pass through a shallow maximum which is manifested as a shoulder at a temperature as low as 275 K. It characterizes remarkably fast Li^+ diffusivity in the crystal lattice of $\beta\text{-Li}_3\text{PS}_4$. The rate peak seems to correspond to the low- T flank in R_1 of the LPS-solid sample, as it shows the same activation energy of only 0.09 eV. If the temperature is further increased, the rates pass through the main peak. Compared to the rates shown in Fig. 5a, for LPS-170, this peak is shifted toward higher T and, thus, only partly accessible with our setup. Due to the superposition of the main peak with that appearing at lower T , extraction of activation energies turned out to be difficult; here, the low- T flank of the main peak points to an activation energy ≥ 0.14 eV, which is fairly consistent with that describing the knock-off mechanism described by Yang *et al.* ($E_a = 0.18$ eV),⁵⁸ if we consider migration and formation activation energies to govern the overall activation energy.

The corresponding spin-lock ^7Li NMR rates $R_{1\rho}$ of LPS-170 can be described by two overlapping relaxation peaks located at 250 K and 400 K, respectively. For the peak at low temperatures, an activation energy of approximately 0.13 eV describes the temperature dependence of the rates on the low- T side.

This flank runs almost in parallel to the flank sensed by R_1 measurements. Obviously, as in the LPS-solid sample, the Li^+ ions in $\beta\text{-Li}_3\text{PS}_4$ have access to hopping pathways with extremely low barriers. At higher T , the rates seem to finally pass into a flank suggesting a steeper slope as compared to the situation in LPS-solid. Activation energies ranging from 0.20 eV to even 0.35 eV seem to characterize this flank. The upper value would be in agreement with that reported by Zhang *et al.*⁴⁵ on the basis of *ab initio* molecular dynamics (AIMD). In summary, we see that the increase in conductivity as found for the solvent-assisted LPS sample, is reflected by ^7Li SLR NMR flanks with rather low activation energies. Here, we attribute these low barriers to the rapid quasi-1D (or 2D, within the *a-c* plane) hopping processes. Consequently, higher ionic conductivities would be expected for morphologies with dominant *a-c* orientation, such as $\beta\text{-Li}_3\text{PS}_4$ nano-flakes.⁶⁰

The same reduction in activation energies is also seen in ^{31}P SLR NMR; the corresponding rates are also included in Fig. 5b. For the rates $R_1(1/T)$, we find a single rate peak at temperatures lower than 500 K, whose low- T flank is given by 0.17 eV instead of 0.25 eV as found for LPS-solid, see Fig. 5a. Presumably, this single peak is the result of an average of spin-fluctuations sensed by the ^{31}P spins. In agreement with the decrease in E_a found, only a shallow peak is seen in spin-lock ^{31}P SLR NMR. Again, activation energies of approximately 0.13 eV describe the partly accessible flanks. Most likely, the high- T flanks of the ^{31}P NMR SLR rates R_1 and $R_{1\rho}$ do not coincide at higher T , again pointing to strongly anisotropic Li^+ diffusivity in LPS-170.

As a final remark, we also observe an increase of the ^{31}P NMR $R_{1\rho}$ relaxation rates at temperatures above 390 K hinting at another NMR flank caused by slower magnetic spin-fluctuations. Considering the temperature range, the start of such a flank would be in agreement with the expectation for a typical high-temperature rotor phase as predicted by Zhang *et al.*⁴⁵ Here, at least for the LPS-170 sample, we do not find strong evidence that at lower temperatures fast Li^+ hopping is temporally coupled to any rotational jump processes of the PS_4^{3-} units. For comparison, for the mechanosynthesized, solid-state sample,²⁵ the presence of low-temperature PS_4^{3-} rotational events, such as large-angle rotational jumps and small-angle wiggling, and their interrelation with Li^+ translational dynamics cannot be excluded, see above.

3.4 ^7Li NMR spin-lattice relaxation modes

For the LPS-170 sample, we found at least two distinct ^7Li NMR R_1 relaxation modes, which are likely connected to several intragrain diffusion processes. The same two processes have been observed for LPS-solid, as discussed earlier.²⁵ As mentioned above, the one seen in R_1 NMR at low temperatures has been interpreted as being governed by the migration activation energy of Li^+ hopping along the vacancy-rich zig-zag pathway. The second relaxation mode appearing at elevated T might be the same process but determined by the overall activation energy of this diffusion process, see above. For comparison with our earlier analysis interpreted in terms of quasi-1D



Finally, ^{31}P SLR NMR supports our conclusions drawn from ^7Li SLR NMR. As compared to a recent study using maximum entropy methods and AIMD calculations,⁴⁵ we could not find a strong influence of polyanion rotations on translational Li^+ dynamics for the annealed sample LPS-170, at least for the low-temperature regime covered here. ^{31}P SLR NMR of the sample prepared by solid-state synthesis shows that the ^{31}P spins do not only sense the magnetic fluctuations produced by the ^7Li spins in their direct vicinity. Instead, the different activation energies seen for ^{31}P as compared to ^7Li as well as the shift and appearance of (local) ^{31}P SLR NMR rate maxima towards lower temperatures points to additional relaxation mechanism the ^{31}P spins are involved in. These additional sources for longitudinal relaxation might indeed originate from rotational jump processes of the PS_4^{3-} units.

Author contributions

Jonas Spychala: investigation (NMR), formal analysis, writing – original review & editing. Christoph Mandl: resources (sample preparation), formal analysis, investigation. Katharina Hogrefe: investigation (NMR). H. Martin R. Wilkening: supervision, writing – review & editing. Bernhard Gadermaier: conceptualization, supervision, writing – review & editing.

Data availability

The authors confirm that the data supporting the findings of this study are available within the article.

Conflicts of interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this study.

Acknowledgements

We thank the Österreichische Forschungsförderungsgesellschaft mbH (FFG) for financial support in the frame of the CERES project (No. F44905). In addition, we thank the DFG for financial support (NMR and impedance spectrometers of the former research unit 1277).

References

- 1 B. Dunn, H. Kamath and J.-M. Tarascon, *Science*, 2011, **334**, 928–935.
- 2 D. Larcher and J. M. Tarascon, *Nat. Chem.*, 2015, **7**, 19–29.

- 3 J. C. Bachman, S. Muy, A. Grimaud, H.-H. Chang, N. Pour, S. F. Lux, O. Paschos, F. Maglia, S. Lupart, P. Lamp, L. Giordano and Y. Shao-Horn, *Chem. Rev.*, 2016, **116**, 140–162.
- 4 A. Manthiram, X. Yu and S. Wang, *Nat. Rev. Mater.*, 2017, **2**, 1–16.
- 5 B. Liu, J.-G. Zhang and W. Xu, *Joule*, 2018, **2**, 833–845.
- 6 K. J. Kim, M. Balaish, M. Wadaguchi, L. Kong and J. L. M. Rupp, *Adv. Energy Mater.*, 2021, **11**, 2002689.
- 7 V. Thangadurai, S. Narayanan and D. Pinzar, *Chem. Soc. Rev.*, 2014, **43**, 4714–4727.
- 8 R. H. Brugge, A. K. O. Hekselman, A. Cavallaro, F. M. Pesci, R. J. Chater, J. A. Kilner and A. Aguadero, *Chem. Mater.*, 2018, **30**, 3704–3713.
- 9 M. P. Stockham, B. Dong and P. R. Slater, *J. Solid State Chem.*, 2022, **308**, 122944.
- 10 Z. Zhang, Y. Shao, B. Lotsch, Y.-S. Hu, H. Li, J. Janek, L. F. Nazar, C.-W. Nan, J. Maier, M. Armand and L. Chen, *Energy Environ. Sci.*, 2018, **11**, 1945–1976.
- 11 C. Yu, F. Zhao, J. Luo, L. Zhang and X. Sun, *Nano Energy*, 2021, **83**, 105858.
- 12 J. Lau, R. H. DeBlock, D. M. Butts, D. S. Ashby, C. S. Choi and B. S. Dunn, *Adv. Energy Mater.*, 2018, **8**, 1800933.
- 13 S. Wang, Q. Bai, A. M. Nolan, Y. Liu, S. Gong, Q. Sun and Y. Mo, *Angew. Chem., Int. Ed.*, 2019, **58**, 8039–8043.
- 14 S. Ohno, A. Banik, G. F. Dewald, M. A. Kraft, T. Krauskopf, N. Minafra, P. Till, M. Weiss and W. G. Zeier, *Prog. Energy*, 2020, **2**, 022001.
- 15 A. Hayashi, K. Noi, A. Sakuda and M. Tatsumisago, *Nat. Commun.*, 2012, **3**, 855–856.
- 16 I. Hanghofer, B. Gadermaier, A. Wilkening, D. Rettenwander and H. M. R. Wilkening, *Dalton Trans.*, 2019, **48**, 9376–9387.
- 17 C. Yu, F. Zhao, J. Luo, L. Zhang and X. Sun, *Nano Energy*, 2021, **83**, 105858.
- 18 Y. Kato, S. Hori, T. Saito, K. Suzuki, M. Hirayama, A. Mitsui, M. Yonemura, H. Iba and R. Kanno, *Nat. Energy*, 2016, **1**, 16030.
- 19 N. Kamaya, K. Homma, Y. Yamakawa, M. Hirayama, R. Kanno, M. Yonemura, T. Kamiyama, Y. Kato, S. Hama, K. Kawamoto and A. Mitsui, *Nat. Mater.*, 2011, **10**, 682–686.
- 20 L. Schweiger, K. Hogrefe, B. Gadermaier, J. L. M. Rupp and H. M. R. Wilkening, *J. Am. Chem. Soc.*, 2022, **144**, 9597–9609.
- 21 I. Hanghofer, M. Brinek, S. L. Eisbacher, B. Bitschnau, M. Volck, V. Hennige, I. Hanzu, D. Rettenwander and H. M. Wilkening, *Phys. Chem. Chem. Phys.*, 2019, **21**, 8489–8507.
- 22 P. Adeli, J. D. Bazak, K. H. Park, I. Kochetkov, A. Huq, G. R. Goward and L. F. Nazar, *Angew. Chem., Int. Ed.*, 2019, **58**, 8681–8686.
- 23 N. J. J. de Klerk, I. Rosłoń and M. Wagemaker, *Chem. Mater.*, 2016, **28**, 7955–7963.
- 24 M. Tachez, J. Malugani, R. Mercier and G. Robert, *Solid State Ionics*, 1984, **14**, 181–185.
- 25 D. Prutsch, B. Gadermaier, H. Brandstätter, V. Pregartner, B. Stanje, D. Wohlmuth, V. Epp, D. Rettenwander, I. Hanzu and H. M. R. Wilkening, *Chem. Mater.*, 2018, **30**, 7575–7586.
- 26 K. Hayamizu, Y. Aihara, T. Watanabe, T. Yamada, S. Ito and N. Machida, *Solid State Ionics*, 2016, **285**, 51–58.
- 27 H. Tsukasaki, S. Mori, S. Shiotani and H. Yamamura, *Solid State Ionics*, 2018, **317**, 122–126.
- 28 N. H. H. Phuc, K. Morikawa, M. Totani, H. Muto and A. Matsuda, *Solid State Ionics*, 2016, **285**, 2–5.
- 29 S. J. Sedlmaier, S. Indris, C. Dietrich, M. Yavuz, C. Dräger, F. von Seggern, H. Sommer and J. Janek, *Chem. Mater.*, 2017, **29**, 1830–1835.
- 30 A. Jodlbauer, J. Spsychala, K. Hogrefe, B. Gadermaier and H. M. R. Wilkening, *Chem. Mater.*, 2024, 1648–1664.
- 31 A. Hayashi, S. Hama, H. Morimoto, M. Tatsumisago and T. Minami, *J. Am. Ceram. Soc.*, 2001, **84**, 477–479.
- 32 F. Mizuno, A. Hayashi, K. Tadanaga and M. Tatsumisago, *Adv. Mater.*, 2005, **17**, 918–921.
- 33 J. G. Smith and D. J. Siegel, *Nat. Commun.*, 2020, **11**, 1483.
- 34 M. Tatsumisago and A. Hayashi, *Solid State Ionics*, 2012, **225**, 342–345.
- 35 J. Trevey, J. S. Jang, Y. S. Jung, C. R. Stoldt and S.-H. Lee, *Electrochem. Commun.*, 2009, **11**, 1830–1833.
- 36 B. Gao, R. Jalem and Y. Tateyama, *ACS Appl. Mater. Interfaces*, 2021, **13**, 11765–11773.
- 37 D. Xie, S. Chen, Z. Zhang, J. Ren, L. Yao, L. Wu, X. Yao and X. Xu, *J. Power Sources*, 2018, **389**, 140–147.
- 38 A. Hayashi, K. Minami, S. Ujiie and M. Tatsumisago, *J. Non-Cryst. Solids*, 2010, **356**, 2670–2673.
- 39 K. Wissel, A. Haben, K. Küster, U. Starke, R. Kautenburger, W. Ensinger and O. Clemens, *Adv. Energy Sustainability Res.*, 2024, **5**, 2300280.
- 40 K. Homma, M. Yonemura, T. Kobayashi, M. Nagao, M. Hirayama and R. Kanno, *Solid State Ionics*, 2011, **182**, 53–58.
- 41 Z. Liu, W. Fu, E. A. Payzant, X. Yu, Z. Wu, N. J. Dudney, J. Kiggans, K. Hong, A. J. Rondinone and C. Liang, *J. Am. Chem. Soc.*, 2013, **135**, 975–978.
- 42 K. Wissel, L. M. Riegger, C. Schneider, A. I. Waidha, T. Famprikis, Y. Ikeda, B. Grabowski, R. E. Dinnebier, B. V. Lotsch, J. Janek, W. Ensinger and O. Clemens, *ACS Appl. Energy Mater.*, 2023, **6**, 7790–7802.
- 43 F. Marchini, B. Porcheron, G. Rousse, L. Albero Blanquer, L. Droguet, D. Foix, T. Koç, M. Deschamps and J. M. Tarascon, *Adv. Energy Mater.*, 2021, **11**, 2101111.
- 44 Y. Chen, L. Cai, Z. Liu, C. R. dela Cruz, C. Liang and K. An, *Appl. Phys. Lett.*, 2015, **107**, 013904.
- 45 Z. Zhang, H. Li, K. Kaup, L. Zhou, P.-N. Roy and L. F. Nazar, *Matter*, 2020, **2**, 1667–1684.
- 46 N. Bloembergen, E. M. Purcell and R. V. Pound, *Phys. Rev.*, 1948, **73**, 679–712.
- 47 P. M. Richards, *Solid State Commun.*, 1978, **25**, 1019–1021.
- 48 C. A. Sholl, *J. Phys. C: Solid State Phys.*, 1981, **14**, 447–464.
- 49 H. Tsukasaki, S. Mori, H. Morimoto, A. Hayashi and M. Tatsumisago, *Sci. Rep.*, 2017, **7**, 4142.



- 50 R. Mercier, J.-P. Malugani, B. Fahys, G. Robert and J. Douglade, *Acta Crystallogr., Sect. B: Struct. Crystallogr. Cryst. Chem.*, 1982, **38**, 1887–1890.
- 51 H. Stöffler, T. Zinkevich, M. Yavuz, A. Senyshyn, J. Kulisch, P. Hartmann, T. Adermann, S. Randau, F. H. Richter, J. Janek, S. Indris and H. Ehrenberg, *J. Phys. Chem. C*, 2018, **122**, 15954–15965.
- 52 M. Gobet, S. Greenbaum, G. Sahu and C. Liang, *Chem. Mater.*, 2014, **26**, 3558–3564.
- 53 A. K. Jonscher, *Nature*, 1977, **267**, 673–679.
- 54 D. L. Sidebottom, *Phys. Rev. Lett.*, 1999, **83**, 983–986.
- 55 F. N. Forrester, J. A. Quirk, T. Famprakis and J. A. Dawson, *Chem. Mater.*, 2022, **34**, 10561–10571.
- 56 S. Breuer and M. Wilkening, *Dalton Trans.*, 2018, **47**, 4105–4117.
- 57 F. Preishuber-Pflügl and M. Wilkening, *Dalton Trans.*, 2016, **45**, 8675–8687.
- 58 Y. Yang, Q. Wu, Y. Cui, Y. Chen, S. Shi, R.-Z. Wang and H. Yan, *ACS Appl. Mater. Interfaces*, 2016, **8**, 25229–25242.
- 59 M.-S. Lim and S.-H. Jhi, *Curr. Appl. Phys.*, 2018, **18**, 541–545.
- 60 H. Wang, Z. D. Hood, Y. Xia and C. Liang, *J. Mater. Chem. A*, 2016, **4**, 8091–8096.
- 61 P. M. Richards, *Topics in Current Physics*, Springer, 1979, ch. 20, vol. 15, p. 813.
- 62 K. Volgmann, V. Epp, J. Langer, B. Stanje, J. Heine, S. Nakhal, M. Lerch, M. Wilkening and P. Heitjans, *Z. Phys. Chem.*, 2017, **231**, 1215–1241.
- 63 F. Stainer and H. M. R. Wilkening, *Phys. Rev. B*, 2024, **109**, 174304.

