

PAPER

[View Article Online](#)
[View Journal](#) | [View Issue](#)
Cite this: *Nanoscale*, 2021, **13**, 4812

Tunable upconversion of holmium sublattice through interfacial energy transfer for anti-counterfeiting†

 Rong Huang,^a Songbin Liu,^a Jinshu Huang,^a Huiming Liu,^a Zhiyong Hu,^a Lili Tao  ^{*b} and Bo Zhou  ^{*a}

Photon upconversion is a fascinating phenomenon that can convert low-energy photons to high-energy photons efficiently. However, most previous relevant research has been focused on upconversion systems with a sufficiently low lanthanide emitter concentration, such as 2 mol% for Er³⁺ in an Er–Yb coupled system. Realizing the upconversion from lanthanide heavily doped systems in particular, the emitter sublattice is still a challenge. Here, we report a mechanistic strategy to achieve the intense upconversion of the holmium sublattice in a core–shell-based nanostructure design through interfacial energy transfer channels. This design allowed a spatial separation of Ho³⁺ and sensitizers (e.g., Yb³⁺) into different regions and unwanted back energy transfers between them could then be minimized. By taking advantage of the dual roles of Yb³⁺ as both a migrator and energy trapper, a gradual color change from red to yellowish green was achievable upon 808 nm excitation, which could be further markedly enhanced by surface attaching indocyanine green dyes to facilitate the harvesting of the incident excitation energy. Moreover, emission colors could be tuned by applying non-steady state excitation. Such a fine-tunable color behavior holds great promise in anti-counterfeiting. Our results present a facile but effective conceptual model for the upconversion of the holmium sublattice, which is helpful for the development of a new class of luminescent materials toward frontier applications.

Received 23rd December 2020,

Accepted 7th February 2021

DOI: 10.1039/d0nr09068a

rsc.li/nanoscale

1. Introduction

As a special class of luminescent materials, rare-earth-doped nanoparticles have excellent upconversion properties with a narrow emission bandwidth, long fluorescence lifetime, and high chemical stability,^{1–9} and have shown great promise in biological imaging,^{10–13} therapy,¹⁴ display,¹⁵ anti-counterfeiting,¹⁶ information security,^{17,18} and lasing.^{19,20} To date, upconversion emission bands covering a broad spectral range from visible to ultraviolet have been achieved in lanthanide-doped materials. However, in these materials, lanthanide emitters are usually low enough to depress the concentration effect, such as 2 mol% of Er³⁺ in Er³⁺–Yb³⁺ codoped nanoparticles. Research on the

intrinsic behavior of photoluminescence would help gain much deeper insights into the mechanism of luminescence and further contribute to the versatile frontier applications. Thus far, realizing upconversion in heavily doped systems and in particular in the emitter lattice has remained a challenge.

Recently, some efforts have been devoted towards research in this field. One typical progress is the synthesis of the NaErF₄ sublattice,^{21–23} which showed intense red upconversion emission under infrared excitation. This result further allowed orthogonal excitation–emission output through a multi-layer core–shell structure design, showing potential applications in security.^{24–28} Recently, an 8 mol% Tm³⁺ dopant concentration with intense upconversion was also achieved by utilizing ultrahigh pump power densities (e.g., ~10⁶ W cm^{–2}).²⁹ Besides, the optimal concentration of Nd³⁺ in NaYF₄:Nd was shifted from 2 to 20 mol% by modification with indocyanine green (ICG) dyes.³⁰ We also observed effective upconversion from NaYbF₄:Tb(30 mol%)/NaYF₄ nanoparticles using the sensitizing ytterbium lattice as the host.³¹ These observations suggest that it is highly desirable to achieve upconversion from a lanthanide sublattice, which is not only of significance for fundamental research but also beneficial to the diversities of frontier applications.

^aState Key Laboratory of Luminescent Materials and Devices, Guangdong Provincial Key Laboratory of Fiber Laser Materials and Applied Techniques, Guangdong Engineering Technology Research and Development Center of Special Optical Fiber Materials and Devices, South China University of Technology, Guangzhou 510641, China. E-mail: zhoubo@scut.edu.cn

^bSchool of Materials and Energy, Guangdong Provincial Key Laboratory of Information Photonics Technology, Guangdong University of Technology, Guangzhou 510006, China. E-mail: taoli@gdut.edu.cn

†Electronic supplementary information (ESI) available. See DOI: 10.1039/d0nr09068a

Holmium(Ho)-based materials are also promising candidates for luminescence because of their capability in producing green and red emissions as well as other functional properties.^{27,32–34} Due to the lack of matched energy levels, Ho^{3+} is non-responsive to commonly used 980 or 808 nm lasers. This means that the activation of the Ho sublattice needs a sensitizer, such as Yb^{3+} under 980 nm excitation or Nd^{3+} under 808 nm excitation. However, a codoping scheme of the sensitizer in the Ho sublattice would inevitably reduce the concentration and cause a deleterious interaction (Fig. 1a). In particular, back energy transfer channels (e.g., BET1 and BET2 in Fig. 1a) from the emitting energy levels of Ho^{3+} to the sensitizer Yb^{3+} would severely quench the emission. Recent works have suggested that a spatial separation of emitters and sensitizers would be a rational solution to this issue and could keep the holmium lattice unchanged and also enable the luminescence property.³⁵ Also, construction of interfacial energy transfer in nanostructures has been demonstrated to be an effective strategy to enable upconversion and a fine-tuning of the upconversion dynamics.^{36–38} Therefore, a rational design of the holmium sublattice would be highly desired for its intense upconversion as well as to allow smart manipulation of the upconversion dynamics.

Herein, we propose a mechanistic core-shell design using interfacial energy transfer (IET) to enable the upconversion as well as a color tuning of the Ho lattice (Fig. 1b). This design consisted of a holmium lattice core and a sensitizing shell

layer to harvest the incident irradiation energy, and it could effectively reduce the unwanted interaction between Ho^{3+} and the sensitizer by spatially separating them into different regions, only leaving the possibility for interfacial energy transfers with enhanced upconversion. By additionally introducing Nd^{3+} as the sensitizer, it also allowed the use of 808 nm excitation wavelength. Moreover, a smart control of the Ho^{3+} – Yb^{3+} interactions in the proposed core-shell-shell nanostructure further led to a gradual color change from red to yellowish green under non-steady state excitation, which shows great promise for application in anti-counterfeiting. Details of the ionic interactions are also discussed. Our results present a simple but effective conceptual model for the activation of the holmium lattice with intense upconversion performance, and should further contribute to the development of a new class of luminescent materials toward versatile frontier applications.

2. Experimental

Materials

The chemicals, including holmium(III) acetate hydrate (99.9%), ytterbium(III) acetate hydrate (99.99%), yttrium(III) acetate hydrate (99.9%), neodymium(III) acetate hydrate (99.9%), erbium(III) acetate hydrate (99.9%), thulium(III) acetate hydrate (99.9%), oleic acid (OA, 90%), 1-octadecene (ODE; >90%), and cyclohexane, were purchased from Sigma-Aldrich. Ammonium fluoride (NH_4F ; >98%) and sodium hydroxide (NaOH ; >98%) were purchased from Alfa Aesar. Ethanol was purchased from Aladdin Company. All the reagents were used without further purification.

Synthesis of nanoparticles

Synthesis of NaHoF_4 core nanoparticles. The NaHoF_4 core nanoparticles were synthesized *via* a co-precipitation chemical method. In a typical synthetic process, an aqueous solution of $\text{Ho}(\text{CH}_3\text{CO}_2)_3$ was added into 50 mL flask containing oleic acid (5 mL) and 1-octadecene (5 mL). The obtained mixture was stirred at low speed and heated at 150 °C for 1 h to form the lanthanide oleate complex before cooling down to room temperature. Subsequently, a methanol solution containing NaOH (1 mmol) and NH_4F (1.6 mmol) was added into the cooled precursor at 50 °C and stirred at fast speed for 40 min and then heated at 290 °C under an argon flow for 1.5 h. The resulting core nanoparticles were collected by centrifugation, washed with ethanol, and finally dispersed in cyclohexane for further use.

Synthesis of $\text{NaHoF}_4@\text{NaYbF}_4$ core-shell nanoparticles. The shell precursor was first prepared by the same method as before. The water solution of $\text{Yb}(\text{CH}_3\text{CO}_2)_3$ was added into 50 mL flask containing oleic acid (3.3 mL) and 1-octadecene (6.7 mL). The obtained mixture was stirred at low speed and heated at 150 °C for 1 h to form the lanthanide oleate complex before cooling down to room temperature. Then the as-synthesized core-dispersed cyclohexane colloid was added into the precursor at 85 °C for 30 min to remove cyclohexane and then cooled down to the 50 °C. Subsequently, a methanol solu-




Fig. 1 (a) Left: Schematic of the deleterious quenching interactions between Ho^{3+} and the sensitizer S (e.g., Yb^{3+}) in a codoping system, in particular at high dopant concentrations. Right: Two typical back energy transfer processes (BET1 and BET2) that may quench the red and green emitting energy levels of Ho^{3+} for a $\text{Ho}^{3+}/\text{Yb}^{3+}$ codoped system. (b) Proposed mechanistic model (left) and possible ionic interactions (right) when using interfacial energy transfer to activate the holmium sublattice toward the upconversion in a core-shell-shell nanostructure in which the activator and sensitizer are spatially separated into different layers. ETU, BET, IET, and CR stand for energy transfer upconversion, back energy transfer, interfacial energy transfer, and cross-relaxation, respectively.

tion holding NaOH (0.5 mmol) and NH_4F (0.8 mmol) was added into the cooled precursor and stirred at fast speed for 40 min and then heated at 290 °C under an argon flow for 1.5 h. The resulting core-shell nanoparticles were collected by centrifugation, washed with ethanol, and finally dispersed in cyclohexane for further use.

Synthesis of $\text{NaHoF}_4@ \text{NaYbF}_4@ \text{NaYF}_4$ core-shell-shell nanoparticles. The NaYF_4 shell precursor was first prepared by the same method as before. The as-synthesized $\text{NaHoF}_4@ \text{NaYbF}_4$ -dispersed cyclohexane colloid was added into the precursor at 85 °C for 30 min to remove cyclohexane and then cooled down to 50 °C. Subsequently, a methanol solution containing NaOH (0.25 mmol) and NH_4F (0.4 mmol) was added into the cooled precursor and stirred at fast speed for 40 min and then heated at 290 °C under an argon flow for 1.5 h. The resulting core-shell-shell nanoparticles were collected by centrifugation, washed with ethanol, and finally dispersed in cyclohexane.

Synthesis of the control core, core-shell, and core-shell-shell nanoparticles. The methods for the synthesis of the control nanoparticles were identical to the above ones except for the use of different raw materials as the corresponding precursors. The resulting samples were collected by centrifugation, washed with ethanol, and finally dispersed in cyclohexane for further use.

Production of the pattern for anti-counterfeiting. The control upconversion nanoparticles, including $\text{NaErF}_4@ \text{NaYF}_4$, $\text{NaYF}_4:\text{Yb}/\text{Ho}(20/2 \text{ mol}\%)@ \text{NaYF}_4$, and $\text{NaYF}_4:\text{Yb}/\text{Tm}(30/1 \text{ mol}\%)@ \text{NaYF}_4$, were prepared in advance for the use of red, green, and blue emission colors, respectively. The patterns were prepared using a mixture of silicone and the corresponding nanoparticles. In detail, the cherry pattern was prepared using the $\text{NaHoF}_4:\text{Yb}(60 \text{ mol}\%)@ \text{NaYF}_4$ and $\text{NaHoF}_4@ \text{NaYF}_4:\text{Yb}(20 \text{ mol}\%)@ \text{NaYF}_4$ nanoparticles. For the concealed numbers 2021, the initial number 2 was prepared by the $\text{NaYF}_4:\text{Ho}(40 \text{ mol}\%)@ \text{NaYF}_4:\text{Yb}(60 \text{ mol}\%)@ \text{NaYF}_4$ core-shell-shell nanoparticles, and the others from left to right by the blue, red, and green upconversion nanoparticles, respectively.

Characterization

Powder X-ray diffraction was performed on the samples using a Philips Model PW1830 X-ray powder diffractometer with $\text{Cu K}\alpha$ radiation ($\lambda = 1.5406 \text{ \AA}$). Low-resolution and high-resolution transmission electron microscopy (TEM) measurements and selected area electron diffraction patterns were performed on a JEM 2100F TEM (200 kV). Elemental mapping was measured by energy dispersive X-ray spectroscopy (EDS). The upconversion emission spectra were collected by a Zolix spectrofluorometer (OmniFluo990) equipped with 980 and 808 nm laser diodes. The decay curves were measured using the same spectrofluorometer with a pulsed laser, and the lifetime values were determined through fitting the decay curves by a single-exponential equation: $I = I_0 \exp(-t/\tau)$, where I_0 is the initial emission intensity at $t = 0$ and τ is the lifetime. The emission photographs and pattern were taken by a digital camera with an exposure time of 0.3 s.

3. Results and discussion

Since the holmium lattice is non-responsive to the commonly used 980 nm excitation wavelength, we first synthesized a series of Yb^{3+} -doped NaHoF_4 nanoparticles by a co-precipitation method,¹⁷ where Yb^{3+} was used as the sensitizer. As shown in Fig. 2a, these samples showed good nanoparticles morphology with a monodisperse feature when the Yb^{3+} concentration was under 40 mol%, while they exhibited irregular shapes at much higher concentration. Besides, the average size of the core increased with increasing the Yb^{3+} -doping concentration (Fig. S1†), which might be due to the intrinsic limit of the co-precipitation chemical method.^{20,39–42} To reveal the structure property, the X-ray diffraction (XRD) patterns were measured. As shown in Fig. 2b, the XRD patterns presented a constant variation from hexagonal to cubic phase with increasing the Yb^{3+} concentration in the nanoparticles.³⁹ When the dopant concentration was less than 70 mol%, the diffraction peaks matched well with the standard card of hexagonal phase NaHoF_4 (JCPDS-018-1253). In contrast, the cubic phase appeared and became stronger with further lifting the Yb^{3+} concentration, and when Yb^{3+} was 100%, it was nearly in the pure cubic phase (JCPDS-077-2043). Moreover, the (110) diffraction peak (inset of Fig. 2b) showed a subtle shift to larger angles, which could be attributed to the lattice shrinkage due to the substitution of smaller radius Yb^{3+} for that of Ho^{3+} . Besides, the observation of narrower diffraction peaks suggested an increase in the average size of the nanoparticles with increasing the Yb^{3+} concentration, which is consistent with the TEM results (Fig. 2a and Fig. S1†).

The upconversion emission spectra of these $\text{NaHoF}_4:\text{Yb}^{3+}$ core nanoparticles are shown in Fig. 2c. The green upconversion emission from the $(^5\text{S}_2, ^5\text{F}_4) \rightarrow ^5\text{I}_8$ transition dominated the emission spectra, which showed an increase with increasing Yb^{3+} concentration (0–60 mol%). The emission spectra of the samples with much higher Yb^{3+} concentration were not measured because of their poor morphology. The core-shell nanoparticles were further prepared by growing an inert NaYF_4 shell to improve the upconversion emission intensity (Fig. S2†). As shown in Fig. 2d, the upconversion emission was greatly enhanced compared to that of the core-only sample (Fig. S3†). Besides the green emission of Ho^{3+} , other typical emissions at 486, 646, and 750 nm were observed, which were due to the transitions $(^5\text{F}_3, ^5\text{F}_2, ^3\text{K}_8) \rightarrow ^5\text{I}_8$, $^5\text{F}_5 \rightarrow ^5\text{I}_8$, and $(^5\text{S}_2, ^5\text{F}_4) \rightarrow ^5\text{I}_7$, respectively. It was interesting to observe that the emission output showed a gradual color change from red to green as the Yb^{3+} concentration increased from 5 to 60 mol% (Fig. 2e and Table S1†). In contrast to the commonly observed green upconversion in the regular core-shell nanoparticles, such as $\text{NaYF}_4:\text{Yb}/\text{Ho}(20/2 \text{ mol}\%)@ \text{NaYF}_4$ nanoparticles (Fig. S4a†), the weak green upconversion at high Ho^{3+} concentration might have originated from the cross-relaxation processes of $[(^5\text{S}_2, ^5\text{F}_4); ^5\text{I}_8] \rightarrow [^5\text{I}_4; ^5\text{I}_7]$ and $[(^5\text{S}_2, ^5\text{F}_4); ^5\text{I}_7] \rightarrow [^5\text{F}_5; ^5\text{I}_6]$, which could severely depopulate the green emission energy levels (Fig. S4b†).⁴³ Note that the red upconversion emission in the core-shell nanostructure quickly rose up after




Fig. 2 (a) TEM images of the $\text{NaHoF}_4\text{:Yb}^{3+}$ (0–100 mol%) core nanoparticles. (b) X-ray diffraction patterns of (a) samples. Inset shows the enlarged (110) diffraction peak for the samples with the Yb^{3+} concentration from 0 to 60 mol%. (c and d) Upconversion emission spectra of the as-prepared $\text{NaHoF}_4\text{:Yb}^{3+}$ (5–60 mol%) core only and $\text{NaHoF}_4\text{:Yb}^{3+}$ (5–60 mol%)@ NaYF_4 core-shell nanoparticles under 980 nm excitation. (e) CIE coordinates of the emissions from (d) samples. Insets show the corresponding emission photographs under 980 nm excitation.

growing the NaYF_4 inert shell, indicating that the red emission energy level was more sensitive to the surface quenching than the green emission energy level.

In order to check the possibility of our design being able to improve the upconversion through the IET approach, we prepared $\text{NaYF}_4\text{:Ho(40 mol\%)}@ \text{NaYF}_4\text{:Yb(60 mol\%)}@ \text{NaYF}_4$ core-shell-shell nanoparticles with a spatial separation of Ho^{3+} and Yb^{3+} in the core and interlayer, respectively (Fig. 3a,b; Fig. S5 and S6†). The core-shell-shell nanostructure was confirmed by the size increase of the initial core nanoparticles after growing the shell and shell-shell layers (Fig. S5b†). As displayed in Fig. 3c, the typical Ho^{3+} emissions were recorded. More importantly, the total upconversion emission intensity was markedly enhanced in contrast to the $\text{NaHoF}_4\text{:Yb}$ (60 mol%)@ NaYF_4 core-shell nanoparticles under identical excitation condition, evidencing the effectiveness of our design. The decrease in the 541 and 750 nm emissions may be attributed to the cross-relaxation CR1 as shown in Fig. 1b.³⁵ Note that the interfacial energy transfer was primarily confined in the range of around 1.6–2.1 nm,³⁶ whereby most of the Yb^{3+} ions in the interfacial layer were able to participate in the energy transfer to Ho^{3+} in the core, and the Ho^{3+} ions far away from the interface could be activated through cross-relaxation.³⁵ On the other hand, the cation intermixing effect could not be taken into consideration due to the relatively low synthesizing temperature.⁴³ Further experiments indicated

that the concentrations of Ho^{3+} at 20 mol% and Yb^{3+} at 60 mol% presented the best upconversion emissions with remarkable enhancement (Fig. 3d,e; Fig. S7 and S8†). These results indicated that the spatial separation of Yb^{3+} and Ho^{3+} in different regions works well in reducing the deleterious back energy transfer (BET) channels, such as $[(^5\text{S}_2, ^5\text{F}_4); ^5\text{I}_6] \rightarrow [^2\text{F}_{7/2}, ^2\text{F}_{5/2}]$; and $[^5\text{F}_5; ^5\text{I}_7] \rightarrow [^2\text{F}_{7/2}, ^2\text{F}_{5/2}]$ from Ho^{3+} to Yb^{3+} at the core-shell interface.^{44,45} Thus, the IET-mediated core-shell nanostructure design was confirmed to be a much more effective approach to the upconversion of the heavy doping of Ho^{3+} ions in contrast to the conventional codoping scheme with a much lower dopant concentration (e.g. 2 mol% Ho^{3+}).

To further figure out the mechanism of IET in such a core-shell nanostructure, we prepared $\text{NaHoF}_4@ \text{NaYF}_4\text{:Yb}$ core-shell nanoparticles with tuning the Yb^{3+} concentration (5–100 mol%) in the shell layer (Fig. S9 and S10†). The upconversion emission spectra are shown in Fig. 4a, indicating an initial increase and then a decline with increasing the Yb^{3+} concentration, and the highest luminescence intensity was obtained at 20 mol% Yb^{3+} . The decrease in the emission intensity may be due to the strong BET channels at the core-shell interfacial area as well as the energy loss from the energy migratory feature of Yb^{3+} . During this process, an emission color change from red to yellow was also observed, and the corresponding CIE coordinates are plotted in Fig. 4b (Table S2†). From the above result, it was also found that the




Fig. 3 (a) TEM images of the $\text{NaF}_4\text{:Ho(40 mol\%)}$ core, $\text{NaF}_4\text{:Ho(40 mol\%)@NaF}_4\text{:Yb(60 mol\%)}$ core-shell, and $\text{NaF}_4\text{:Ho(40 mol\%)@NaF}_4\text{:Yb(60 mol\%)@NaF}_4$ core-shell-shell nanoparticles. (b) The high-resolution TEM image of the core-shell-shell nanoparticles. (c) A comparison of the upconversion emission spectra of as-prepared $\text{NaF}_4\text{:Ho(40 mol\%)@NaF}_4\text{:Yb(60 mol\%)@NaF}_4$ core-shell-shell and $\text{NaHoF}_4\text{:Yb(60 mol\%)@NaF}_4$ core-shell nanoparticles under 980 nm excitation. (d) Dependence of the overall upconversion emission intensity of the $\text{NaF}_4\text{:Ho(5–100 mol\%)@NaF}_4\text{:Yb(20–100 mol\%)@NaF}_4$ core-shell-shell nanoparticles with a tuning of the concentrations of Ho^{3+} in the core and Yb^{3+} in the interlayer, respectively. (e) Comparative upconversion emission spectra from the optimized $\text{NaF}_4\text{:Ho(20 mol\%)@NaF}_4\text{:Yb(60 mol\%)@NaF}_4$ core-shell-shell nanoparticles and $\text{NaHoF}_4\text{:Yb(60 mol\%)@NaF}_4$ core-shell nanoparticles under identical measurement conditions.





Fig. 4 (a) Upconversion emission spectra of $\text{NaHoF}_4\text{@NaF}_4\text{:Yb(5–100 mol\%)}$ core-shell nanoparticles under 980 nm excitation. (b) CIE coordinates of the emissions from (a) samples. (c and d) Decay curves of the upconversion emissions measured at (c) 646 nm and (d) 541 nm under pulsed 980 nm excitation. (e) Possible back energy transfer processes for decreasing the red and green upconversion emissions under 980 nm excitation. (f) Comparison of the upconversion emission spectra of the as-prepared $\text{NaHoF}_4\text{:Yb(20 mol\%)@NaF}_4\text{:Yb(20 mol\%)@NaF}_4$ core-shell, $\text{NaHoF}_4\text{:Yb(20 mol\%)@NaF}_4$ core-shell, and $\text{NaHoF}_4\text{@NaF}_4\text{:Yb(20 mol\%)@NaF}_4$ core-shell-shell nanoparticles under 980 nm excitation.

Despite the activation through 808 nm excitation, the total emission color was mainly in the red output. To further expand the color gamut, we designed NaHoF₄@NaYF₄:Yb

To shed more light on the ionic interactions between Ho^{3+} and Yb^{3+} , the upconversion performance under non-steady state excitation was further measured. The upconversion emission of Ho^{3+} showed a color change from red to yellowish green as the pulse width of the laser decreased (Fig. 7a; Fig. S16 and Table S5†). This might be due to the indirect upconversion process of the red upconversion emission that is usually obtained through relaxation from the intermediate states of $^5\text{I}_6$ to $^5\text{I}_7$ before the upconversion transition to the red emission level (Fig. 7b). This was supported by the relatively slow rising process of the red upconversion emis-



Nanoscale, 2021, 13, 4812–4820 | 4817




Fig. 6 (a) Schematic of using the nanostructure to manipulate the upconversion emission colors of the holmium lattice through core–interlayer interfacial energy transfer processes between Ho^{3+} and Yb^{3+} upon 808 nm excitation. (b) Upconversion emission spectra of as-prepared $\text{NaHoF}_4@ \text{NaYF}_4:\text{Yb}(0\text{--}100\text{ mol}\%)@ \text{NaYF}_4:\text{Nd}/\text{Yb}(30/20\text{ mol}\%)$ core–shell–shell nanoparticles under 808 nm excitation. Inset shows the dependence of the red-to-green emission intensity ratio as a function of the Yb^{3+} concentration in the interlayer. (c) CIE coordinates of the emissions from (b) samples. (d and e) Upconversion emission spectra of (d) $\text{NaHoF}_4@ \text{NaYF}_4:\text{Yb}(40\text{ mol}\%)@ \text{NaYF}_4:\text{Nd}/\text{Yb}(30/20\text{ mol}\%)$ and (e) $\text{NaHoF}_4@ \text{NaYbF}_4@ \text{NaYF}_4:\text{Nd}/\text{Yb}(30/20\text{ mol}\%)$ with different ICG dye concentrations under 808 nm excitation. Insets show the corresponding emission photographs. (f) Dependence of upconversion red emission to green emission on pump power densities of 808 nm excitation for (d) and (e) samples.




Fig. 7 (a) Upconversion emission spectra of $\text{NaYF}_4:\text{Ho}(40\text{ mol}\%)@ \text{NaYF}_4:\text{Yb}(60\text{ mol}\%)@ \text{NaYF}_4$ core–shell–shell nanoparticles under pulsed 980 nm excitation with a tuning of the pulse duration. (b) Schematic of the possible processes for the reduction of the red upconversion under non-steady state excitation. (c) Time-dependent emission profiles of Ho^{3+} at 541 and 646 nm of (a) sample under 980 nm irradiation with a pulse duration of 12 ms (50 Hz). (d) A comparison of the time-dependent red upconversion emission profiles from the (a) sample and $\text{NaYF}_4:\text{Yb}/\text{Ho}(20/2\text{ mol}\%)@ \text{NaYF}_4$ core–shell nanoparticles. (e) Schematic of decoding the concealed information on the cherry pattern under pulsed 980 nm irradiation (right panels) in which only the initial number “2” shows a color change with reducing the pulse duration. Scale bars, 0.5 cm.

sion in comparison to that of the green emission (Fig. 7c). Note that the cross-relaxation occurring at the green emission (5F_4 , 5S_2) level may also made a contribution because the red upconversion emission showed a more rapid rising process than that of the conventional $\text{NaYF}_4\text{:Yb/Ho}(20/2 \text{ mol}\%)$ nanoparticles (Fig. 7d). Both origins are schematically shown in Fig. 7b. Such a tunable emission color merit holds great promise in anti-counterfeiting applications (Fig. 7e). For a given cherry pattern, we concealed the numbers “2021” below it with the first one using the sample in Fig. 7a and the others by the control upconversion nanoparticles with different emission colors (Fig. S17†). Under continuous-wave (c.w.) light irradiation, the patterned numbers showed a red “2”, blue “0”, red “2”, and green “1” from left to right. When using the pulse excitation laser with a reduction of the pulse width, the first number “2” showed a gradual color change to light yellow due to the presence of the green upconversion emission; while there was no color change for the other numbers during this process, meaning that the concealed initial number “2” was the only one distinguishable under short pulse excitation. This feature provides an additional temporal parameter for multi-level anti-counterfeiting in contrast to the commonly used upconversion emission color and/or lifetime tuning techniques.

4. Conclusion

In conclusion, we demonstrated a mechanical design for constructing interfacial energy transfer in $\text{Ho}^{3+}\text{-Yb}^{3+}$ separately doped core-shell structures toward enhanced photon upconversion. The spatial separation of the sensitizer and activator could effectively reduce the back energy transfer channels that occur in the heavily doped luminescent system. By further designing the $\text{Yb}^{3+}/\text{Nd}^{3+}$ dual-sensitizing shell, 808 nm excitation wavelength was also achieved. A fine manipulation of the ionic interactions between Ho^{3+} and Yb^{3+} at the interfacial area in a core-shell-shell nanostructure resulted in a gradual color change from red to green. The upconversion of the red upconversion also exhibited a dynamic dependence on the pulse duration. The fine control of the emission colors shows promise in applications in information security. The conceptual model described in this work not only helps gain a deep insight into the luminescence mechanism of lanthanides as well as the lanthanide sublattice but also contributes to the design of a new class of versatile luminescent materials toward frontier applications.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work is supported by the National Natural Science Foundation of China (Grant No. 51972119), the Fundamental Research Funds for the Central Universities (2020ZYGXZR100),

the Yong Top-notch Talents of Guangdong Pearl River Talents Program (2017GC010278), and the Local Innovative and Research Teams Project of Guangdong Pearl River Talents Program (2017BT01X137).

Notes and references

- 1 B. Zhou, B. Shi, D. Jin and X. Liu, *Nat. Nanotechnol.*, 2015, **10**, 924–936.
- 2 H. Dong, S.-R. Du, X.-Y. Zheng, G.-M. Lyu, L.-D. Sun, L.-D. Li, P.-Z. Zhang, C. Zhang and C.-H. Yan, *Chem. Rev.*, 2015, **115**, 10725–10815.
- 3 X. Wang, R. R. Valiev, T. Y. Ohulchanskyy, H. Agren, C. Yang and G. Chen, *Chem. Soc. Rev.*, 2017, **46**, 4150–4167.
- 4 J. Zhou, A. I. Chizhik, S. Chu and D. Jin, *Nature*, 2020, **579**, 41–50.
- 5 Y. Wang, K. Zheng, S. Song, D. Fan, H. Zhang and X. Liu, *Chem. Soc. Rev.*, 2018, **47**, 6473–6485.
- 6 D. Hudry, I. A. Howard, R. Popescu, D. Gerthsen and B. S. Richards, *Adv. Mater.*, 2019, **31**, 1900623.
- 7 Z. Zhang, S. Shikha, J. Liu, J. Zhang, Q. Mei and Y. Zhang, *Anal. Chem.*, 2019, **91**, 548–568.
- 8 X. Zhu, Q. Su, W. Feng and F. Li, *Chem. Soc. Rev.*, 2017, **46**, 1025–1039.
- 9 J. Xu, J. Zhou, Y. Chen, P. Yang and J. Lin, *Coord. Chem. Rev.*, 2020, **415**, 213328.
- 10 Y. Zhong, Z. Ma, S. Zhu, J. Yue, M. Zhang, A. L. Antaris, J. Yuan, R. Cui, H. Wan, Y. Zhou, W. Wang, N. F. Huang, J. Luo, Z. Hu and H. Dai, *Nat. Commun.*, 2017, **8**, 737.
- 11 F. Wang, S. Wen, H. He, B. Wang, Z. Zhou, O. Shimon and D. Jin, *Light: Sci. Appl.*, 2018, **7**, 18007.
- 12 Y. Li, S. Zeng and J. Hao, *ACS Nano*, 2019, **13**, 248–259.
- 13 P. Huang, W. Zheng, Z. Gong, W. You, J. Wei and X. Chen, *Mater. Today Nano*, 2019, **5**, 100031.
- 14 C. Liu, B. Liu, J. Zhao, Z. Di, D. Chen, Z. Gu, L. Li and Y. Zhao, *Angew. Chem., Int. Ed.*, 2020, **59**, 2634–2638.
- 15 R. Deng, F. Qin, R. Chen, W. Huang, M. Hong and X. Liu, *Nat. Nanotechnol.*, 2015, **10**, 237–242.
- 16 W. Ren, G. Lin, C. Clarke, J. Zhou and D. Jin, *Adv. Mater.*, 2020, **32**, 1901430.
- 17 B. Zhou, J. Huang, L. Yan, X. Liu, N. Song, L. Tao and Q. Zhang, *Adv. Mater.*, 2019, **31**, 1806308.
- 18 H. Liu, J. Xu, H. Wang, Y. Liu, Q. Ruan, Y. Wu, X. Liu and J. K. Yang, *Adv. Mater.*, 2019, **31**, 1807900.
- 19 A. Fernandez-Bravo, K. Yao, E. S. Barnard, N. J. Borys, E. S. Levy, B. Tian, C. A. Tajon, L. Moretti, M. V. Altoe, S. Aloni, K. Beketayev, F. Scotognella, B. E. Cohen, E. M. Chan and P. J. Schuck, *Nat. Nanotechnol.*, 2018, **13**, 572–577.
- 20 X. Chen, L. Jin, W. Kong, T. Sun, W. Zhang, X. Liu, J. Fan, S. F. Yu and F. Wang, *Nat. Commun.*, 2016, **7**, 10304.
- 21 N. J. Johnson, S. He, S. Diao, E. M. Chan, H. Dai and A. Almutairi, *J. Am. Chem. Soc.*, 2017, **139**, 3275–3282.

- 22 Q. Chen, X. Xie, B. Huang, L. Liang, S. Han, Z. Yi, Y. Wang, Y. Li, D. Fan, L. Huang and X. Liu, *Angew. Chem., Int. Ed.*, 2017, **56**, 7605–7609.
- 23 L. Yan, B. Zhou, N. Song, X. Liu, J. Huang, T. Wang, L. Tao and Q. Zhang, *Nanoscale*, 2018, **10**, 17949–17957.
- 24 X. Li, Z. Guo, T. Zhao, Y. Lu, L. Zhou, D. Zhao and F. Zhang, *Angew. Chem., Int. Ed.*, 2016, **55**, 2464–2469.
- 25 H. Dong, L. D. Sun, W. Feng, Y. Y. Gu, F. Y. Li and C. H. Yan, *ACS Nano*, 2017, **11**, 3289–3297.
- 26 K. Zheng, S. Han, X. Zeng, Y. Wu, S. Song, H. Zhang and X. Liu, *Adv. Mater.*, 2018, **30**, e1801726.
- 27 M. Wu, L. Yan, T. Wang, B. Zhou and Q. Zhang, *Adv. Funct. Mater.*, 2019, **29**, 1804160.
- 28 Q. Mei, A. Bansal, M. K. G. Jayakumar, Z. Zhang, J. Zhang, H. Huang, D. Yu, C. J. A. Ramachandra, D. J. Hausenloy, T. W. Soong and Y. Zhang, *Nat. Commun.*, 2019, **10**, 4416.
- 29 J. Zhao, D. Jin, E. P. Schartner, Y. Lu, Y. Liu, A. V. Zvyagin, L. Zhang, J. M. Dawes, P. Xi, J. A. Piper, E. M. Goldys and T. M. Monro, *Nat. Nanotechnol.*, 2013, **8**, 729–734.
- 30 W. Wei, G. Chen, A. Baev, G. S. He, W. Shao, J. Damasco and P. N. J. Prasad, *J. Am. Chem. Soc.*, 2016, **138**, 15130–15133.
- 31 B. Zhou, W. Yang, S. Han, Q. Sun and X. Liu, *Adv. Mater.*, 2015, **27**, 6208–6212.
- 32 S. Viswanathan, Z. Kovacs, K. N. Green, S. J. Ratnakar and A. D. Sherry, *Chem. Rev.*, 2010, **110**, 2960–3018.
- 33 M. Norek and J. A. Peters, *Prog. Nucl. Magn. Reson. Spectrosc.*, 2011, **59**, 64–82.
- 34 D. Ni, W. Bu, S. Zhang, X. Zheng, M. Li, H. Xing, Q. Xiao, Y. Liu, Y. Hua and L. Zhou, *Adv. Funct. Mater.*, 2014, **24**, 6613–6620.
- 35 Y. Kuang, T. Li, T. Jia, A. Gulzar, C. Zhong, S. Gai, F. He, P. Yang and J. Lin, *Small*, 2020, **16**, 2003799.
- 36 B. Zhou, L. Yan, L. Tao, N. Song, M. Wu, T. Wang and Q. Zhang, *Adv. Sci.*, 2018, **5**, 1700667.
- 37 B. Zhou, L. Tao, Y. Chai, S. P. Lau, Q. Zhang and Y. H. Tsang, *Angew. Chem., Int. Ed.*, 2016, **55**, 12356–12360.
- 38 B. Zhou, Q. Li, L. Yan and Q. Zhang, *J. Rare Earths*, 2020, **38**, 474–482.
- 39 J. Ren, G. Jia, Y. Guo, A. Wang and S. Xu, *J. Phys. Chem. C*, 2016, **120**, 1342–1351.
- 40 F. Wang, Y. Han, C. S. Lim, Y. Lu, J. Wang, J. Xu, H. Chen, C. Zhang, M. Hong and X. Liu, *Nature*, 2010, **463**, 1061–1065.
- 41 B. Shen, S. Cheng, Y. Gu, D. Ni, Y. Gao, Q. Su, W. Feng and F. Li, *Nanoscale*, 2017, **9**, 1964–1971.
- 42 C. Ma, X. Xu, F. Wang, Z. Zhou, D. Liu, J. Zhao, M. Guan, C. I. Liang and D. Jin, *Nano Lett.*, 2017, **17**, 2858–2864.
- 43 B. Chen, D. Peng, X. Chen, X. Qiao, X. Fan and F. Wang, *Angew. Chem., Int. Ed.*, 2015, **54**, 12788–12790.
- 44 A. Pilch, C. Wuerth, M. Kaiser, D. Wawrzynczyk, M. Kurnatowska, S. Arabasz, K. Prorok, M. Samoc, W. Strek, U. Resch-Genger and A. Bednarkiewicz, *Small*, 2017, **13**, 1701635.
- 45 Y. Kuang, J. Xu, C. Wang, T. Li, S. Gai, F. He, P. Yang and J. Lin, *Chem. Mater.*, 2019, **31**, 7898–7909.
- 46 H. Wen, H. Zhu, X. Chen, T. F. Hung, B. Wang, G. Zhu, S. F. Yu and F. Wang, *Angew. Chem., Int. Ed.*, 2013, **52**, 13419–13423.
- 47 Y. Fan, P. Wang, Y. Lu, R. Wang, L. Zhou, X. Zheng, X. Li, J. A. Piper and F. Zhang, *Nat. Nanotechnol.*, 2018, **13**, 941–946.
- 48 B. Zhou, L. Yan, J. Huang, X. Liu, L. Tao and Q. Zhang, *Nat. Photonics*, 2020, **14**, 760–766.
- 49 G. Chen, J. Damasco, H. Qiu, W. Shao, T. Y. Ohulchanskyy, R. R. Valiev, X. Wu, G. Han, Y. Wang, C. Yang, H. Agren and P. N. Prasad, *Nano Lett.*, 2015, **15**, 7400–7407.
- 50 W. Shao, G. Chen, A. Kuzmin, H. L. Kutscher, A. Pliss, T. Y. Ohulchanskyy and P. N. Prasad, *J. Am. Chem. Soc.*, 2016, **138**, 16192–16195.