



Cite this: *RSC Adv.*, 2017, 7, 25220

N,N'-di-carboxy methyl perylene diimide (PDI) functionalized CuO nanocomposites with enhanced peroxidase-like activity and their application in visual biosensing of H₂O₂ and glucose†

Miaomiao Chen,^a Yanan Ding,^a Yan Gao,^a Xixi Zhu,^a Peng Wang,^a Zhiqiang Shi^{*b} and Qingyun Liu^{*a}

Nanomaterial-based enzyme mimics (nanoenzymes) are a new forefront of chemical research at present. *N,N'*-Di-carboxy methyl perylene diimide (PDI) functionalized CuO nanobelts with pores (PDI–CuO nanobelts), which were prepared *via* a facile method and characterized using various analytical techniques, were demonstrated for the first time to possess higher intrinsic peroxidase-like activity towards classical colorimetric substrate 3,3',5,5'-tetramethylbenzidine (TMB) in the presence of hydrogen peroxide (H₂O₂), compared with that of pure CuO nanobelts without PDI modification. The underlying reaction mechanism was elucidated by catalyzing the decomposition of H₂O₂ and generating hydroxyl radicals ([•]OH). The improved catalytic activity of PDI–CuO nanobelts for colorimetric reactions could be ascribed to the synergistic effects of CuO and PDI nanobelts. Moreover, the proposed PDI–CuO biosensor platform exhibited a more sensitive response to H₂O₂ with a low limit of detection (LOD) of 2.38 μM. This convenient sensing platform was further extended to detect glucose in combination with the specificity of glucose oxidase (GOx) for the oxidation of glucose and generation of H₂O₂. The linear range for glucose detection was from 2 μM to 50 μM with a low detection limit of 0.65 μM. Therefore, besides high sensitivity and selectivity, this colorimetric system also holds considerable potential for biological process research.

Received 22nd April 2017
Accepted 28th April 2017

DOI: 10.1039/c7ra04463a

rsc.li/rsc-advances

1. Introduction

Most natural enzymes are proteins that can catalyze various biochemical reactions with excellent substrate specificity and efficiency under mild conditions, which is of great significance in the aspects of environmental protection, biotechnology, agriculture and clinical diagnosis.^{1–4} However, the disadvantages of natural enzymes, such as easy denaturation, high cost of preparation and purification, low stability under environmental conditions and some other shortcomings, restrict their further application in practice.⁵ To overcome the drawbacks of natural enzymes,⁶ intensive efforts have been made to develop enzyme mimics, due to their easier preparation, stability and cost reduction.⁷ In recent years, more and more people have

focused on studying of nanomaterials as peroxidase-like mimics, since Yan and co-workers found that Fe₃O₄ nanoparticles possessed an intrinsic enzyme mimetic activity similar to that of naturally occurring horseradish peroxidase (HRP).⁸ Thus, an incredible number of investigations on nanomaterials possessing peroxidase-like activity have been reported, such as carbon based nanomaterials (graphene oxide,⁹ carbon nanotubes,¹⁰ iron-based metal–organic framework nanomaterials,¹¹ sulfides (CuS,¹² FeS¹³) *etc.*).

With the developing and widening of studies on peroxidase-like mimics, more and more researchers have paid attention to composites such as peroxidase-like mimics, which realize the combination of the respective properties of each component or to achieve cooperatively enhanced performances.¹⁴ Generally, the composites can be variously classified into two kinds: one is inorganic–inorganics and the other is organic–inorganics. For example, as for inorganic–inorganics composites with the peroxidase-like activity, scientists have studied bimetallic nanoparticles as peroxidase-like mimics, such as Fe/Co,¹⁵ Au/Pb,¹⁶ Pd–Ir core–shell nanocubes.¹⁷ Moreover, Au/CuS nanocomposites¹⁸ and Au–carbon nanotube nanocomplex¹⁹ have been found to demonstrate highly peroxidase activity. In

^aCollege of Chemical and Environmental Engineering, Shandong University of Science and Technology, Qingdao 266510, P. R. China. E-mail: qyliu@sdu.edu.cn; Fax: +86 0532 80681197; Tel: +86 0532 86057757

^bSchool of Chemistry, Chemical Engineering and Materials, Shandong Normal University, Jinan 250013, P. R. China

† Electronic supplementary information (ESI) available. See DOI: 10.1039/c7ra04463a



addition, Wang and coworkers have prepared highly dispersed CeO₂ on TiO₂ nanotube and found that the nanocomposites showed superior peroxidase-like activity.²⁰ Liu and coworkers have comparatively studied composites of CeO₂, CuS, Ag₂S, ZnS based on Montmorillonite as supports and found that these composites possessed peroxidase-like activity and applied in colorimetric detecting for H₂O₂.^{21–24}

On the other hand, composites based on organic–inorganics have been found to demonstrate peroxidase-like activity. For example, Yu and co-workers have reported that PVP modified MoS₂ nanoparticles offer a sensing platform to achieve efficient detection for H₂O₂ and glucose.²⁵ Lv and coworkers have prepared bovine serum albumin (BSA)-stabilized MnO₂ nanoparticles (NPs) exhibiting highly peroxidase-like activities.²⁶ Huang and coworkers have reported the peroxidase-like activity of chitosan stabilized silver nanoparticles.²⁷ Li and coworkers have reported poly(styrene sulfonate) and Pt bifunctionalized graphene nanosheets as an artificial enzyme to construct a colorimetric chemosensor.²⁸ Nevertheless, in these previous studies, the organics were all employed as powerful supports to prepare inorganics in nanoscale, while not used as organic functional molecules.

Perylene tetracarboxyl diimides (PDI), a kind of organic molecules with conjugated π -electron systems, is one of the most popular visible light absorbing compounds. PDIs are currently being investigated as photoactive materials for use in a variety of fields, due to their excellent photochemical and thermal stability, high luminescence efficiency, and novel optoelectronic properties.^{29–36} However, to the best of our knowledge, there is no report on studying PDI molecules functionalized CuO nanobelts as enhanced peroxidase-like mimics for the detection of H₂O₂ and glucose. With these ideas in our mind, if PDI molecules combine with CuO nanobelts to provide a nanocomposite, it will demonstrate a novel peroxidase-like activity.

Herein, we report porous CuO nanobelts modified with *N,N'*-di-carboxy methyl perylene diimides (PDI) molecules. It is the first time to demonstrate that the composites (PDI–CuO) possess the enhanced intrinsic peroxidase-like activity, compared to the pure CuO nanobelts without PDI modification. PDI–CuO nanocomposites can catalyze the oxidation of peroxidase substrate, 3,3',5,5'-tetramethylbenzidine (TMB), in the presence of H₂O₂. Surprisingly, the colorimetric reaction can be observed by the naked eye only in 40 s. The fluorescent experiment verified the rapid reaction mechanism was from the decomposition of H₂O₂ and generating hydroxyl radicals (\cdot OH) by adding the PDI–CuO nanocomposites into the colorimetric reaction system (TMB/H₂O₂). Based on the experimental results, we designed a facile visual colorimetric sensor using PDI–CuO nanocomposites as enzyme mimics for convenient detecting H₂O₂ and glucose, respectively.

2. Experimental section

2.1 Materials

Copper chloride (CuCl₂·2H₂O), sodium dodecylbenzene sulfonate (SDBS), sodium hydroxide (NaOH), ethanol, *N,N*-dimethyl




Fig. 1 The molecular structure of *N,N'*-di-carboxy methyl perylene diimides (PDI).

formamide (DMF), hydrogen peroxide (30 wt%, H₂O₂), glucose, fructose, and lactose were purchased from Guangcheng Reagent Co (Tianjin, China). Glucose oxidase (GOx, \cong 200 U mg⁻¹) was purchased from Sigma-Aldrich and stored in a refrigerator at -18 °C. *N,N'*-Di-carboxy methyl perylene diimides (PDI) was synthesized according to the previous reports.³⁷ The other reagents above were of analytical reagent grade and used without further purification.

2.2 Preparation of CuO nanobelts and PDI–CuO nanocomposites

CuO nanobelts were synthesized by a facile hydrothermal method combined with subsequent calcination.³⁸ In a typical procedure, CuCl₂·2H₂O (2 mmol, 0.341 g) and SDBS (0.696 g) were dissolved in 20 mL distilled water to form a blue solution. NaOH (20 mL, 5 M) aqueous solution was dropwise added to the solution under stirring for 30 min, resulting in a light blue solution. The obtained solution was further aging for 4 h, and then transferred into a teflon-lined stainless steel autoclave reactor for 6 h at 100 °C. After hydrothermal treatment, the system was cooled at room temperature naturally. The precipitate was washed with distilled water and ethanol for several times and dried at 60 °C for 2 h, and finally calcined at 350 °C for 3 h.

CuO nanobelts (20 mg) dispersed into DMF solution of PDI (1 mg mL⁻¹) under stirring for 4 h. After that, separated by centrifugation, washed with distilled water and ethanol for several times and dried at 60 °C for 4 h. The target product was obtained for subsequent experiments.

2.3 Characterization

The morphology and size distribution of the samples were characterized by a transmission electron microscope and a high resolution TEM (HRTEM) at an accelerating voltage of 200 kV (TEM JEM-2100, JEOL, Japan). The scan electron microscopy images were obtained by scanning electron microscopy (SEM, JEOL, Japan). The crystalline phases of all catalysts were performed by using a D/Max2500PC-RA diffractometer with Cu K α (λ = 1.5406 Å) radiation. The 2θ values in the range of 10–90° were collected with a 0.021° step size. X-ray photoelectron spectra (XPS) were recorded on a PHI Quantera SXM spectrometer with an Al K α = 280.00 eV excitation source, and binding energies were calibrated by referencing the C 1s peak (284.5 eV) to reduce the sample charge effect. The Brunauer–Emmett–Teller (BET) surface area was measured by nitrogen



adsorption–desorption at 77 K using a Micromeritics ASAP 2010M instrument.

Ultraviolet spectra were recorded on a UV-8000PC spectrophotometer (Shanghai, China). Fluorometric measurement was carried out by a Cary Eclipse spectro fluorophotometer (Varian, Inc, USA).

2.4 Kinetic study

The reaction kinetics for the catalytic oxidation of TMB was measured in time course mode by monitoring the absorbance variation at 652 nm with a 3 min interval. Unless otherwise stated, a typical experience was carried out at 55 °C by using 0.2 mL PDI-CuO (0.03 mg mL⁻¹) in 1.4 mL buffer (HAc–NaAc, pH = 4.0) with 0.2 mL H₂O₂ and 0.2 mL TMB as substrates, respectively. In the experimental procedure, except for the fixed concentration of TMB (2 mM) and various concentration of H₂O₂ (0.002–0.1 mM) as well as the fixed concentration of H₂O₂ (0.25 M) and various concentration of TMB (0.02–0.10 mM). The apparent kinetic parameters based on Lineweaver–Burk plots of the double reciprocal of the Michaelis–Menten equation as described below: $1/v = K_m/V_{max} (1/[S] + 1/K_m)$, where v is the initial velocity, $[S]$ is the concentration of the substrate, K_m is the Michaelis constant and V_m is the maximal reaction velocity.¹⁴

2.5 Reaction mechanism

We suspect that the peroxidase-like activities of the PDI-CuO nanocomposites may due to the decomposition of H₂O₂ into OH radicals or the mechanism of electron transfer. Thus, a fluorometric spectra method was employed to measure the OH radicals with terephthalic acid as a probe under the optional conditions. The typical experimental procedure is as follows: terephthalic acid (0.5 mM), H₂O₂ (10 mM), and the PDI-CuO nanocomposites with different concentrations were incubated in acetate buffer (pH = 4.0) at 55 °C for 30 min. Immediately, the solutions were studied for fluorometric measurement.

2.6 Colorimetric detection of H₂O₂ and glucose

For detecting the H₂O₂ standard solution, PDI-CuO nanobelts were carried out using different concentration of 200 μL H₂O₂ (0.002–0.1 mM), then mixed with 200 μL TMB of fixed concentration (2 mM) as the substrate in acetate buffer (1.4 mL, pH = 4.0). The resulting mixture was incubated at 55 °C for 3 min. Then, the absorbance of the treated final mixtures were measured at 652 nm.

For glucose assay, the catalytic oxidation of glucose by glucose oxidase (GOx) (glucose + O₂ → H₂O₂ + gluconic acid) was coupled with colorimetric detection of H₂O₂. Briefly, glucose assay was performed as follows: 0.1 mL GOx (0.5 mg mL⁻¹) and 0.5 mL glucose with different concentrations in PBS buffer (pH = 7) were kept for 30 min at 37 °C in a dark condition. Then, 0.2 mL PDI-CuO, 0.2 mL TMB and 0.6 mL above glucose reaction solution were added to 1.0 mL HAc buffer. After 3 min (55 °C) incubation, the UV-vis absorption spectra of solution were recorded.

2.7 Selectivity for colorimetric detection of glucose

For specificity analysis, 5.0 mM fructose, 5.0 mM maltose, 5.0 mM lactose, and 5.0 mM sucrose instead of 1.0 mM glucose were used as control experiences, respectively. The detection process was similar to the standard glucose assay.

3. Results and discussion

3.1 Characterization of PDI-CuO nanocomposites

The crystal phases of CuO, PDI-CuO nanocomposite were characterized by X-ray diffraction (XRD), shown in Fig. 2. From Fig. 2A, it can be seen that pure CuO crystal exhibited diffraction peaks (2θ) centered at *ca.* 32.5°, 35.4°, 35.5°, 38.7°, 38.8° and 48.7°, corresponding to (110), (002), (11-1), (111), (200) and (202) planes, in accordance with the monoclinic crystal structure (JCPDS card no. 48-1548). Compared with the XRD data of CuO, the weak XRD peaks of PDI functionalized CuO nanobelts was found, as shown in Fig. 2B. This demonstrated that the PDI functionalized CuO nanobelts has the same crystal phase as that of the pure CuO, together with no destroying in structure, except for a little weak diffraction peaks.^{39,40}

The morphology of the PDI-CuO nanobelts was imaged by SEM and TEM, respectively. From Fig. 3A and B, it can be seen that the PDI-CuO nanocomposites show belt-like morphologies with the average size of 1 μm in length and 100 nm in width. Interestingly, many pores (*ca.* 5–10 nm) in PDI-CuO nanobelts can be observed, shown in Fig. 3C. The fringe spacing is *ca.* 0.275 nm, corresponding to (110) crystal plane, shown in Fig. 3D. Theoretically, the large number of nanoporous are able to enlarge the specific surface area, and thus increase the activity sites of materials.⁴¹

Then, the composition of PDI-CuO nanocomposites was measured by the EDS mapping images, unambiguously demonstrating the coexistence of C, N, O, Cu elements in the product. Of the different elementary compositions, C and N are from PDI molecules, shown in Fig. S1 (ESI†). Therefore, the EDS mapping images further confirmed that PDI had been successfully distributed on the surface of CuO nanobelts.




Fig. 2 The XRD patterns of pure CuO (A) and PDI-CuO nanobelts (B), respectively.






Fig. 3 SEM (A), TEM (B and C) and HR-TEM (D) images of PDI-CuO nanobelts.

To further determine the interaction between PDI and CuO nanobelts, the XPS spectra of PDI-CuO nanocomposites were used to analyze the chemical composition and surface electronic state of the as-prepared PDI-CuO nanocomposites,⁴² shown in Fig. 4. As shown in Fig. 4A, all peaks could be contributed to Cu, O, N, C elements. The peaks in Fig. 4B with binding energies at 933.9 and 953.6 eV are from Cu₂ + (CuO) due to Cu 2p_{2/3} and Cu 2p_{1/2}, respectively. C 1s spectrum (Fig. 4C) can be deconvoluted into three peaks at 284.3 eV (C sp²), 285.0 eV (C sp₃) and 289.0 eV (O-C=O) with the C sp² component being dominant.⁴³ As a result, all elements of the PDI-CuO nanocomposites can be found in the XPS data, suggesting that CuO are successfully modified by PDI.




Fig. 4 XPS spectra of PDI-CuO (A), Cu 2p (B), C 1s (C) and N 1s (D), respectively.

Based on the previous report, the large number of pores are able to enlarge the specific surface area, and thus increase the activity sites.⁴⁴ The Brunauer-Emmett-Teller (BET) surface area was measured by nitrogen adsorption-desorption at 77.35 K. Before measurement, the samples were degassed at 60 °C for 10 hours. Nitrogen adsorption-desorption isotherms of PDI-CuO nanobelts was shown in Fig. S2 (ESI[†]). The large surface area (12.947 m² g⁻¹), pore volume ($V_p = 0.044$ cc g⁻¹), and small pore diameter ($d_p = 1.653$ nm) of PDI-CuO nanocomposites were found.

3.2 Peroxidase-like activity of PDI-CuO nanocomposites

The peroxidase-like activity of PDI-CuO was investigated using the peroxidase substrate 3,3',5,5'-tetramethylbenzidine (TMB) in the presence of H₂O₂. TMB is a kind of common chromogenic substrate and is usually used for practical analytical application. Clearly, from Fig. 5A, it can be seen that the absorbance of the reaction system (PDI-CuO + H₂O₂ + TMB) was much higher than that of the system (CuO + H₂O₂ + TMB) at 652 nm (curve




Fig. 5 (A) Typical absorbance curves of different reaction systems for 3 min in HAC-NaAc (pH = 3.8) buffer: (a) PDI-CuO + H₂O₂ + TMB; (b) CuO + H₂O₂ + TMB; (c) PDI-CuO + TMB; (d) H₂O₂ + TMB; (e) TMB, respectively. (B) Time-dependency of peroxidase-like activity of PDI-CuO nanocomposites. The absorbance of the reaction system (TMB: 2 mM; H₂O₂: 0.25 M; PDI-CuO: 0.3 mg mL⁻¹) was monitored in time scan mode. The inset is the corresponding colorimetric photograph.



a and b), indicating the enhanced catalytic activity of PDI-CuO nanocomposites than that of pure CuO nanobelts for the catalytic oxidation of TMB. Surprisingly, we also found that the color of the reaction system containing TMB, H₂O₂ and PDI-CuO nanocomposites has rapidly been changed from colorless to blue within 40 s. On visual observation, the reaction system of TMB + H₂O₂ in absence of PDI-CuO nanobelts (Fig. 5A, curve d) or the TMB + PDI-CuO without H₂O₂ (Fig. 5A, curve e) shows negligible color change, suggesting that both H₂O₂ and PDI-CuO were necessary for the catalytic oxidation of TMB. Furthermore, it can be also found that the catalytic activity of PDI-CuO nanocomposites with pores is higher than that of PDI-CuO without pores, shown in Fig. S3 (ESI†).

Moreover, the experiment results show that the catalytic activity of PDI-CuO nanocomposites was time dependent, shown in Fig. 5B. In addition, the colorimetric reaction of the system is generally required to be incubated for some "time interval" before the corresponding absorption spectra are recognized as a valid measurement.⁴⁵ We have summarized the required "time interval" for different types of nanomaterials for the detection of H₂O₂ in this study together with other reported materials as peroxidase mimics, listed in Table 1. Obviously, PDI-CuO nanocomposites could oxidize the substrate TMB with visualized the color change in short time, exhibiting the higher catalytic activity of the nanocomposites, compared with other materials listed in Table 1. In other words, the response time of reaction system containing PDI-CuO nanocomposites observed by the naked eye is shorter than that of other artificial peroxidase-like mimics, such as CuS-MMT,²² PtPd-Fe₃O₄,⁴⁶ Fe₃O₄ NPs,⁸ Au NPs⁴⁷ and TCPP-NiO nanomaterials.⁴⁸

3.3 Optimization of experimental conditions

Similar to natural peroxidase, horseradish peroxidase (HRP) and other artificial peroxidase-like mimics based on nanomaterials, the catalytic activity of the PDI-CuO nanocomposites were dependent on pH and temperature, respectively.^{21,22,48} Likewise, the catalytic activity of PDI-CuO nanocomposites was optimized under a wide scope of experimental conditions, including pH value and temperature. The effect of pH on the peroxidase-like activity of PDI-CuO nanocomposites was measured by varying pH from 2.2 to 8.0 (2.2, 3, 3.8, 4, 5, 6, 7, 8), shown in Fig. 6A. Clearly, from Fig. 6A, it can be seen that the optimal pH was 4.0, similar to Ce NPs, PVP-MoS₂ NPs reported in previous publications.^{25,49} Interestingly, though catalytic




Fig. 6 The optimization of pH (A) and temperature (B) for the peroxidase-like activity of the PDI-CuO nanocomposites. Experiments were conducted by using 3 mg mL⁻¹ PDI-CuO in 2 mL of 1.4 M buffer solution with 0.2 mL of 0.25 M H₂O₂ and 0.2 mL of 2 mM TMB as substrates. In each curve, the relative activity was defined as the ratio of catalytic activity of the maximum catalytic activity.

activity of PDI-CuO nanocomposites were declined at either lower pH or higher pH values, the relative activity was more than 55% in a wide range of pH. Thus, the result reveals the PDI-CuO nanocomposites displayed an excellent stability than that of HRP in a wide pH scope.⁸ Fig. 6B shows the temperature-dependant on the peroxidase-like activity of PDI-CuO nanocomposites over a wide range from 20 to 65 °C (20, 25, 30, 35, 40, 45, 50, 55, 60, 65). Generally, the catalytic activity of PDI-CuO nanocomposites was up to the maximum at 55 °C, while the enzymatic activity of HRP sharply decreased over 40 °C due to the denaturalization of the enzyme under high temperature.⁸

Table 1 Comparison of typical nanomaterials for H₂O₂ detection

| Nanomaterials | Peroxidase substrates | Incubation time (s) | pH | Detection limit (μM) | Ref |
|-------------------------------------|-----------------------|---------------------|-----|----------------------|-----------|
| CuS-MMT | TMB | 300 | 3.8 | 24.7 | 22 |
| PtPd-Fe ₃ O ₄ | TMB | 300 | 5.2 | 2 | 46 |
| Fe ₃ O ₄ NPs | DAB, OPD | 600 | 3.5 | | 8 |
| Au NPs | TMB | 600 | 4.0 | 0.5 | 47 |
| TCPP-NiO | TMB | 1200 | 3.8 | 8 | 48 |
| PDI-CuO | TMB | 180 | 4 | 2.38 | This work |






Fig. 7 Apparent steady-state kinetic study of PDI-CuO (A–D). The reaction velocity (v) was measured using 3 mg mL^{-1} PDI-CuO in 1.4 mL of HAc–NaAc buffer ($\text{pH} = 4.0$) at $55 \text{ }^\circ\text{C}$. (A): The concentration of TMB was 2 mM while the H_2O_2 concentration was varied, (B): the concentration of H_2O_2 was 0.25 M while the TMB concentration was varied, and the double-reciprocal plots of peroxidase-like activity of PDI-CuO with a fixed concentration of one substrate relative to

Thus, $\text{pH} 4.0$ and the temperature of $55 \text{ }^\circ\text{C}$ was selected for the subsequent assays.

3.4 Steady-state kinetic of nanoparticles

To understand the catalytic performance of the PDI-CuO nanocomposites, the steady-state kinetics was investigated using TMB and H_2O_2 as substrates under the optimal conditions ($\text{pH} = 4.0$, $55 \text{ }^\circ\text{C}$). Fig. 7A and 7B show the typical Michaelis–Menten curves of TMB and H_2O_2 by plotting the initial reaction rate against concentration. Furthermore, the apparent kinetic parameters (K_m and V_m) were calculated according to Lineweaver–Burk double reciprocal plots (Fig. 7C and D). It is well-known that K_m represents the affinity of an enzyme toward substrates: the smaller the value of K_m , the stronger the affinity between the enzyme (catalysts) and the substrate. As illustrated in Table 2, the K_m value for PDI-CuO with TMB as substrate was much lower than horseradish peroxidase (HRP) and peroxides nanomimetics reported previously, indicating that PDI-CuO had a higher affinity towards TMB than HRP and other nanomaterials. However, the K_m value of PDI-CuO with H_2O_2 substrate was 35.74 , revealing that a higher concentration of H_2O_2 was required to obtain maximum catalytic activity.

3.5 Mechanism of the peroxidase-like activity of PDI-CuO nanocomposites


Generally, the catalytic mechanism of peroxidase-like activity of artificial peroxidases can be divided into two kinds. One is the generation of reactive hydroxyl radicals ($\cdot\text{OH}$), and the other is the electron transfer process.⁵³ In order to shed light on the catalytic mechanism of PDI-CuO nanocomposites, the fluorescent probe, terephthalic acid (TA), was used as a typical $\cdot\text{OH}$ radical capture reagent in the PDI-CuO + H_2O_2 +TMB system. The reason is that non-luminescent TA could capture $\cdot\text{OH}$ and generate remarkable fluorescent product, 2-hydroxyterephthalic acid (HTA), at 425 nm (Fig. 8a).⁵⁴ From Fig. 8b, it can be seen clearly that photoluminescence (PL) intensity gradually increased with increasing amount of PDI-CuO nanocomposites. In addition, no PL intensity was observed in the absence of H_2O_2 (Fig. 8b). This fluorescent result revealed that PDI-CuO nanocomposites could catalytically activate H_2O_2 decomposition to generate $\cdot\text{OH}$ radicals that subsequently oxidized TMB to form a blue TMB oxide.⁵⁵ The experience further suggests more $\cdot\text{OH}$ radicals can be produced with the increase of the amount of PDI-CuO. In other words, the stronger the photoluminescence intensity, the more the generated $\cdot\text{OH}$. Therefore, based on the above results, the peroxidase mimic catalytic mechanism of PDI-CuO nanobelts was proposed, shown in Scheme 1.

varying concentration of the other substrate for TMB and H_2O_2 (C and D). The error bars represent the standard deviation of three measurements.



Table 2 Comparison of the apparent Michaelis constant (K_m) and maximum reaction rate (V_m)

| Catalyst | K_m [mM] | | V_{max} [10^{-8} M s $^{-1}$] | | Ref. |
|--|------------|-------------------------------|-------------------------------------|-------------------------------|-----------|
| | TMB | H ₂ O ₂ | TMB | H ₂ O ₂ | |
| PDI-CuO | 0.018 | 35.74 | 80.81 | 0.53 | This work |
| HRP | 0.434 | 3.7 | 10 | 8.71 | 8 |
| Fe ₃ O ₄ | 0.098 | 154 | 3.44 | 9.78 | 8 |
| Fe/CeO ₂ | 0.176 | 47.6 | 8.6 | 16.6 | 50 |
| C ₆₀ [C(COOH) ₂] ₂ | 0.233 | 24.58 | 3.47 | 4.01 | 51 |
| AuNPs/PVP-GNs | 2.63 | 104 | 13.04 | 11.98 | 52 |



Scheme 1 Schematic illustration of colorimetric sensor for H₂O₂ and glucose detection using PDI-CuO nanobelts as catalysts.

3.6 Colorimetric detection of H₂O₂ and glucose

Considering the fact that PDI-CuO possesses the intrinsic peroxidase-like activity, a simple colorimetric method was performed to quantitatively detect H₂O₂ and glucose, respectively. Fig. 9A shows the typical absorbance at 625 nm with the addition of various concentrations of H₂O₂ under the optimal conditions (pH 4.0, 55 °C). Obviously, the absorbance of oxidized TMB gradually increased with increasing of concentration H₂O₂. The homologous linear calibration plot range is from 3 μM to 30 μM

with a detection limit of 2.38×10^{-6} M, which was 19 times lower than that of reported H₂O₂ sensors based on Au@Pt core-shell nanorods (4.5×10^{-5} M).⁵⁶ It suggested that PDI-CuO nanocomposites can offer a facile and sensitive method to detect H₂O₂





Fig. 8 (a) The reaction of TA with $\cdot\text{OH}$. (b) Fluorescent spectra of acetate buffer solution (pH = 4) containing only TA and PDI-CuO (A) or with H₂O₂ (0.25 M), TA (0.5 mM) and the PDI-CuO nanocomposites with different concentration ((B) 0, (C) 20, (D) 80, (E) 200, (F) 250, (G) 300 μg mL $^{-1}$) were incubated at 55 °C for 30 min. The FL excitation wavelength was fixed at 315 nm.




Fig. 9 (A) A dose-response curve for H₂O₂ detection using PDI-CuO under the optimum conditions. Inset: the linear calibration plot for H₂O₂ detection (B) A dose-response curve for glucose detection using PDI-CuO as catalysts. Inset shows the linear response of the detection system to glucose. Error bars stand for the standard deviations based on three repeated measurements.






Fig. 10 Selectivity analysis for glucose detection using GOx and PDI–CuO catalyst by monitoring the relative absorbance (inset: the color change corresponding to different sample: 1.0 mM glucose, 5.0 mM fructose, 5.0 mM maltose, 5.0 mM lactose, and 5.0 mM sucrose).

and other substances which could generate H_2O_2 in a chemical reaction. As our known, glucose oxidase (GOx) can catalyze the oxidation of glucose to produce H_2O_2 in the presence of oxygen. The relevant standard curve of the glucose response is shown in Fig. 9B. Clearly, the absorbance was linearly against glucose concentration in the range of 2–50 μM with the low detection limit of 6.533×10^{-7} M.

3.7 Selectivity analysis

To investigate the selectivity of detection of glucose, some other saccharides including 5.0 mM fructose, 5.0 mM maltose, 5.0 mM lactose, and 5.0 mM sucrose were selected as control samples. As shown in the Fig. 10, there was no obvious absorbance at 652 nm or color change, though the concentration of analogues were 5 times higher than that of glucose. Therefore, it can be concluded that the fabricated colorimetric sensor demonstrates high selectivity and affinity to glucose.

4. Conclusions

In summary, we synthesized a new kind of N,N' -di-carboxy methyl perylene diimides functionalized CuO nanocomposites, which demonstrate an intrinsic peroxidase activity. The PDI–CuO nanocomposites could rapidly catalyze the oxidation of the substrate TMB to produce a blue product observed by the naked eye within 40 seconds. The catalysis was shown to coincide with typical Michaelis–Menten kinetics and its catalytic property is strongly dependent on pH and temperature. On the basis of an intrinsic peroxidase-like activity, we designed a colorimetric biosensor platform that can conveniently detect H_2O_2 and glucose. With the high sensitivity, low limits of detection (H_2O_2 : 2.38×10^{-6} M; glucose: 6.533×10^{-7} M), and rapid response time, the proposed PDI–CuO biosensor platform shows great promise as a low-cost sensor for environmental monitoring, medical diagnostics, immunoassays and biocatalysis.

Acknowledgements

This work was financially supported by the National Natural Science Foundation of China (Grant No. 21271119) and Innovation Fund of Science & Technology of Graduate Students (SDUST).

Notes and references

- 1 L. Han, L. Zeng, M. Wei, C. Li and A. Liu, *Nanoscale*, 2015, **7**, 11678–11685.
- 2 K. M. Koeller and C. H. Wong, *Nature*, 2001, **409**, 232–240.
- 3 N. Durán and E. Esposito, *Appl. Catal., B*, 2000, **28**, 83–99.
- 4 I. Y. Sakharov, I. S. Alpeeva and E. E. Efremov, *J. Agric. Food Chem.*, 2011, **59**, 809–813.
- 5 H. Wei and E. Wang, *Anal. Chem.*, 2008, **80**, 2250–2254.
- 6 W. Chen, J. Chen, Y. B. Feng, L. Hong, Q. Y. Chen, L. F. Wu, X. H. Lin and X. H. Xia, *Analyst*, 2012, **137**, 1706–1712.
- 7 R. Breslow and L. E. Overman, *J. Am. Chem. Soc.*, 1970, **92**, 1075–1077.
- 8 L. Z. Gao, J. Zhuang, L. Nie, J. B. Zhang, Y. Zhang, N. Gu, T. H. Wang, J. Feng, D. Yang and S. Perrett, *Nat. Nanotechnol.*, 2007, **2**, 577–583.
- 9 Y. Song, K. Qu, C. Zhao, J. Ren and X. Qu, *Adv. Mater.*, 2010, **22**, 2206–2210.
- 10 Y. Song, X. H. Wang, C. Zhao, K. Qu, J. Ren and X. Qu, *Chem.–Eur. J.*, 2010, **16**, 3617–3621.
- 11 E. L. Zhou, C. Qin, P. Huang, X. L. Wang, W. C. Chen, K. Z. Shao and Z. M. Su, *Chem.–Eur. J.*, 2015, **21**, 11894–11898.
- 12 W. W. He, H. M. Jia, X. X. Li, Y. Lei, J. Li, H. X. Zhao, L. W. Mi, L. Z. Zhang and Z. Zheng, *Nanoscale*, 2012, **4**, 3501–3506.
- 13 Z. H. Dai, S. H. Liu, J. C. Bao and H. X. Ju, *Chem.–Eur. J.*, 2009, **15**, 4321–4326.
- 14 Y. L. Dong, H. G. Zhang, Z. U. Rahman, L. Su, X. J. Chen, J. Hu and X. G. Chen, *Nanoscale*, 2012, **4**, 3969–3976.
- 15 Y. J. Chen, H. Y. Cao, W. B. Shi, H. Liu and Y. M. Huang, *Chem. Commun.*, 2013, **49**, 5013–5015.
- 16 Y. Nangia, B. Kumar, J. Kaushal and C. Raman Suri, *Anal. Chim. Acta*, 2012, **751**, 140–145.
- 17 X. Xia, J. Zhang, N. Lu, M. J. Kim, K. Ghale, Y. Xu, E. M. Kenzie, J. Liu and H. Ye, *ACS Nano*, 2015, **9**, 9994–10004.
- 18 Q. Cai, S. K. Lu, F. Liao, Y. Q. Li, S. Z. Ma and M. W. Shao, *Nanoscale*, 2014, **6**, 8117–8123.
- 19 Y. Zhang, C. Xu, B. Li and Y. Li, *Biosens. Bioelectron.*, 2013, **43**, 205–210.
- 20 H. Zhao, Y. M. Dong, P. P. Jiang, G. L. Wang and J. J. Zhang, *ACS Appl. Mater. Interfaces*, 2015, **7**, 6451–6461.
- 21 L. F. Sun, Y. Y. Ding, Y. L. Jiang and Q. Y. Liu, *Sens. Actuators, B*, 2017, **239**, 848–856.
- 22 L. Y. Zhang, M. X. Chen, Y. L. Jiang, M. M. Chen, Y. N. Ding and Q. Y. Liu, *Sens. Actuators, B*, 2017, **239**, 28–35.
- 23 Q. Y. Liu, Y. L. Jiang, L. Y. Zhang, X. P. Zhou, X. T. Lv, Y. Y. Ding, L. F. Sun, P. P. Chen and H. L. Yin, *Mater. Sci. Eng., C*, 2016, **65**, 109–115.



- 24 Y. Y. Ding, L. F. Sun, Y. L. Jiang, S. X. Liu, M. X. Chen, M. M. Chen, Y. N. Ding and Q. Y. Liu, *Mater. Sci. Eng., C*, 2016, **67**, 188–194.
- 25 J. Yu, X. Y. Ma, W. Y. Yin and Z. J. Gu, *RSC Adv.*, 2016, **6**, 81174–81183.
- 26 X. Liu, Q. Wang, H. H. Zhao, L. C. Zhang, Y. Y. Su and Yi Lv, *Analyst*, 2012, **137**, 4552–4558.
- 27 H. Jiang, Z. H. Chen, H. Y. Cao and Y. M. Huang, *Analyst*, 2012, **137**, 5560–5564.
- 28 J. Chen, J. Ge, L. Zhang, Z. H. Li and L. B. Qu, *Sens. Actuators, B*, 2016, **233**, 438–444.
- 29 M. R. Wasielewski, *J. Org. Chem.*, 2006, **71**, 5051–5066.
- 30 J. A. A. M. Elemans, R. van Hameren, R. J. M. Nolte and A. E. Rowan, *Adv. Mater.*, 2006, **18**, 1251–1266.
- 31 K. Y. Law, *Chem. Rev.*, 1993, **93**, 449–486.
- 32 H. Langhal, *Chim. Acta.*, 2005, **88**, 1309–1343.
- 33 F. Würthner, *Chem. Commun.*, 2004, 1564–1579.
- 34 C. D. Dimitrakopoulos and P. R. L. Malenfant, *Adv. Mater.*, 2002, **14**, 99–117.
- 35 B. A. Jones, M. J. Ahrens, M. H. Yoon, A. Facchetti, T. J. Marks and M. R. Wasielewski, *Angew. Chem., Int. Ed.*, 2004, **43**, 6363–6366.
- 36 F. Yukruk, A. L. Dogan, H. Canpinar, D. Guc and E. U. Akkaya, *Org. Lett.*, 2005, **7**, 2885–2887.
- 37 Y. Shi, H. X. Wu, L. Xue and X. Y. Li, *J. Colloid Interface Sci.*, 2012, **365**, 172–177.
- 38 Z. Y. Fei, P. Lu, X. Z. Feng, B. Sun and W. J. Ji, *Catal. Sci. Technol.*, 2012, **8**, 1705–1710.
- 39 B. Liu and H. C. Zeng, *J. Am. Chem. Soc.*, 2004, **126**, 8124–8125.
- 40 Y. J. Zhang, S. W. Or, X. L. Wang, T. Y. Cui, W. B. Cui, Y. Zhang and Z. D. Zhang, *Eur. J. Inorg. Chem.*, 2009, **1**, 168–173.
- 41 T. T. Cao, Z. G. Song, S. B. Wang and J. Xia, *Sci. China: Earth Sci.*, 2015, **58**, 510–522.
- 42 Q. Liu, Y. Yang, Q. Jia, P. Chen, H. Li, R. Zhu and C. Gao, *Mater. Sci. Eng., C*, 2016, **59**, 445–453.
- 43 G. Darabdharaae, B. Sharmae, M. R. Das, R. Boukherroub and S. Szunerits, *Sens. Actuators, B*, 2017, **238**, 842–851.
- 44 T. T. Cao, Z. G. Song, S. B. Wang and J. Xia, *Sci. China: Earth Sci.*, 2015, **58**, 510–522.
- 45 S. S. Pan, W. Lu, Y. H. Zhao, W. Tong, M. Li, L. M. Jin, J. Y. Choi, F. Qi, S. G. Chen, L. F. Fei and S. F. Yu, *ACS Appl. Mater. Interfaces*, 2013, **5**, 12784–12788.
- 46 X. L. Sun, S. J. Guo, C. S. Chung, W. L. Zhu and S. H. Sun, *Adv. Mater.*, 2013, **25**, 132–136.
- 47 Y. Jv, B. Li and R. Cao, *Chem. Commun.*, 2010, **46**, 8017–8019.
- 48 Q. Y. Liu, Y. T. Yang, H. Li, R. R. Zhu, Q. Shao, S. G. Yang and J. J. Xu, *Biosens. Bioelectron.*, 2015, **64**, 147–153.
- 49 R. C. Guo, Y. R. Wang, S. X. Yu, W. X. Zhu, F. Q. Zheng, W. Liu, D. H. Zhang and J. L. Wang, *RSC Adv.*, 2016, **6**, 59939–59945.
- 50 D. Jampaiah, S. R. Telukutla, A. E. Kandjani, S. Periasamy, Y. M. Sabri, V. E. Coyle, R. Shukla and S. K. Bhargava, *J. Mater. Chem. B*, 2016, **4**, 3874–3885.
- 51 R. Li, M. Zhen, M. G. Chen, G. Zhang, J. Ge, P. Gong, C. Wang and C. Shu, *Biosens. Bioelectron.*, 2013, **47**, 502–507.
- 52 X. Chen, X. Tian, B. Su, Z. Huang, X. Chen and M. Oyama, *Dalton Trans.*, 2014, **43**, 7449–7454.
- 53 H. Su, D. D. Liu, M. Zhao, W. L. Hu, S. S. Xue, Q. Cao, X. Y. Le, L. N. Ji and Z. W. Mao, *ACS Appl. Mater. Interfaces*, 2015, **7**, 8233–8242.
- 54 G. W. Yang, T. M. Chen and J. Xiao, *RSC Adv.*, 2016, **6**, 70124–70132.
- 55 L. Li, L. Ai, C. Zhang and J. Jiang, *Nanoscale*, 2014, **6**, 4627–4634.
- 56 J. B. Liu, X. N. Hu, S. Hou, T. Wen, W. Q. Liu, X. Zhu, J. J. Yin and X. C. Wu, *Sens. Actuators, B*, 2012, **166–167**, 708–714.

