



Cite this: *Food Funct.*, 2016, 7, 2909

Correction: Microencapsulation of probiotics in hydrogel particles: enhancing *Lactococcus lactis* subsp. *cremoris* LM0230 viability using calcium alginate beads

Timothy W. Yeung,^a Izlia J. Arroyo-Maya,^a David J. McClements^{a,b} and David A. Sela^{*a,c,d}

DOI: 10.1039/c6fo90021f
www.rsc.org/foodfunction

Correction for 'Microencapsulation of probiotics in hydrogel particles: enhancing *Lactococcus lactis* subsp. *cremoris* LM0230 viability using calcium alginate beads' by Timothy W. Yeung *et al.*, *Food Funct.*, 2016, 7, 1797–1804.

In section 2.1 of this article, 'Bacteria propagation and general growth conditions', it is erroneously reported that *Lactococcus lactis* subsp. *cremoris* LM0230 were routinely propagated at 30 °C. The correct temperature is 37 °C.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Food Science, University of Massachusetts, Amherst, MA 01003, USA. E-mail: davidsela@umass.edu; Tel: +1 413 545 1010

^bDepartment of Biochemistry, Faculty of Science, King Abdulaziz University, P. O. Box 80203, Jeddah 21589, Saudi Arabia

^cCenter for Bioactive Delivery, Institute of Applied Life Science, University of Massachusetts, Amherst, MA 01003, USA

^dCenter for Microbiome Research, University of Massachusetts Medical School, Worcester, MA 01655, USA

