# **RSC Advances**



View Article Online

View Journal | View Issue

## PAPER

Check for updates

Cite this: RSC Adv., 2017, 7, 51233

Received 8th September 2017 Accepted 27th October 2017

DOI: 10.1039/c7ra10035c

rsc.li/rsc-advances

### 1 Introduction

Infrared-to-visible upconversion (UC) of rare-earth (RE) iondoped phosphors (UCPs) has been studied extensively in the past few years, due to their huge potential applications in the fields of solid-state lasers,<sup>1,2</sup> 3D display,<sup>3,4</sup> fluorescence labeling,<sup>5,6</sup> bioimaging,<sup>7,8</sup> therapy<sup>9,10</sup> and temperature sensor,<sup>11-13</sup> *etc.* Despite the renewed interests and rapid progress being made, the UC efficiency of the currently available materials is not high enough for truly wide spread applications. It is therefore imperative to find ways to significantly improve the efficiency. Generally, the UC intensity and quantum efficiency under excitation at 980 nm is governed by the following three factors: (1) high electronic transition probabilities of the

## Effects of optical-inert ions on upconversion luminescence and temperature sensing properties of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> nano/micro-particles†

Peng Li,<sup>a</sup> Linna Guo, <sup>b</sup>\*<sup>a</sup> Chenxi Liang,<sup>a</sup> Tiesheng Li,<sup>\*a</sup> Penglei Chen, <sup>b</sup> Minghua Liu <sup>\*b</sup> and Yangjie Wu <sup>\*a</sup>

In this paper, ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> nano/micro-particles doped with optical-inert metal ions including the alkali metal ions ( $Li^+/Na^+/K^+$ ), alkaline-earth metal ions ( $Mg^{2+}/Ca^{2+}/Sr^{2+}/Ba^{2+}$ ) and lanthanide ions  $(Y^{3+}/Gd^{3+}/Lu^{3+})$  were synthesized by a conventional solid-state method. X-ray diffraction studies show that the prepared  $ScVO_4:10%Yb^{3+}/2\%Er^{3+}$  whether single-doping, codoping or tridoping optical-inert metal ions are highly crystalline in nature with tetragonal phase structure when the doping concentration  $\leq$  10%. Under a 980 nm laser diode excitation, the upconversion luminescence was enhanced significantly by single doping of Li<sup>+</sup>, Na<sup>+</sup>, K<sup>+</sup>, Mg<sup>2+</sup>, Ca<sup>2+</sup>, Sr<sup>2+</sup>, Ba<sup>2+</sup>, Y<sup>3+</sup>, Gd<sup>3+</sup> or Lu<sup>3+</sup>, showing the strongest green emission with 5 mol% Li<sup>+</sup> dopant. For codoping optical-inert metal ions system, it is found that Li<sup>+</sup>/Gd<sup>3+</sup> couple is the most effective codopant, leading to an drastic increase of the UC luminescence centered at 554 nm by a factor of 15.3 compared to optical-inert metal ions free sample, while the factor of  $Li^+/Ca^{2+}/Gd^{3+}$  tridoping system is only 4.6. This work aims to investigate the origin of UC luminescence enhancement for  $ScVO_4:10\%$   $b^{3+}/2\%$   $F^{3+}$  after codoping optical-inert ions based on the systematical analyses of the structures, morphologies, chemical states of elements, oxygen defects, optical absorption properties, etc. Furthermore, temperature-sensing performance was also investigated using the fluorescence intensity ratio technique. This opens a new window for studying the cooperation of the optical-inert ions doping effect on improving UC luminescence and temperature sensitivity properties.

> dopants, (2) the energy transfer rate from sensitizer  $(Yb^{3+})$  to emission centers ( $Tm^{3+}$ ,  $Er^{3+}$ ,  $Ho^{3+}$  etc.) and (3) the last but the most important, the intensity of Ln3+-doped UC materials strongly depends on intra 4f-4f transition probabilities and is also influenced by the crystal field symmetry and crystallinity of the samples.14 In general, there were some strategies that have been employed to achieve high efficiency in UC materials: (1) selection of novel host materials; (2) tailoring local crystal field; (3) plasmonic enhancement; (4) engineering energy transfers; (5) suppression of surface-related deactivations;<sup>9</sup> and (6) the effective Bragg reflection of photonic crystals.15,16 Among them, the more simple and commonly used method is tailoring local crystal field. Therefore, it is possible to modulate UC emissions by tailoring the local crystal field of the luminescent centers in an inorganic host matrix. As is well known that beyond these sensitizer (Yb<sup>3+</sup>) and activators (Tm<sup>3+</sup>, Er<sup>3+</sup>, Ho<sup>3+</sup> etc.), the periodic table also provides a rich diversity of optical-inert elements that can be used to modulate emission, or to alter the symmetry around activators, thus influencing UC luminescence (UCL) properties by altering electronic transition probabilities and enhance the UC efficiency. Meanwhile, it is more cheap and economic to enhance UCL intensity through doping the majority of optical-inert ions. By this means, common

(cc)) BY-NC

<sup>&</sup>lt;sup>a</sup>College of Chemistry and Molecular Engineering, Zhengzhou University, The Key Lab of Chemical Biology and Organic Chemistry of Henan Province, The Key Lab of Nano-information Materials of Zhengzhou, Zhengzhou, 450001, P. R. China. E-mail: guolinna@zzu.edu.cn; lts34@zzu.edu.cn

<sup>&</sup>lt;sup>b</sup>Beijing National Laboratory for Molecular Science, Institute of Chemistry, Chinese Academy of Sciences, Beijing, 100190, P. R. China

<sup>†</sup> Electronic supplementary information (ESI) available. See DOI: 10.1039/c7ra10035c

optical-inert ions include alkali metal ions (Li<sup>+</sup>, Na<sup>+</sup>, K<sup>+</sup>), alkaline-earth metal ions (Ca<sup>2+</sup>, Mg<sup>2+</sup>, Sr<sup>2+</sup>, Ba<sup>2+</sup>), transition metal ions (Mn<sup>2+</sup>, Fe<sup>3+</sup>) and some other inactive lanthanide ions (Ln<sup>3+</sup> = Gd<sup>3+</sup>, Lu<sup>3+</sup>) have been doped into various UCPs to modulate their luminescence properties.<sup>17-22</sup>

For example, Chen et al.<sup>23</sup> discovered a 10 times increase in blue emissions ( $^1D_2 \rightarrow {}^3F_4$ ,  ${}^1G_4 \rightarrow {}^3H_6$ ) in Gd<sub>2</sub>O<sub>3</sub>:Yb<sup>3+</sup>,Tm<sup>3+</sup> nanoparticles by doping with 6% Li<sup>+</sup>. Song's group<sup>24</sup> demonstrated 10 and 4 times increases in red ( ${}^{5}F_{4}, {}^{5}S_{2} \rightarrow {}^{5}I_{8}$ ) and green  $({}^{5}F_{5} \rightarrow {}^{5}I_{8})$  emissions in Y<sub>2</sub>O<sub>3</sub>:3%Li<sup>+</sup>,4%Yb<sup>3+</sup>,1%Ho<sup>3+</sup> nanoparticles. Hom et al.<sup>25</sup> reported that the NIR to NIR UC emission intensity of 10 mol% K<sup>+</sup> substituted ZnMoO<sub>4</sub>:Tm<sup>3+</sup>,Yb<sup>3+</sup> nanocrystals increased by 21-fold compared with K<sup>+</sup> free sample. Our group<sup>26</sup> found that white UC emission was achieved in the Lu<sub>6</sub>O<sub>5</sub>F<sub>8</sub>:6%Yb<sup>3+</sup>,0.3%Er<sup>3+</sup>,0.4%Tm<sup>3+</sup>, 5%Li<sup>+</sup> compared to Li<sup>+</sup> free sample with the same activator concentration, besides, the integrated UC emission intensity of Lu<sub>6</sub>O<sub>5</sub>F<sub>8</sub>:20%Yb<sup>3+</sup>,1%Er<sup>3+</sup>, 3%Li<sup>+</sup> is 5.5 times as strong as that of commercial UC phosphor (NaYF<sub>4</sub>:20%Yb<sup>3+</sup>,2%Er<sup>3+</sup>). Aside from alkali metal ions, alkaline-earth metal ions can also be used to tailor the local crystal field. Chen and Wang<sup>27</sup> explored that UC luminescence intensities of NaGdF<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> were enhanced by about 200 times upon introducing Ca<sup>2+</sup> dopants into the phosphors, probably due to a modification of the crystal structure of NaGdF<sub>4</sub> and an improvement in the crystallinity. Haase and coworkers<sup>28</sup> prepared CaAl<sub>12</sub>O<sub>19</sub>:Mg<sup>2+</sup>,Yb<sup>3+</sup>,Er<sup>3+</sup> UCPs, in which the green and red emissions of the Er<sup>3+</sup> ions was improved 4 and 1.5 times, respectively, compared with the counterparts without  $Mg^{2+}$  ions. On the other hand, not only the local site symmetry, but also phase transition may be induced with a higher concentration of host-ion substitution by non-active Ln<sup>3+</sup>. Liu and co-workers<sup>29</sup> investigated a NaYF<sub>4</sub>:Er<sup>3+</sup>,Yb<sup>3+</sup> system in which host ion substitution influences the nanocrystal growth process to give simultaneous control over the crystallographic phase, size and optical emission properties of the resulting nanocrystals. It was demonstrated that NaYF4 nanocrystals can be rationally tuned in size (down to ten nanometres), phase (cubic or hexagonal) and UC emission color (green to blue) as well as intensity by replacing  $Y^{3+}$  with  $Gd^{3+}$ . Zhang et al.<sup>30</sup> discovered that the UC enhancement with size decrease has been realized in β-NaLuF<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> nanocrystals (NCs) through doping with  $Y^{3+}$  ions. Compared with  $\beta$ - $NaLu_{0.78}Yb_{0.2}Er_{0.02}F_4$  and  $\beta$ - $NaY_{0.78}Yb_{0.2}Er_{0.02}F_4$  prepared under the same condition, the green UC emission is enhanced by a factor of 1.8 and 16, respectively, for β-NaLu<sub>0.48</sub>Y<sub>0.3</sub>Yb<sub>0.2</sub>-Er<sub>0.02</sub>F<sub>4</sub>. UC luminescence of NaY<sub>0.95-x</sub>Yb<sub>0.03</sub>Er<sub>0.002</sub>Sc<sub>x</sub>F<sub>4</sub> was enhanced obviously by tridoping Sc<sup>3+</sup> ions, contrasted to the untridoped one, especially for higher energy emission.21 Comprehensively, it shows a rising trend, indicating that optical-inert ions are becoming a more and more important and hot topic in the field of UCL enhancement. It can be concluded from above reports, most researchers have studied the effect of co-doping with alkali metal ions, alkaline-earth metal ions and inactive Ln3+ ions individually on the structural and UCL properties of phosphors.<sup>31-33</sup> Comparatively, there is rare research about the effect of combination these optical inert metal ions doping and lack of knowledge on the

intercommunication between codopants on the UC luminescence in controlling the properties of UCPs to the best of our knowledge.

In addition, reasons for the UC emission intensity enhancement through optical-inert co-dopants is yet to be determined with complete certainty, and this investigation is still an important and challenging research field. Most reports described the experiment results to the following fact. Some optical inert ions such as Li<sup>+</sup> may directly act as a flux or sensitizer, and the others could enter into the host lattice, creating oxygen vacancies or altering the crystal field surrounding the activator, then affecting the luminescence performances of the phosphors.34-39 It is very important to inquire into the characteristics of codopants so as to further understand the mechanism of enhanced luminescence, and also help us to look for some more effective codoping ions. Such studies would be further helpful to understand the mechanisms involved in enhanced luminescence of optical-inert ions and RE co-doped materials.

In our previous work,<sup>40</sup> it is demonstrated that ScVO<sub>4</sub>:Yb<sup>3+</sup>/ Er<sup>3+</sup> is a green-emitting phosphor with good monochromaticity, while its emission efficiency still needs for the further improvement. So in this work, we focused on the UCL enhancement of ScVO4:Yb3+/Er3+ through different kinds of optical-inert ions  $(Li^{+}/Na^{+}/K^{+}, Mg^{2+}/Ca^{2+}/Sr^{2+}/Ba^{2+} and Y^{3+}/Gd^{3+}/$  $Lu^{3+}$ ) single doping as well as combination doping. In order for horizontal comparison, the concentrations of Li<sup>+</sup>/Na<sup>+</sup>/K<sup>+</sup>, Mg<sup>2+</sup>/ Ca<sup>2+</sup>/Sr<sup>2+</sup>/Ba<sup>2+</sup> and Y<sup>3+</sup>/Gd<sup>3+</sup>/Lu<sup>3+</sup> are chosen to be with the same value, respectively. Meanwhile, combination these optical inert metal ions is a wishful and challengeable task since their radius and valance are different. Overall, the present work provides a comparative study including some powerful evidences and a deep understanding on the origin of UCL enhancement for the ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> phosphors after optical-inert ions doping in either way.

On the other hand, during the operation of electronic and photonic devices, temperature is needed to be monitored for the best performance. Therefore, accurate sensing and mapping of temperature in a non-invasive way is a challenging field of research.<sup>41-44</sup> Hence, this research-need motivated us to tailor the structural and UCL properties of ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> nano/microcrystals with optical-inert ions incorporation and to study the temperature sensing performance. Based on the above points, in this work, we employed a modified molten salt method to prepare Yb<sup>3+</sup>/Er<sup>3+</sup>-codoped ScVO<sub>4</sub> UCPs, adjusting UC luminescence and temperature-sensing performance by codoping optical-inert ions (Li<sup>+</sup>/Na<sup>+</sup>/K<sup>+</sup>, Mg<sup>2+</sup>/Ca<sup>2+</sup>/Sr<sup>2+</sup>/Ba<sup>2+</sup> and Y<sup>3+</sup>/Gd<sup>3+</sup>/Lu<sup>3+</sup>), to achieve the purpose of kill two birds with one stone.

Comprehensively, it shows a rising trend, indicating that optical-inert ions are becoming a more and more important and hot topic in the field of UCL enhancement. It can be concluded from above reports, most researchers have studied the effect of co-doping with alkali metal ions, alkaline-earth metal ions and inactive Ln<sup>3+</sup> ions individually on the structural and UCL properties of phosphors. Comparatively, there is rare research about the effect of combination these optical inert metal ions

#### Paper

doping and lack of knowledge on the intercommunication between codopants on the UC luminescence in controlling the properties of UCPs to the best of our knowledge.

### 2 Experimental

#### 2.1 Synthesis

The raw materials  $Sc_2O_3$  (99.99%),  $Yb_2O_3$  (99.99%),  $Er_2O_3$  (99.99%), and  $NH_4VO_3$  (A. R.) were used directly without any further purification. The stoichiometric raw materials were ground in an agate mortar and heated to 800 °C for 4 h in air. Then the as-synthesized samples were slowly cooled to room temperature.

#### 2.2 Characterization

The phase purity was determined using a Rigaku D/MAX-2400 powder X-ray diffractometer (XRD) with Cu K $\alpha$  radiation ( $\lambda$  = 1.54178 Å) operating at 40 kV and 60 mA. The size, shape and structure of the as-prepared samples were characterized by SEM (S-4800). The room temperature Raman spectra were measured at a backscattering geometry using an Ar-ion laser (Coherent Innova 70) operating at 488 nm as the excitation source. Spectra were recorded by a double grating spectrometer (Spex 1403) equipped with standard photon counting equipment. XPS In the measurements of UC emission spectra, a continuous 980 nm laser diode (LD) with maximum power of 1.0 W was used as an excitation source, and the emission was collected using a HORIBA JOBIN YVON Fluorolog-3 spectrofluorometer system. The chemical components were analyzed by Fourier transform infrared spectroscopy (FT-IR, Nicolet NEXUS 670). All measurements were performed at room the spectral temperature.

#### 3 Results and discussion

# 3.1 Effects of optical-inert ions on phase and morphology of $ScVO_4$ :10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>

Fig. 1a shows the XRD patterns of optically inert ions (Li<sup>+</sup>, Ca<sup>2+</sup>, Gd<sup>3+</sup>) single-doped, co-doped or tri-doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%  $Er^{3+}$  phosphors. The diffraction peaks of ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> (optically inert ions free) can be well indexed, following a pure zircon-type structure. The main diffraction peaks shift toward



Fig. 1 (a) XRD patterns, (b) shifting of main diffraction peaks, (c) changes in main diffraction peaks position of Li<sup>+</sup>, Ca<sup>2+</sup>, Gd<sup>3+</sup> doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> ("No" represents ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>).

smaller angles corresponding to the standard pattern of ScVO<sub>4</sub> (JCPDS No. 06-0260) referenced below, indicating that the substitution of Sc<sup>3+</sup> ions by Yb<sup>3+</sup>/Er<sup>3+</sup> ions cause the host lattice to expand because the ionic radii of  $Yb^{3+}$  (0.86 Å),  $Er^{3+}$  (0.88 Å) is larger than that of  $Sc^{3+}$  (0.75 Å). Besides, it was noticed that the samples were still well crystalline and no other impurity phase was generated upon optically inert ions doping. To further evaluate the effect of optically inert ions on crystal structure, the main diffraction peaks (220) are compared for ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/ 2%Er<sup>3+</sup> with different kinds of optically inert ions doped or not, as show in Fig. 1b and c. Although the main diffraction peak moves irregular with doping one, two or three kinds of optically inert ions, it is clear that the peak shift towards smaller angles on the whole. In the tetragonal ScVO<sub>4</sub> host lattice, the optically inert ions (Li<sup>+</sup>, Ca<sup>2+</sup> or Gd<sup>3+</sup>) can enter ScVO<sub>4</sub> crystal site through substituting for the Sc<sup>3+</sup> ions or interstitial sites or coexist in the two ways. Especially, it is more complicated that two or three optically inert ions co-doped into the system of ScVO4:Yb/Er. According to the Bragg's law  $2d\sin\theta = n\lambda$ , where d is the interplanar distance,  $\theta$  is the diffraction angle, and  $\lambda$  is the diffraction wavelength. Regardless optically inert ions (Li<sup>+</sup> (0.76 Å),  $Ca^{2+}$  (1.00 Å) or  $Gd^{3+}$  (0.94 Å)) with larger radius substituted the  $Sc^{3+}$  (0.75 Å) or occupy the interstitial sites, the interplanar distance increased, resulting in the (220) position shifting toward the lower  $2\theta$  angle. Our experimental result is in accordance with this theoretical analysis, while different optical inert ions doping or doping method would cause the XRD peak of (220) to produce different degrees of shift to the left.

#### 3.2 SEM studies

The surface morphology and crystallinity of solid host materials are important parameters which determine the emission characteristics of phosphors. The microstructural analysis of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> and optically inert ions doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> samples was performed with the help of SEM examination (Fig. 2). From Fig. 2, it is clear from the SEM image that particles with the variation sizes are not uniformly distributed throughout the surface, which is mainly caused by the inhomogeneous distribution of temperature during synthesis of the material by the solid-state technique. On the whole, the synthesized particles without optically inert ions doping appear chips-like shape, whereas cobblestone-like shape and agglomerated irregular polyhedron morphology particles were obtained when Ca<sup>2+</sup> or Li<sup>+</sup> ions were doped, while chips-like shape was basically remained when Gd<sup>3+</sup> doped. From the local point of view, Fig. 2a shows that agglomeration chips-like nanoparticles with diameter of about 140-400 nm and length of about 750-1770 nm were obtained in the ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>. As shown in Fig. 2b, when Gd<sup>3+</sup> was further doped into the ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> sample, the morphology did not change greatly, remained the chips-like shape except the size were enlarged of diameter ranging from 344 nm to 707 nm and length 1134-1879 nm, due to the radius of  $Gd^{3+}$  is similar with that of  $Sc^{3+}$ . In sharp contrast, when the smallest metal ions Li<sup>+</sup> doped into the lattice, the SEM image (Fig. 2c) display an irregular stone-like with corner angle



Fig. 2 SEM of (a) optically-inert ions free, (b)  $Gd^{3+}$ , (c)  $Li^+$ , (d)  $Ca^{2+}$ , (e)  $Li^+/Gd^{3+}$ , (f)  $Ca^{2+}/Gd^{3+}$ , (g)  $Li^+/Ca^{2+}$ , (h)  $Li^+/Ca^{2+}/Gd^{3+}$  co-doped  $ScVO_4$ :10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>.

appearance, and the surface just looks completely smooth and integrated. If Ca<sup>2+</sup> was introduced into the ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2% Er<sup>3+</sup> system, the resulting nanoparticles appear nearly smooth and much more uniform cobblestone in shape. Whereas, as shown in Fig. 2e-g, if doping combination two kinds of Li<sup>+</sup>, Ca<sup>2+</sup> or  $Gd^{3+}$  into ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>, it is worth noting that the surface just looks coarse and imperfect, and the size are not uniform, ranging from 200-1000 nm. Especially for Li<sup>+</sup>/Ca<sup>2+</sup>/ Gd<sup>3+</sup> tri-doped into ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>, as displayed in Fig. 2h, both diameter and length decreased more quickly, resulting in small agglomerated nanoparticles with size of 200-500 nm. These results obviously indicate that the optically-inert ions doping indeed alters the particle growth process. To express the changeable morphology and size with different optical-inert ions clearly, the detailed size and shape of all these samples were listed in Table 1.

#### 3.3 UC photoluminescence properties

3.3.1 Comparison of UC luminescence of different concentrations of alkali metal ions single doped  $ScVO_4$ :10%  $Yb^{3+}/2\%Er^{3+}$ . Since the optical properties of UCPs are determined predominantly by the combination and concentrations of the dopants, the  $10\%Yb^{3+}/2\%Er^{3+}$ -doped  $ScVO_4$  sample was chosen to test the effect of Li<sup>+</sup> doping which is the smallest alkali metal ion, because the  $10\%Yb^{3+}/2\%Er^{3+}$  doping in this material showed the best results (see reference). The XRD

 Table 1
 Summary of the corresponding morphologies and dimensions of samples with different optically-inert ions

| Optically-inert ions                                | Morphology      | Size (nm)                               |
|---|-----------------|---|
| No  | Chips-like      | Length: 750–1770;<br>diameter: 140–440  |
| $Li^+$  | Smooth stone    | 971-1208                                |
| Ca <sup>2+</sup>                                    | Cobblestone     | 176-317                                 |
| Gd <sup>3+</sup>                                    | Chips-like      | Length: 1134–1879;<br>diameter: 344–707 |
| Li <sup>+</sup> /Ca <sup>2+</sup>                   | Smooth stone    | 400-800                                 |
| Li <sup>+</sup> /Gd <sup>3+</sup>                   | Stone fragments | 400-1400                                |
| $Ca^{2+}/Gd^{3+}$                                   | Smooth stone    | 200-600                                 |
| Li <sup>+</sup> /Ca <sup>2+</sup> /Gd <sup>3+</sup> | Rough stone     | 200-500                                 |

patterns of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> phosphors doped with 0-10 mol% of  $Li^+$  are shown in Fig. 3a. All the diffraction peaks can be well indexed to the tetragonal phase ScVO<sub>4</sub> (JCPDS No. 06-0260). All samples were well crystalline and no other impurity phase appeared with increasing Li<sup>+</sup> doping concentration even reach 10 mol%. Under excitation of a 980 nm diode laser, the UC emission spectra of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> phosphors doped with 1, 3, 5, 7 and 10 mol% Li<sup>+</sup> ions, have been measured, as displayed in Fig. 3b. Two strong primary bands at about 522 and 554 nm are assigned to the  ${}^{2}H_{11/2} \rightarrow {}^{4}I_{15/2}$  and  ${}^{4}S_{3/2} \rightarrow {}^{4}I_{15/2}$ transitions of the Er<sup>3+</sup> ions, respectively. A weak band at about 671 nm is ascribed to the  ${}^{4}F_{9/2} \rightarrow {}^{4}I_{15/2}$  transition of  $Er^{3+}$  ions. The intensities of both green and red emissions improved with the increase of Li<sup>+</sup> doping concentration from 0 to 5 mol%, and subsequently decreased with further increase of Li<sup>+</sup> concentration from 5 to 10 mol%. Especially, much higher concentration of Li<sup>+</sup> dopant, such as 10%, can further improve the UC emission of Er<sup>3+</sup> but relatively slightly. Moreover, the emission intensity of the strongest sample is about 6.1 times as high as that of the Li<sup>+</sup> free sample.

As well as Li<sup>+</sup>, other alkali metal ions like Na<sup>+</sup> or K<sup>+</sup> might possibly influence the final crystal structure and UC luminescence, so Li<sup>+</sup>, Na<sup>+</sup> or K<sup>+</sup> with the same doping concentration 5 mol% were studied and compared in a similar way. The XRD patterns of different alkali metal ions doped ScVO4:10%Yb3+/ 2%Er<sup>3+</sup> are presented in supporting Fig. S1a.<sup>†</sup> All of the XRD patterns could clearly be indexed to the pure tetragonal phase of ScVO<sub>4</sub> (JCPDS No. 06-0260), and no trace of other phases or impurities were observed, indicating all the optical-inert ions and Yb<sup>3+</sup>/Er<sup>3+</sup> ions are incorporated into the ScVO<sub>4</sub> host matrix and formed a solid solution structure. The UC luminescent performance of alkali metal ions doping ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2% Er<sup>3+</sup> was studied, as exhibited in Fig. S1b.<sup>†</sup> Obviously, addition of alkali metal ions significantly intensified the UC emission intensities of all the two emission bands and the trend of increment is the same for the two emission bands as:  $Li^+ > Na^+ >$  $K^+$  > No alkali metal ions. It is also observed that all the UC bands are splitted into several Stark components. The UC luminescence splitting from  ${}^{4}S_{3/2} \rightarrow {}^{4}I_{15/2}$  and  ${}^{2}H_{11/2} \rightarrow {}^{4}I_{15/2}$ transitions of Er<sup>3+</sup> was observed results from the coordination field effect of host matrices. Similar phenomenon were also observed in previous reports.45



Fig. 3 XRD patterns (a), UC emission spectra (b) of Li<sup>+</sup> (1–10 mol%) doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> samples.

3.3.2 Comparison of UC luminescence of different concentrations of alkaline earth metal ions single doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>. Similarly with 3.3.1, in order to determine the optimal doping concentrations, UC luminescence intensity of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> doped with different concentrations of Ca<sup>2+</sup> from 1 mol% to 10 mol% was investigated. The XRD patterns of the as-prepared ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%  $\operatorname{Er}^{3+}/x\%\operatorname{Ca}^{2+}(x=0-10)$  are shown in Fig. 4a, according with that of JCPDS No. 06-0260, indicating that these samples are of single phase. Under 980 nm laser excitation, all the ScVO<sub>4</sub>:10%  $Yb^{3+}/2\%Er^{3+}/x\%Ca^{2+}$  (x = 0-10) samples emit green light, as shown in Fig. 4b. The emission bands at 522, 554 and 671 nm are ascribed to the transitions of  ${}^{2}H_{11/2} \rightarrow {}^{4}I_{15/2}$ ,  ${}^{4}S_{3/2} \rightarrow {}^{4}I_{15/2}$ and  ${}^{4}F_{9/2} \rightarrow {}^{4}I_{15/2}$ , respectively. Their emission intensity is affected by the Ca2+ concentrations. At the optimal Ca2+ concentration of 1 mol%, the emission intensity at 554 nm increases 3.7 times.

Similarly, other alkaline earth metal ions  $(Mg^{2+}, Sr^{2+} \text{ or } Ba^{2+})$  with doping concentration 1 mol% were also studied to investigate their influence on the final crystal structure and UCL properties. Fig. S2a† depicts XRD patterns of the ScVO<sub>4</sub>:10% Yb<sup>3+</sup>/2%Er<sup>3+</sup> doped with alkaline earth metal ions  $(Mg^{2+}, Sr^{2+} \text{ or } Ba^{2+})$ , all the diffraction peaks of samples still correspond to the





Fig. 4 XRD patterns (a), UC emission spectra (b) of  $Ca^{2+}$  (1–10 mol%) doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> samples.

tetragonal structure (JCPDS No. 06-0260) and no other impurity phase was detected. The normalized UC emission spectra of calcined ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> doped with alkaline earth metal ions (Mg<sup>2+</sup>, Ca<sup>2+</sup>, Sr<sup>2+</sup> or Ba<sup>2+</sup>) are shown in Fig. S2b.† Obviously, addition of alkaline earth metal ions enhanced the UC emission intensities and the trend of increment is as: Sr<sup>2+</sup> > Ca<sup>2+</sup> > Mg<sup>2+</sup> > Ba<sup>2+</sup> > No alkaline earth metal ions. Doping with alkaline earth metal ions (Mg<sup>2+</sup>, Ca<sup>2+</sup>, Sr<sup>2+</sup> or Ba<sup>2+</sup>) intensified the UC emission by almost 2.5, 3.7, 4.7 and 2.3 fold to that of optically inert ions-absent sample, respectively.

**3.3.3 Comparison of UC luminescence of different concentrations of inactive Ln<sup>3+</sup> single doped ScVO<sub>4</sub>:10%Yb<sup>3+/</sup> 2%Er<sup>3+</sup>.** Considering the Gd<sup>3+</sup> ion has similar properties with Sc<sup>3+</sup>, a large range of 0–100 mol% Gd<sup>3+</sup> ions were single-doped into the ScVO<sub>4</sub>:10%Yb<sup>3+/</sup>2%Er<sup>3+</sup> sample. The XRD patterns of ScVO<sub>4</sub>:10%Yb<sup>3+/</sup>2%Er<sup>3+</sup>/x%Gd<sup>3+</sup> ( $0 \le x \le 100$ ) are shown in Fig. 5a. Compared with the standard patterns of ScVO<sub>4</sub> and GdVO<sub>4</sub>, when the Gd<sup>3+</sup> content is less than or equal to 10 mol%, diffraction peaks of the obtained sample can be well indexed as pure ScVO<sub>4</sub> phase. On doping with increased Gd<sup>3+</sup> concentrations to 30 mol%, GdVO<sub>4</sub> phase started to appear, and the sample composed of two phases, ScVO4: tetragonal phase, and GdVO4: tetragonal phase. When the Gd<sup>3+</sup> content reaches up to



Fig. 5 XRD patterns (a) and UC emission spectra (b) of 0-100% Gd<sup>3+</sup> doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>.

50 mol%, the peaks of ScVO<sub>4</sub> phase fall sharply, and GdVO<sub>4</sub> phase dominate on a large scale. When the Gd<sup>3+</sup> content further increases to 70 mol%, ScVO<sub>4</sub> phase nearly disappears and almost pure GdVO<sub>4</sub> phase can be achieved. Finally, the pure tetragonal phase of GdVO<sub>4</sub> was obtained as the Gd<sup>3+</sup> ion concentration reached up to 100 mol%. In a word, the gradually decrease of diffraction peak intensities of the ScVO<sub>4</sub>-phase is correlated with an increasing Gd<sup>3+</sup> dopant concentration and the rise of the diffraction peak intensity of the GdVO<sub>4</sub> phase.

In order to reveal the concentration-dependent UCL properties and obtain the optimum concentration of Gd<sup>3+</sup> ions doping in host lattice, the Gd<sup>3+</sup> concentration dependent UCL spectra of the ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> samples are shown in Fig. 5b. As can be evidently seen that the doping of  $Gd^{3+}$  ion (even  $Gd^{3+}$  ion concentration reached 100 mol%) cannot change the position of typical emission of Er<sup>3+</sup>. The UC emission intensity enhanced with rising Gd<sup>3+</sup> doping content from 0 to 30 mol%, and then started to weaken when the Gd<sup>3+</sup> concentration exceeds 30 mol%. The UC emission intensities at 554 nm in ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> nanocrystals doped with 30 mol% Gd<sup>3+</sup> are about 3.2 times than that of Gd<sup>3+</sup>-absent sample. The red emission intensity has a little change after Gd<sup>3+</sup> introducing. In stark contrast, the UC luminescence intensity of GdVO4:10%Yb3+/2%Er3+ (Gd3+ content reaches up to 100 mol%) is 1.2 times lower than that of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> (Gd<sup>3+</sup> concentration 0 mol%), indicating that ScVO<sub>4</sub> is more suitable as UCL host than GdVO<sub>4</sub>.

From the analysis above, when the Gd<sup>3+</sup> content is less than or equal to 10 mol%, all the X-ray diffraction peaks of the sample can be well indexed as pure ScVO<sub>4</sub> phase. Therefore, the 10 mol% doping content of Y3+, Lu3+ was chosen for the following investigations. Firstly, XRD patterns of these samples are shown in Fig. S3.† All the diffraction peaks can be indexed to those of the tetragonal phase ScVO<sub>4</sub> (JCPDS card No. 06-0260). Influences of non-luminescent Y<sup>3+</sup>, Gd<sup>3+</sup> or Lu<sup>3+</sup> dopant on the UCL properties of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> phosphors were compared and studied, as shown in Fig. S3b.† Obviously, addition of Y<sup>3+</sup>/Gd<sup>3+</sup>/Lu<sup>3+</sup> significantly intensified the UC emission at the green as well as red region and the order of increment was  $Lu^{3+} > Gd^{3+} > Y^{3+} >$  inactive ions free. It is worthwhile pointing out that substitution of 10 mol% Lu3+ intensified the UC emission by almost 3.4 fold than that of nonactive RE ions free-sample.

Fig. 6 summaries the UCL intensity of  $ScVO_4:10\%Yb^{3+}/2\%$  $Er^{3+}$  with various optical-inert ions single substitution. It can be seen clearly that optical-inert ions doping enhanced the UCL intensity in different degree. Among them, 5 mol% Li<sup>+</sup> doping shows the biggest enhancement, by almost 6.1-fold compared to that of  $ScVO_4:10\%Yb^{3+}/2\%Er^{3+}$ 

3.3.4 Comparison of UC luminescence of different concentrations of  $\text{Li}^+$ ,  $\text{Ca}^{2+}$ ,  $\text{Gd}^{3+}$  co- or tri-doped ScVO<sub>4</sub>:10% Yb<sup>3+</sup>/2%Er<sup>3+</sup>. From the Section of 3.3.1, 3.3.2 and 3.3.3, it is found that UC luminescence could be enhanced through single doping Li<sup>+</sup>, Ca<sup>2+</sup> or Gd<sup>3+</sup>, respectively. In this section, in order to accurately compare the UCL intensity and reveal synergistic effect of Li<sup>+</sup>/Ca<sup>2+</sup>/Gd<sup>3+</sup>, the UCL properties was investigated for the three optimal samples under the same condition. Fig. 7 shows the UC emission spectra of a series of Li<sup>+</sup>, Ca<sup>2+</sup>, Gd<sup>3+</sup> with optimal concentration co- or tri-doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>.

No matter in which kind of doping way, the UC emission peak positions remain unaltered, while the UCL intensity varied differently. Among these samples, the  $\text{Li}^+/\text{Gd}^{3+}$  codoped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> phosphor has the highest emission intensity, and the intensity of UC luminescence enhanced by



Fig. 6 The enhanced factor of UCL intensity of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2% Er<sup>3+</sup> doped with various optical-inert ions (Li<sup>+</sup>, Na<sup>+</sup>, K<sup>+</sup>, Mg<sup>2+</sup>, Ca<sup>2+</sup>, Sr<sup>2+</sup>, Ba<sup>2+</sup>, Y<sup>3+</sup>, Gd<sup>3+</sup> or Lu<sup>3+</sup>).



Fig. 7 UC emission spectra of Li<sup>+</sup>, Ca<sup>2+</sup>, Gd<sup>3+</sup> single-, co- or tri-doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>

a factor of 15.3 compared to the optical-inert ions free sample, and the codoping of Ca<sup>2+</sup>/Gd<sup>3+</sup> ions followed. That is to say the combination of Li<sup>+</sup>/Gd<sup>3+</sup> or Ca<sup>2+</sup>/Gd<sup>3+</sup> present more excellent UCL intensity than that of corresponding optical-inert ions single doped or free samples. While, the combination of Li<sup>+</sup>/ Ca<sup>2+</sup>/Gd<sup>3+</sup> or Li<sup>+</sup>/Ca<sup>2+</sup> weakened the UCL intensity compared to that of the Li<sup>+</sup> or Ca<sup>2+</sup> single doped samples, respectively.

Fig. 8 shows the emission colors of optical-inert ions doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> samples under excitation at 980 nm. The apparent color difference in the digital images (collected using a Canon Power Shot G7) also show that optical-inert ions doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> samples has bright green emission under NIR laser excitation. Furthermore, the green light spot is biggest in the Li<sup>+</sup>/Gd<sup>3+</sup> codoped system, and smallest in  $ScVO_4:10\%Yb^{3+}/2\%Er^{3+}$  samples, which is agree well with the measured spectra results.

#### 3.4 Reasons for UC emission intensity enhanced by nonoptical ions doping

To reveal the reasons for UC emission intensity enhancing trend in our system as follows: 5%Li<sup>+</sup> > 1%Ca<sup>2+</sup> > 10%Gd<sup>3+</sup> > optical-

inert ions free sample, XRD Rietveld refinement, SEM, XPS etc. were employed for the crystal structure analysis and luminescence performance investigation.

Generally, the factors affecting luminescence intensity are various and complex, including its crystal structure, shape, size, phonon modes, etc.<sup>1,14</sup> In our work, it can be seen above that phase of all prepared samples is the same with the standard pattern of ScVO4 (JCPDS Card, File No. 06-0260), indicating that those optical-inert ions get incorporated into the ScVO<sub>4</sub> matrix without phase separation, so the benefit of phase effect on the luminescence augmentation can be excluded. However, doping those optical-inert ions leads to the change of lattice cell. From the enlarged spectra which are dominated by the shifting of main diffraction peaks (220) of tetragonal phase ScVO<sub>4</sub> as shown in Fig. 1b and c, we can see that the peak shifts changed as the different optical-inert ions doping. To see how crystal structure quantitatively evolves along with the addition of optical-inert ions (Li<sup>+</sup>, Ca<sup>2+</sup> or Gd<sup>3+</sup>), these raw data of XRD were analyzed by Rietveld refinement method.<sup>46-49</sup> Fig. 9 shows the Rietveld analysis pattern of ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> sample and Li<sup>+</sup>, Ca<sup>2+</sup> or Gd<sup>3+</sup> single doped ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> samples, in which the black crosses, red solid lines, green solid lines, blue lines and magenta bars characterized experimental patterns, calculated patterns, background patterns, differences and Bragg position, respectively. The deviation between the calculated and experimental results are expressed by blue lines, which are shown between the background line and the Bragg reflection line. The refinement results and the main refinement parameters are shown in Table 2 and Table 3. Profile factor  $R_p$  lies between 8.24% to 9.91%, weighted profile factor  $R_{wp}$  is 6.79-8.03%.

These results indicate that the crystal structure data of these samples by Rietveld structural refinement are well matched with experimental data. Due to similarity between refined patterns, we list the refined profile of the sample of ScVO<sub>4</sub>:Yb<sup>3+</sup>/  ${\rm Er}^{3+}$  as an example. For ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup>,  $R_{\rm p} = 9.89\%$ ,  $R_{\rm wp} =$ 7.97%. The refinement results indicate that ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup>



Fig. 8 Emission color of (a) ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>, (b) Gd<sup>3+</sup>, (c) Li<sup>+</sup>, (d)  $Ca^{2+}$ , (e)  $Li^+/Gd^{3+}$ , (f)  $Ca^{2+}/Gd^{3+}$ , (g)  $Li^+/Ca^{2+}$  and (h)  $Li^+/Ca^{2+}/Gd^{3+}$ doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>



Fig. 9 The Rietveld analysis pattern of (a)  $ScVO_4:10\%Yb^{3+}/2\%Er^{3+}$ , (b) Li<sup>+</sup>, (c) Ca<sup>2+</sup>, (d) Gd<sup>3+</sup> doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>.

| Table 2 | Crystallographic | data of Li <sup>+</sup> , Ca | a <sup>2+</sup> , or Gd <sup>3+</sup> | i doped ScVO <sub>4</sub> :Yb <sup>3+</sup> / | Er <sup>3+</sup> | samples derived from Ri | ietveld refinement of X-ray diffra | ction |
|---------|------------------|------------------------------|---------------------------------------|---|------------------|-------------------------|------------------------------------|-------|
|---------|------------------|------------------------------|---------------------------------------|---|------------------|-------------------------|------------------------------------|-------|

| Bond lengths and angles          | No                         | $Li^+$                     | Ca <sup>2+</sup>           | Gd <sup>3+</sup>           |
|----------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Crystal system                   | Tetragonal                 | Tetragonal                 | Tetragonal                 | Tetragonal                 |
| Space group                      | I4 <sub>1</sub> /amd       | I4 <sub>1</sub> /amd       | I4 <sub>1</sub> /amd       | I4 <sub>1</sub> /amd       |
| Ζ                                | 4                          | 4                          | 4                          | 4                          |
| Cell parameters/Å                | a = b = 6.8289, c = 6.1709 | a = b = 6.8375, c = 6.1705 | a = b = 6.8454, c = 6.1728 | a = b = 6.8148, c = 6.1597 |
| Cell volume/Å <sup>3</sup>       | 287.77                     | 288.48                     | 289.25                     | 286.07                     |
| Profile factor $R_{\rm p}$       | 9.89%                      | 8.24%                      | 9.91%                      | 9.77%                      |
| Weighted profile factor $R_{wp}$ | 7.97%                      | 6.79%                      | 7.77%                      | 8.03%                      |

Table 3 Selected bond lengths and angles of  $Li^+$ ,  $Ca^{2+}$ , or  $Gd^{3+}$  doped  $ScVO_4$ : Yb<sup>3+</sup>/Er<sup>3+</sup> samples based on Rietveld refinement of X-ray diffraction

| Bond lengths and | No                 | $\mathrm{Li}^+$      | Ca <sup>2+</sup>   | Gd <sup>3+</sup> |
|------------------|--------------------|----------------------|--------------------|------------------|
| angles<br>Sc1–O1 | 2.377(8) Å         | 2.408(4) Å           | 2.376(16) Å        | 2.365(5) Å       |
| Sc1-O2           | 2.129(11) Å        | 2.116(6) Å           | 2.134(21) Å        | 2.139(7) Å       |
| Sc1–O–Sc1′       | $112.4(5)^{\circ}$ | $111.83(29)^{\circ}$ | $112.2(7)^{\circ}$ | 112.16(33)°      |

and Li<sup>+</sup>, Ca<sup>2+</sup> or Gd<sup>3+</sup> single doped ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> phosphors belong to tetragonal phase, and its space group is I41/amd with Z = 4. The refined unit cell parameters are a = b = 6.8289 Å, c =6.1709 Å and cell volume V = 287.77 Å<sup>3</sup> for ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> sample. For Li<sup>+</sup>, Ca<sup>2+</sup> or Gd<sup>3+</sup> single doped ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> samples, the unit cell parameters are a = b = 6.8375 Å, c =6.1705 Å, cell volume V = 288.48 Å<sup>3</sup>; a = b = 6.8454 Å, c = 6.1728Å, cell volume  $V = 289.25 \text{ Å}^3$  and a = b = 6.8148 Å, c = 6.1597 Å, cell volume  $V = 286.07 \text{ Å}^3$ , respectively. Obviously, the trend of increment for the cell volume V as:  $Ca^{2+} > Li^+ > No$  optical-inert ions > Gd<sup>3+</sup>. The emergence of the result may be caused by that these optical-inert ions can be doped into the host lattice through the substitution or occupation of the interstitial. As shown in Fig. 10, for tetragonal phase  $ScVO_4$ , each  $Sc^{3+}$  ion is eight-coordinated by O atoms. In 10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>-doped ScVO<sub>4</sub> sample, the two kinds of Sc-O bond lengths are 2.377(8) and 2.129(11) Å, respectively. The angles of Sc-O-Sc is 112.4(5)°. The corresponding bond lengths and bond angles of Li<sup>+</sup>, Ca<sup>2+</sup> or Gd<sup>3+</sup> single doped ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> samples are deposited in Table 2. Compared with the ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> sample, the decreased Sc-O average bond length will change the surrounding environment of Yb<sup>3+</sup> and Er<sup>3+</sup> and break the local crystal field symmetry around the Er<sup>3+</sup> ions, leading to a low symmetric site of the Er<sup>3+</sup> ions, which can make an enhancement in UC efficiency. It is worthwhile pointing out that Sc-O average bond length of Li<sup>+</sup> doping sample changed the most, in accordance with the UCL intensity of this sample is the highest.

Besides, it is considered that the larger size and more regular morphology has higher UCL intensity, while it is noticed from the Table 1 that the size are not consistant with the UC luminescence intensity perfectly, thus, the benefit of the crystalline size effect on the luminescence enhancement is not an important factor. Thus, the enhancement mechanisms of optical-inert ions should be searched from other directions.

On one hand, to investigate chemical composition of the material surface, a well-known, extensively used X-ray photon spectroscopy (XPS) technique was used.<sup>50–52</sup> Fig. 11a and

b shows the XPS spectra of Sc(2p), V 2p3/2 and V 2p1/2 regions (between 455–467 eV) for ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> sample and Li<sup>+</sup>, Ca<sup>2+</sup>, Gd<sup>3+</sup> single doped ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> samples. These results confirm the +3 oxidation state of Sc and V in its +5 oxidation state.<sup>51,53</sup> Moreover, the XPS spectra of O 1s are used as a probe



Fig. 10 Crystal structure of the tetragonal phase  ${\rm ScVO_4}$  drawn using the Diamond software.

(cc)

#### Paper



Fig. 11 XPS and their peak fitting curves of (a) Sc 2p, (b) V 2p, (c) O 1s, (d) Li 1s, (e) Ca 2p, and (f) Gd 4d of Gd<sup>3+</sup>, Li<sup>+</sup>, Ca<sup>2+</sup> doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2% Er<sup>3+</sup>, respectively.

for investigating the presence of oxygen ion vacancies on the surface of sample. The peaks were de-convoluted using Lorentzian function. In the case of ScVO<sub>4</sub>:Yb<sup>3+</sup>/Er<sup>3+</sup> sample, the two peaks well fitted to BE ~529.57 (P1) and 531.97 eV (P2) with FWHM ~1.08 and 1.32 eV, respectively. Upon optical-inert ions doping, all the peaks showed asymmetric behaviour towards higher BE. Moreover, the decrease extent of the P2/P1 ratio of optical-inert ions doped samples is as follows: 1%Ca<sup>2+</sup> < 5%Li<sup>+</sup> < 10%Gd<sup>3+</sup>, as shown in Fig. 11c. This is probably because of the creation of oxygen ion vacancies and/or surface defects through the sample surface with introduction of optical-inert ions into the host matrix. It can be concluded from the analysis of XPS spectra that the creation of appropriate amounts of oxygen ion vacancies and/or surface defects through the sample surface with the introduction of optical-inert ions into the host matrix, which are beneficial to the stronger UCL. This is because of a lower or optimal proportion of optical-inert ions incorporation into the host lattice, thus inducing a fast ET from the host to the  $\mathrm{Er}^{3+}$  ion. This may create the vacancies that act as the sensitizer, mixing the charge-transfer states. Optical-inert ions addition increased the UCL intensity by increasing the radiative transition probability. However, an increase in the optical-inert ions concentration or type over a certain limit (such as 10%Gd<sup>3+</sup> in this work) generates a significant amount of oxygen ion vacancies in the lattice. Consequently, the crystal lattice collapses, and the luminescence intensity decreases. Therefore, the brightness increases with oxygen ion vacancies concentration to certain extent, if above this point, the luminescence begins to decrease, then quenching behavior appears as a result.

Based on the experiment results described above, in  $ScVO_4$  phosphor, it can be concluded that optical-inert ions doping induced change of local symmetry and oxygen vacancy generated should be the main reason that is responsible for UC emission enhancement. In addition, morphology and size of

the obtained samples also contributes to the enhanced UC emission. In order to interpret the effects of these optical-inert ions doping on the UCL process, the dependence of emission intensity on the pump power for the red, green emission was measured, in order to better verify the role of the optical-inert ions played in the energy transfer of UC emissions. As a commonly used method, the relationship between integrated emission intensity I and excitation power *P*,  $I_{em} = P^n$  is often used to provide the information of *n* photons involved in the UC process.<sup>14</sup> For comparison, the power dependence of S0–S4 samples are shown in Fig. 12. Considering the energy transfer UC process, the population of emissive levels will be greatly influenced by the energy transfer process showing a changeable *n* value. It is demonstrated whether in ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> (S0) or optical-inert ions doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> (S1–S4),



Fig. 12 Pump power dependence of the fluorescent bands centered at 523 nm, 554 nm and 659 nm in (a)  $Gd^{3+}/Ca^{2+}$ , (b)  $Li^+$ , (c)  $Gd^{3+}$ , (d)  $Ca^{2+}$ , (e) without co-doped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>.

#### **RSC Advances**

the slop value *n* are all approximate to 2 both for the green and red. As the slope denotes the number of NIR photons absorbed to generate one frequency upconverted photon under unsaturated conditions, the green and red emissions are two-photon processes both in the UCPs doping optical-inert ions or not. The UC mechanism of this system is similar to our previous work.<sup>40</sup>

#### 3.5 Temperature sensing properties $ScVO_4$ :10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> and 5%Li<sup>+</sup>/10%Gd<sup>3+</sup> codoped $ScVO_4$ :10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>

It is also interesting to find that ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> microparticles have optical-thermal sensing performance. To investigate influences of optical-inert ions on the temperaturesensing behaviour of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>, 5%Li<sup>+</sup>/10%Gd<sup>3+</sup> codoped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> with the highest UC luminescence intensity was chosen as a representative. It is well known that the <sup>2</sup>H<sub>11/2</sub> and <sup>4</sup>S<sub>3/2</sub> levels of the Er<sup>3+</sup> ion are thermally coupled, leading to the change of the transitions of <sup>2</sup>H<sub>11/2</sub>  $\rightarrow$  <sup>4</sup>I<sub>15/2</sub> (522 nm) and <sup>4</sup>S<sub>3/2</sub>  $\rightarrow$  <sup>4</sup>I<sub>15/2</sub> (554 nm) of Er<sup>3+</sup> at different temperatures.<sup>54-57</sup> According to Boltzmann distribution theory, the emission intensity ratio (*R*) of the 522 nm and 554 nm transitions can be written as follows:<sup>43</sup>

$$R = \frac{I_{522}}{I_{554}} = B \exp\left(-\frac{\Delta E}{kT}\right) \tag{1}$$

where  $I_{522}$  and  $I_{554}$  are the intensities corresponding to the  ${}^{2}\text{H}_{11/2} \rightarrow {}^{4}\text{I}_{15/2}$  (522 nm) and  ${}^{4}\text{S}_{3/2} \rightarrow {}^{4}\text{I}_{15/2}$  (554 nm) transitions, respectively, *B* is the pre-exponential constant,  $\Delta E$  is the energy gap between the  ${}^{2}\text{H}_{11/2}$  and  ${}^{4}\text{S}_{3/2}$  levels, *k* is Boltzmann's constant and *T* is absolute temperature. Eqn (1) can be also converted in the form of a linear equation as:

$$\operatorname{Ln}(R) = -\frac{\Delta E}{kT} + \operatorname{Ln}(B)$$
(2)

The UC emission spectra at various temperatures and curves of the emission intensity ratio (*R*) *versus* temperature (*T/K*) for ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> and ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>/5%Li<sup>+</sup>/ 10%Gd<sup>3+</sup> are presented in Fig. 13a and b, respectively. The intensity of the UC emission bands around 522 nm and 554 nm seemed to drastically vary with increasing temperature of the sample. The plots of Ln(*R*) *versus* 1/*T* are exhibited in Fig. 13c and d, the slope  $(-\Delta E/k)$  is a very important parameter to judge the optical temperature sensing ability of Er<sup>3+</sup> doped materials, and the linear fitting of the experimental data gave slope and intercept equal to  $-655.15 \pm 16.22$  and  $-511.12 \pm 38.57$  for both of these two samples, respectively. Besides, the sensor sensitivity is another important coefficient of a sensing material. The sensor sensitivity (*S*) can be defined as

$$S = \frac{\mathrm{d}R}{\mathrm{d}T} = R\left(\frac{\Delta E}{kT}\right) = B\left(\frac{\Delta E}{kT^2}\right) \exp\left(-\frac{\Delta E}{kT}\right) \tag{3}$$

Actually, with increasing temperature, the absolute sensitivity for both two samples first increases, then reach a certain temperature it starts decreasing (Fig. 14). It is noteworthy that the sensitivity increases dramatically in the ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%



**Fig. 13** Green UC emission spectra of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> (a) and ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>/5%Li<sup>+</sup>/10%Gd<sup>3+</sup> (b) phosphors on increasing temperatures and the variation of emission intensity ratio (*R*) as function of absolute temperature (inset). (c, d) Monolog plots of *R* as a function of inverse absolute temperature for these two samples, fitted by eqn (2).



Fig. 14 Relative sensitivity of the as-prepared ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> and 5%Li<sup>+</sup>/10%Gd<sup>3+</sup> codoped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> samples for optical thermometry as a function of temperature, fitted by eqn (3).

 $\rm Er^{3^+/5\%Li^+/10\%Gd^{3+}$  sample compared to the Li<sup>+</sup>/Gd^{3+} free sample. At the temperature of 260 K, the sensitivity of ScVO\_4:10%Yb^{3^+/2\%Er^{3+}/5\%Li^+/10\%Gd^{3+}} reached its maximum value of about 0.0092 K^{-1}, while the maximum sensitivity of ScVO\_4:10%Yb^{3^+/2\%Er^{3+}} only 0.0073 K^{-1} at 330 K. The results indicated that the multifunctional optical-inert ions Li<sup>+</sup>/Gd^{3+} could be used not only to enhance the temperature sensor sensitivity but also the UCL intensity.

## 4. Conclusions

To sum up, this study reveals that the influences of different optical-inert metal ions including alkali metal, alkaline earth metal as well as inactive  $Ln^{3+}$  ions were discussed by varying the doping content and the combination way. Successful

8

Paper

This article is licensed under a Creative Commons Attribution-NonCommercial 3.0 Unported Licence.

Open Access Article. Published on 03 November 2017. Downloaded on 7/25/2025 1:32:29 AM

incorporation of optical inert ions into ScVO<sub>4</sub> lattices was supported by XRD and XPS. Under a 980 nm laser diode excitation, for optical-inert metal ions single doping system, 5% Li<sup>+</sup> is demonstrated as the most effective dopant to enhance the UCL intensity as high as 6.1 times among Li<sup>+</sup>/Na<sup>+</sup>/K<sup>+</sup>/Mg<sup>2+</sup>/Ca<sup>2+</sup>/Sr<sup>2+</sup>/ Ba<sup>2+</sup>/Y<sup>3+</sup>/Gd<sup>3+</sup>/Lu<sup>3+</sup>. For codoping or tridoping optical-inert metal ions system, it is found that Li<sup>+</sup>/Gd<sup>3+</sup> couple is the most effective codopant, leading to an drastic increase by a factor of 15.3 compared to optical-inert metal ions free sample. In addition, the color coordinates of all samples are located in the green region. The UC luminescence enhancement after codoping optical-inert ions were ascribed to the interaction of a variety of factors, such as larger size, oxygen vacancy, crystal environment distortation. Furthermore, temperature-sensing performance was also investigated using the fluorescence intensity ratio technique. For ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup>, the maximum sensitivity was found to be 0.0073  $K^{-1}$  at 330 K. Surprisingly, 5%Li<sup>+</sup>/10%Gd<sup>3+</sup> codoped ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> with the highest UC luminescence intensity was as a temperature sensor with maximum sensitivity of 0.0092  $K^{-1}$  at 260 K. The investigation results establish the understanding of opticalinert metal ions as dopants for adjusting UCL performance and may be helpful for researchers to develop quick responsive UCL materials. This opens a new window for studying the cooperation of the optically inert ions doping effect on improving UC luminescence and temperature sensitivity properties of ScVO<sub>4</sub>:10%Yb<sup>3+</sup>/2%Er<sup>3+</sup> phosphors.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

The authors gratefully acknowledge China Postdoctoral Science Foundation (2016M592308), Chinese Academy of Sciences (Grants XDA09030203), the NSFH (142300410223), and Student Innovation and Entrepreneur ship Program of Zhengzhou University (SIEP, 2015xjxm180) for their financial support.

## References

- 1 J. Zhou, Q. Liu, W. Feng, Y. Sun and F. Y. Li, *Chem. Rev.*, 2015, **115**, 395–465.
- 2 H. H. Fang, J. Yang, J. Feng, T. Tamao, S. Hotta and H. B. Sun, *Laser Photonics Rev.*, 2014, **8**, 687–715.
- 3 F. Wang and X. G. Liu, Chem. Soc. Rev., 2009, 38, 976–989.
- 4 L. L. Han, Y. H. Wang, L. N. Guo, L. Zhao and Y. Tao, *Nanoscale*, 2014, 6, 5907–5917.
- 5 H. R. Yang, C. M. Han, X. J. Zhu, Y. Liu, K. Y. Zhang, S. J. Liu, Q. Zhao, F. Y. Li and W. Huang, *Adv. Funct. Mater.*, 2016, 26, 1945–1953.
- 6 Y. Liu, Q. Q. Su, M. Chen, Y. Dong, Y. B. Shi, W. Feng,
   Z. Y. Wu and F. Y. Li, *Adv. Mater.*, 2016, 28, 6625–6630.
- 7 W. B. Hu, X. M. Lu, R. C. Jiang, Q. L. Fan, H. Zhao,
   W. X. Deng, L. Zhang, L. Huang and W. Huang, *Chem. Commun.*, 2013, 49, 9012–9014.

- 8 S. H. C. Askes, W. Pomp, S. L. Hopkins, A. Kros, S. Wu, T. Schmidt and S. Bonnet, *Small*, 2016, **12**, 5579–5590.
- 9 G. Y. Chen, H. L. Qiu, P. N. Prasad and X. Y. Chen, *Chem. Rev.*, 2014, **114**, 5161–5214.
- 10 H. Dong, S. R. Du, X. Y. Zheng, G. M. Lyu, L. D. Sun, L. D. Li, P. Z. Zhang, C. Zhang and C. H. Yan, *Chem. Rev.*, 2015, **115**, 10725–10815.
- 11 W. Yu, W. Xu, H. W. Song and S. Zhang, *Dalton Trans.*, 2014, 43, 6139–6147.
- 12 Y. Tian, B. N. Tian, C. E. Cui, P. Huang, L. Wang and B. J. Chen, *RSC Adv.*, 2015, 5, 14123–14128.
- 13 Y. Y. Tian, Y. Tian, P. Huang, L. Wang, Q. F. Shi and C. E. Cui, *Chem. Eng. J.*, 2016, **297**, 26–34.
- 14 F. Auzel, Chem. Rev., 2004, 104, 139-173.
- 15 J. Y. Liao, Z. W. Yang, H. J. Wu, D. Y. Yan, J. B. Qiu, Z. G. Song, Y. Yang, D. C. Zhou and Z. Y. Yin, *J. Mater. Chem. C*, 2013, 1, 6541–6546.
- 16 B. Shao, Z. W. Yang, Y. D. Wang, J. Li, J. Z. Yang, J. B. Qiu and Z. G. Song, ACS Appl. Mater. Interfaces, 2015, 7, 25211–25218.
- 17 G. Y. Chen, H. C. Liu, H. J. Liang, G. Somesfalean and Z. G. Zhang, J. Phys. Chem. C, 2008, 112, 12030–12036.
- 18 Q. Cheng, J. H. Sui and W. Cai, Nanoscale, 2012, 4, 779-784.
- 19 H. Lin, D. K. Xu, D. D. Teng, S. H. Yang and Y. L. Zhang, New J. Chem., 2015, 39, 2565–2572.
- 20 M. K. Mahata, T. Koppe, T. Mondal, C. Brüsewitz, K. Kumar, V. K. Rai, H. Hofsäss and U. Vetter, *Phys. Chem. Chem. Phys.*, 2015, **17**, 20741–20753.
- 21 Q. M. Huang, J. C. Yu, E. Ma and K. M. Lin, *J. Phys. Chem. C*, 2010, **114**, 4719–4724.
- 22 J. Tang, L. Chen, J. Li, Z. Wang, J. H. Zhang, J. G. Zhang, Y. S. Luo and X. J. Wang, *Nanoscale*, 2015, 7, 14752–14759.
- 23 Q. Sun, H. Zhao, X. Q. Chen, F. P. Wang, W. Cai and Z. H. Jiang, *Mater. Chem. Phys.*, 2010, **123**, 806–810.
- 24 Y. F. Bai, Y. X. Wang, G. Y. Peng, K. Yang, X. R. Zhang and Y. L. Song, *J. Alloys Compd.*, 2009, **478**, 676–678.
- 25 H. N. Luitel, R. Chand, H. Hamajima, Y. R. Gaihre, T. Shingae, T. Yanagita and T. J. Watari, *J. Mater. Chem. B*, 2016, 4, 6192–6199.
- 26 L. N. Guo, Y. H. Wang, Y. Z. Wang, J. Zhang, P. Y. Dong and W. Zeng, *Nanoscale*, 2013, 5, 2491–2504.
- 27 L. Lei, D. Q. Chen, J. Xu, R. Zhang and Y. S. Wang, *Chem.– Asian J.*, 2014, **9**, 728–733.
- 28 V. Singh, V. K. Rai, I. J. Lee, I. Ledoux-Rak, K. Al-Shamery, J. Nordmann and M. Haase, *Appl. Phys. B*, 2012, **106**, 223– 228.
- 29 F. Wang, Y. Han, C. S. Lim, Y. H. Lu, J. Wang, J. Xu, H. Y. Chen, C. Zhang, M. H. Hong and X. G. Liu, *nature*, 2010, 463, 1061.
- 30 G. T. Xiang, J. H. Zhang, Z. D. Hao, X. Zhang, G. H. Pan, Y. S. Luo and H. F. Zhao, *CrystEngComm*, 2015, 17, 3103– 3109.
- 31 H. J. Liang, Y. D. Zheng, G. Y. Chen, L. Wu, Z. G. Zhang and W. W. Cao, *J. Alloys Compd.*, 2011, **509**, 409–413.
- 32 D. G. Li, W. P. Qin, P. Zhang, L. L. Wang, M. Lan and P. B. Shi, *Opt. Mater. Express*, 2017, 7, 329-340.
- 33 L. Mukhopadhyay, V. K. Rai, R. Bokolia and K. Sreenivas, J. Lumin., 2017, 187, 368–377.

- 34 Y. F. Bai, Y. X. Wang, K. Yang, X. R. Zhang, Y. L. Song and C. H. Wang, *Opt. Commun.*, 2008, **281**, 5448–5452.
- 35 Q. Cheng, J. H. Sui and W. Cai, Nanoscale, 2012, 4, 779-784.
- 36 V. Mahalingam, R. Naccache, F. Vetrone and J. A. Capobianco, *Opt. Express*, 2010, **20**, 111–119.
- 37 J. H. Chung, S. Y. Lee, K. B. Shim, S. Y. Kweon, S. C. Ur and
- J. H. Ryu, *Appl. Phys. A*, 2012, **108**, 369–373. 38 X. W. Wang, X. Zhang, Y. B. Wang, H. Y. Li, J. Xi, T. Wei,
- Q. W. Huang, X. J. Xie, L. Huang and W. Huang, *Dalton Trans.*, 2017, **46**, 8968–8974.
- 39 S. S. Du, D. Y. Wang, Q. P. Qiang, X. L. Ma, Z. B. Tang and Y. H. Wang, J. Mater. Chem. C, 2016, 4, 7148–7155.
- 40 C. X. Liang, L. N. Guo, P. Li, T. S. Li, P. L. Chen, M. H. Liu and Y. J. Wu, *J. Alloys Compd.*, 2017, **715**, 37–42.
- 41 S. S. Zhou, K. M. Deng, X. T. Wei, G. C. Jiang, C. K. Duan, Y. H. Chen and M. Yin, *Opt. Commun.*, 2013, **291**, 138–142.
- 42 F. Huang, Y. Gao, J. C. Zhou, J. Xu and Y. S. Wang, J. Alloys Compd., 2015, 639, 325–329.
- 43 M. Xu, D. Q. Chen, P. Huang, Z. Y. Wan, Y. Zhou and Z. G. Ji, *J. Mater. Chem. C*, 2016, 4, 6516–6524.
- 44 I. Hyppänen, N. Perälä, R. Arppe, M. Schäferling and T. Soukka, *ChemPhysChem*, 2017, 18, 692–701.
- 45 A. J. Huang, Z. W. Yang, C. Y. Yu, J. B. Qiu and Z. G. Song, *J. Am. Ceram. Soc.*, 2017, **100**, 4994–4998.
- 46 I. Sosnowska, W. Schäfer, W. Kockelmann, K. H. Andersen and I. O. Troyanchuk, *Appl. Phys. A*, 2002, 74(Suppl. 1), S1040–S1042.

- 47 T. Katsufuji, M. Masaki, A. Machida, M. Moritomo, K. Kato, E. Nishibori, M. Takata, M. Sakata, K. Ohoyama, K. Kitazawa and H. Takagi, *Phys. Rev. B*, 2002, **66**, 134434.
- 48 F. W. Kang, L. J. Li, J. Han, D. Y. Lei and M. Y. Peng, *J. Mater. Chem. C*, 2017, 5, 390–398.
- 49 J. G. Cheng, P. L. Li, Z. J. Wang, Y. S. Sun, Q. Y. Bai, Z. L. Li, M. M. Tian, C. Wang and Z. P. Yang, *J. Mater. Chem. C*, 2017, 5, 127–133.
- 50 B. J. Tan, K. J. Klabunde and P. M. A. Sherwood, J. Am. Chem. Soc., 1991, 113, 855–861.
- 51 G. Silversmit, D. Depla, H. Poelman, G. B. Marin and R. D. Gryse, *J. Electron Spectrosc. Relat. Phenom.*, 2004, 135, 167–175.
- 52 M. C. Biesinger, L. W. M. Lau, A. R. Gerson and R. S. C. Smart, *Appl. Surf. Sci.*, 2010, 257, 887–898.
- 53 B. P. Singh, A. K. Parchur, R. S. Ningthoujam, P. V. Ramakrishna, S. Singh, P. Singh, S. B. Rai and R. Maalej, *Phys. Chem. Chem. Phys.*, 2014, 16, 22665–22676.
- 54 G. Paez and M. Strojnik, Appl. Opt., 2003, 42, 3251-3258.
- 55 S. F. Leon-Luis, U. R. Rodriguez-Mendoza, I. R. Martin, E. Lalla and V. Lavin, *Sens. Actuators, B*, 2013, **176**, 1167– 1175.
- 56 J. S. Liao, L. L. Nie, Q. Wang, S. J. Liu, H. R. Wen and J. P. Wu, *RSC Adv.*, 2016, **6**, 35152–35159.
- 57 S. B. Liu, S. F. Liu, M. Zhou, X. Y. Ye, D. J. Hou and W. X. You, *RSC Adv.*, 2017, 7, 36935–36948.