RSC Advances

PAPER

Cite this: RSC Adv., 2023, 13, 2379

Growth of villi-microstructured bismuth vanadate (Vm-BiVO4) for photocatalytic degradation of crystal violet dye†

Asfa Ilyas, Khezi[na](http://orcid.org/0000-0002-2390-4761) [R](http://orcid.org/0000-0002-2390-4761)afiq[,](http://orcid.org/0000-0003-1072-7070) \mathbb{D}^* Muhammad Zeeshan Abid, \mathbb{D} Abdul Rauf and Ejaz Hussain D^{*}

In this work, villi-microstructured Au-loaded BiVO₄ photocatalysts were successfully synthesized by hydrothermal method. The as-synthesized photocatalysts were characterized by XRD, Raman, UV-Vis-DRS, PL, SEM and EDX techniques. The presence of metallic Au on the surface of Vm-BiVO₄ support boosts the photocatalytic performance to degrade toxic crystal violet dye. The enhanced activities were attributed to the surface plasmon resonance (SPR) of Au which efficiently broadens the visible light response. SPR increases the electron population in Vm -BiVO₄ and forms a Schottky barrier at the interface between Au and Vm-BiVO₄ which enhances the separation efficiency of photoinduced charges. Various factors affecting photocatalytic degradation of crystal violet (CV) were studied to find optimum conditions. In addition, a radical trapping study indicates that O_2^- is the main active species in the degradation process of cationic CV dye. All photocatalytic degradation reactions were monitored by UV-Vis spectrophotometry (PerkinElmer/λ-365). PAPER

(a) Cheek for updates

Consider a signal content in the state of the content in the state of the content in the state of th

Received 7th November 2022 Accepted 26th December 2022

DOI: 10.1039/d2ra07070g

rsc.li/rsc-advances

Introduction

Industrial organic dye contaminants are one of the leading factors that primarily involve water pollution. About 1 to 20% of globally produced dyes are washed out during the dyeing process; they are extremely hazardous, carcinogenic, and nonbiodegradable even below 1 ppm and major culprits of hepatitis, lung cancer, hypertension, diarrhoea, cholera, stomach ulcers, and other water-borne diseases.¹ Crystal violet (CV) is a persistent and widespread dye used in textiles, printers inks, paints as well as a biological stain. The effect of CV on terrestrial and marine life is very toxic due to its prolonged period. It causes tumor formation in fish and is a powerful carcinogen, and mutagen.² Decreasing water resources and declining water quality demand not only the perfect solution but effective green technologies to decontaminate toxic dyes. Semiconductor photocatalysis can be used practically if stability, efficiency, and versatility are improved.³

A great number of efforts have been devoted to engineer lowcost, environment-friendly, reliable and visible light-driven photocatalysts. For this purpose, several transition metal oxides, sulfides, chalcogenides, noble metal composites, nanoclusters, metal and non-metal doped nanostructures were

synthesized. Nevertheless, the abridged separation and swi recombination of photo-induced electrons with holes limit their practical applications.⁴ To acquire the advantage of full solar spectrum, photocatalyst system should work in the visible light range.⁵

Among the visible light active photocatalysts, bismuth vanadate (BiVO₄) is notable on behalf of its inherent polarization properties, ascribed to Bi electron pair availability at $6s²$ energy level which suppresses charge carrier ability to recombine and mobilize them.⁶ Moreover, BiVO₄ is a stable, non-toxic, low-cost and very effective photocatalyst with a suitable band structure. Among the three phases of $BivO₄$, the monoclinic phase has excellent photocatalytic activities and is generally synthesized at controlled temperatures and calibrated conditions because $B\text{i}VO_4$ synthesized at low temperatures leads to the tetragonal phase.⁷ As photocatalytic activities are increased by increasing the active surface area, for this purposes various morphologies have been reported such as flower-like, flake-ball and plate-like.⁸ Nevertheless, various factors like; photoinduced charge recombination rate, inefficient quantum yield and low visible-light response limit the efficiency of bare BiVO₄ to meet up the practical applications.⁹

There are various methods for the synthesis of monoclinic BiVO₄ such as sonochemical method,¹⁰ solid-state reaction,^{11,12} sol gel,¹³ co-precipitation and electro as well as photo deposition process.¹⁴–¹⁸ However, they have various drawbacks such as large crystal sizes, irregular shapes, less surface area and crystallinity defects.¹⁹ In order to overcome aforementioned drawbacks, hydrothermal method is most appropriate because of good

Institute of Chemistry, Inorganic Materials Laboratory 52S, The Islamia University of Bahawalpur, 63100, Pakistan. E-mail: ejaz.hussain@iub.edu.pk; khezina.rafiq@iub. edu.pk; Tel: +92-302-6500254

[†] Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d2ra07070g>

yield, high purity and controlled sizes of particles.²⁰ To further enhance the performance of $BNO₄$, use of noble metals such as Au, Ag, Pt and Pd seems most suitable because of their ability to generate more active sites and high surface plasmon resonance. Out of these remarkable inherent characteristics, these metals effectively involve the charge separation during photocatalytic reactions.²¹ However, advanced research is obligatory to investigate the photocatalytic performances for the degradation of toxic dyes.²²

To acquire the advantage of maximum solar energy, we have synergized the noble metal active centre with the surface plasmon resonance phenomenon. We have already reported that noble metal increases in charge separation via electron promotion.^{23,24} Here, we have in situ synthesized gold-loaded villi-microstructured $BIVO_4$ (Au@Vm-BiVO₄) by the hydrothermal method. Metal (Au) plays a crucial role in increasing the electron population by surface plasmon resonance and contributing to the higher electron density at Vm -BiVO₄ surfaces. In this study, the structural features, optical response and structural morphology of Au@Vm-BiVO₄ are revealed. The photocatalytic performances of Au@Vm-BiVO₄ along with various factors affecting the degradation of CV dye have been demonstrated.

Experimental

Materials

Bismuth nitrate pentahydrate $(Bi(NO₃)₃·5H₂O$, Sigma Aldrich 99%), ammonium metavanadate (NH₄VO_{3,} Sigma Aldrich 99%), chloroauric acid (HAuCl4, Sigma Aldrich 99%), sodium borohydride (NaBH4, Sigma Aldrich 99%) and deionized water (99.99%, PAEC PK) were used for synthesis, without any further purification. Crystal violet dye (C₂₅H₃₀ClN₃, Sigma Aldrich 99%) was used for degradation.

Catalyst preparation

Vm-BiVO4 was synthesized by the hydrothermal method. For the preparation of precursor solutions, a nominal amount of 5 mM of $Bi(NO₃)₃·5H₂O$ was transferred into a 250 mL beaker. 40 mL deionized water was added to it, followed by the addition of 5 mL of nitric acid (2.5 M) to obtain the completely dissolved contents of metal ions. Similarly, 5 mM of $NH₄VO₃$ was dissolved in 40 mL of distilled water in a separate beaker, followed by the addition of a few drops of ammonia solution. After 30 min of stirring, both precursor solutions were mixed and transferred into a 3-neck round-bottom Pyrex flask (250 mL). The mixture was sonicated for 20 min and the suspensions were stirred continuously for 24 hours. After that, this 80 mL suspension was transferred into a 100 mL Teflon lined, stainless steel autoclave reactor. The autoclave reaction temperature was set at 160 °C for 18 h (to grow BiVO₄-villi microstructures). After optimized reaction time, yellow precipitates were filtered out and washed thoroughly with distilled water. After that, the product was dried at 95 °C for 6 h.

To prepare Au@Vm-BiVO₄ photocatalyst, as-synthesized Vm-BiVO4 was used as a precursor support. 200 mg of Vm-BiVO4

powder was transferred into a 3-neck round-bottom flask and 50 mL deionized water was added to prepare homogenous slurry. The slurry was then sonicated for 20 minutes before being stirred for an hour. The optimum amount of HAuCl₄ \sim 377 mg (99.9% Sigma-Aldrich) was added into the above slurry. At this point, the slurry was purged with high-purity argon to remove any remaining dissolved oxygen. The Au metal ions were *in situ* reduced with freshly prepared NaBH₄ solution $(5$ times stronger to Au metal w/w) under vigorous stirring at 12 °C. After 20 min sonication, the metal–support mixture was transferred into a 100 mL autoclave reactor. For the autoclave reaction, the temperature was fixed at 180 \degree C for 6 h. The product was filtered, thoroughly washed with distilled water/absolute ethanol and dried at 90 °C. After drying, the final product was grinded using a mortar and pestle to get a fine powder (Agate, size 75 mL, Pul Factory USA). To improve the purity and crystallinity, the final product was calcined at 350 $\rm{^{\circ}C}$ for 3 h. RSC Advances Special controlled sizes of particles." To further power was transferred into a 3-need normation entary intermediate common and the common access and in proportion the special common access are common access

Photocatalyst characterization

The powder X-ray diffraction (PXRD) analysis was collected on an advanced XRD system (Bruker D2-phaser) equipped with LYNXEYE XE-T Detector, 220 V/60 Hz. The crystalline sizes were precised using the Scherer equation $D = 0.9\lambda$ ($\beta \cos \theta$) and line width Vm-BiVO₄ phase and reflection at 2θ of 28.9°.²³ The source of X-ray is Cu Ka ($\lambda = 1.5418 \text{ Å}^{\circ}$, 40 kV, 40 mA). The 2θ range is from 10 to 80° with scan rate of 2° min⁻¹, step: 0.05°. For the powder photocatalyst, UV-Vis-diffuse reflectance spectroscopy was performed on PerkinElmer (LAMBDA-850/ Tungsten halogen) spectrophotometer over the range of 265– 850 nm. SEM analysis was conducted on a Field Emission Scanning Electron microscope (FEI – Nova Nano SEM – 450) for morphology of as-prepared sample. SEM was supported with energy dispersive X-ray (EDX) for the elucidation of elemental composition of Au-loaded Vm-BiVO₄ (i.e. Au@Vm-BiVO₄). Photocatalytic efficiencies for dye degradation were determined using UV-Vis spectrophotometer (PerkinElmer/ λ -365).

Photocatalytic degradation experiments

The photocatalytic performance of as-prepared Au@Vm-BiVO₄ was evaluated by the degradation of crystal violet dye under visible light illumination. Experimental test details are illustrated as follows: 10 mg of the as-synthesized Au@Vm-BiVO₄ was fixed and optimised for the 50 mL crystal violet dye solution (15 mg L^{-1}) . After that, the suspension was magnetically stirred for 30 min in the absence of light to saturate the photocatalyst before light irradiation.²⁵ During photoreaction, samples were collected at 10 min time intervals and centrifuged to eliminate the photocatalyst particles for flawless UV/Vis results. To find the efficiency of Au@Vm-BiVO₄, following formula was used:²⁶

% Degradation efficiency =
$$
\frac{A - A_i}{A} \times 100
$$

where, $A \& A_i$ refer to absorbance of dye solution before and after the photoreaction. During photoreaction, the degraded CV dye concentrations were examined and quantified by taking absorbance with UV-Visible spectrophotometer (PerkinElmer/ λ -365). Evaluation of λ_{max} is shown in Fig. S1.†

Results and discussion

The synthesis protocol of our Vm-BiVO₄ and Au@Vm-BiVO₄ photocatalysts is shown in Fig. 1 (see details in the Experimental section). To remove the impurities and enhance crystallinity, the as-synthesized photocatalysts were calcined at 350 °C for 3 h.

X-ray diffraction studies

X-Ray diffraction studies were done to understand the structural features of Vm-BiVO₄ and Au@Vm-BiVO₄. XRD pattern of BiVO4 exhibits monoclinic phase according to JCPDS number PDF#14-0688 depicted in Fig. 2(a). The characteristic peaks of Vm-BiVO4 are located at 18.66°, 18.98°, 28.94°, 30.54°, 34.49°, 35.22°, 39.78°, 42.46°, 46.71°, 47.30°, 50.31°, 53.31° and 58.53° corresponding to (110), (011), (121), (040), (200), (002), (211), (051), (240), (042), (202), (161) and (321) crystalline planes respectively. The XRD results revealed that as-prepared photocatalyst shows a high degree of crystallinity. No peaks of any other phases were detected, which confirm that no phase transition occurs in BiVO_4 during Au loading. The characteristic peaks for cubic gold (Au) nanoparticles (JCPDS card no. PDF#04-0784) are located at 38.18°, 44.39°, 64.5° and 77.54° which correspond to (111) , (200) , (220) and (311) planes. Crystallite sizes of as-synthesized Vm-BiVO₄ and Au@Vm-BiVO4 were calculated using Scherrer's formula and accounted in Table 1. Au particles on the surface of $Vm\text{-}B\text{i}VO_4$ induce surface plasmon resonance in presence of light, which creates

an internal electric field²⁷ that contributes to the separation of photo-induced charges²⁸ and, as a result, enhances the photocatalytic activity.²⁹

Raman spectroscopic analysis

The structure and bonding of metal oxides are further evaluated by their characteristic vibrations through Raman spectroscopy as illustrated in Fig. 2(b). The vibration bands at 212, 328, 366, 638, 710, and 826 cm⁻¹ are characteristic of the VO₄ tetrahedron. The highly intense band at 826 cm^{-1} was assigned to the shorter symmetric V–O stretching mode (A_g) . Weak stretching bands of long (A_g) and short (B_g) asymmetric V–O were observed at 710 and 638 cm^{-1} respectively. The VO₄ tetrahedron's asymmetric and symmetric bending vibrations were noticed at 327 and 367 cm^{-1} . In Au@Vm-BiVO₄, the V–O stretching modes (828 cm^{-1}) are shifted to a higher wave number as compared to the bare Vm-BiVO₄ (827 cm^{-1}). Such results explain the shortening of bond length of V–O that is due to existence of some doping of Au in Vm-BiVO₄ microstructures. This small shift in the Raman bands is attributed to the structural distortions that further modify the electronic band structure of Vm-BiVO₄.³⁰ The intensities and FWHM of Raman bands shorten due to Au content; this behavior correlates with crystallinity or defects.³¹ The analysis of the Raman spectroscopy and XRD collaborates with each other and support the structural evaluation of Au@Vm-BiVO₄. Published on 13 January 1992

Now the space of the system in Fig. 51:1

Note that is a space of the system in Fig. 31:1

Negative and inference are plus to the system of the system are components

Negative Society and Acce

UV-Vis/DRS studies

The UV-Vis diffuse reflectance spectroscopy (UV-Vis/DRS) was used to investigate the optical properties of as-synthesized photocatalysts. The Au contents extended the optical

Fig. 1 Schematic representation for the synthesis of Vm-BiVO₄ and Au@Vm-BiVO₄.

Fig. 2 (a) Powder XRD pattern (b) Raman vibrations (c) UV-Vis/DRS (d) energy diagram of Vm-BiVO₄ and Au@Vm-BiVO₄.

Table 1 Calculations using Scherrer's formula with band gaps of assynthesized photocatalysts

Photocatalyst	FWHM	2θ Position	Crystallite size (nm)	Band gap $E_{\rm g}$ (eV)
$Vm-BiVO4$	0.63288	28.94	13.5	2.45
$Au@Vm-BiVO4$	0.63239	28.99	13.6	2.39

absorption (red-shift) towards the visible region. The plasmonic effect of Au increases the charge transfer intensity between 300 and 550 nm Fig. $2(c)$.³² By using Tauc plot method, the absorbance as well as photon energy (hv) , direct band values (E_v) are calculated and demonstrated in Table 1 and Fig. 2(d). The optical band gap is due to electronic transitions between valence band (VB) and conduction band (CB), Au metal decreases the band gap of $BivO₄$ by enhancing the allowed states within the band gap.³³ The UV-Vis results provide the evidence that Au metal enhances the charge transfer mechanism via SPR which is particular to develop the stable visible light-driven photocatalysts. The major role of Au NPs over Vm- $BiVO₄$ is ascribed to the development of new energy levels that serve as efficient charge carrier traps between VB and CB energy states.³⁴

SEM & EDX

Scanning electron microscopy (SEM) images of as-synthesised Au@Vm-BiVO4 photocatalysts are shown in Fig. 3(a–d). The SEM images clearly evidenced and confirmed the novel strategy to develop villi-like microstructures (hydrothermal synthesis). This strategy has advantage to deliver large surface area, more active sites that lead to high photocatalytic performance in favour of CV degradation. The energy-dispersive X-ray spectroscopy (EDX) results are exhibited in Fig. 3(e) while elements wt% are illustrated in ESI Table S1.† Elemental composition of as-synthesized $Au@Vm-BiVO_4$ photocatalysts confirms the purity and presence of Au at Vm-BiVO₄ surfaces. Results of this work are very encouraging as compared to reported work.¹⁸

Photocatalytic degradation of crystal violet dye

The as-synthesized Au@Vm-BiVO₄ photocatalysts were used to degrade CV dye (see structure in Fig. S2†) under sun-light irradiation. The dye degradation results are obtained using spectrophotometer and are shown in Fig. 4(a). The results exhibit the absorbance versus concentration with respect to reaction time taking by the dye to completely decompose. The decomposition of aromatic rings of CV dye were responsible

Fig. 3 SEM images of Au@Vm-BiVO₄ (a) 2 μ m (b) 1 μ m (c) 500 nm and (d) 200 nm, whereas image (e) represents the EDX analysis.

for the gradual decay of the absorbance peak over time.³⁵ The photocatalytic performances of previously reported metal vanadates are compared with as-synthesized Au@Vm-BiVO₄, illustrated in the ESI Table S2.† Contrast to other photocatalysts, the prepared $Au@Vm-BiVO_4$ exhibited remarkable photocatalytic activity for the degradation of hazardous CV dye under sun-light. Comparison of photodegradation efficiencies of Vm-BiVO₄ and Au@Vm-BiVO₄ are shown in Fig. 4(b) while comparison on the basis of R^2 and rate constant (K) are illustrated in ESI Fig. S3.[†] It has been observed that Au metal enhances the degradation efficiency of Vm-BiVO4 from 54% to 98.21% attributed to the enhanced light harvesting, broad visible light response, SPR effect of Au metal and increased electrons populations over surfaces of semiconductor support $(i.e.$ Vm-BiVO₄) thus, enhanced charge separation owing to Schottky barrier at interface of $Au@Vm-BiVO₄$.³⁶

The chemical stability and recycling potential are crucial attributes for practical applications of effective photocatalyst. To reuse the Au@Vm-BiVO₄ photocatalyst, the catalyst was separated by centrifugation at 2000 rpm for 10 min for next run. The degradation efficiency of Au@Vm-BiVO₄ on the first run was 98.21% and on the fourth run was decreased to ∼93.03%. These results demonstrate that catalyst can effectively retain its high catalytic performance after four cycles, attributed to the high chemical stability, excellent crystallinity and the phase nature (monoclinic) of Au@Vm-BiVO₄ photocatalyst. It has been noticed that during the recovery steps, some of the catalyst's

Fig. 4 Photocatalytic degradation of (a) CV dye (b) comparison (c) recyclability of Au@Vm-BiVO₄ (d) % degradation of CV at different runs.

particles were washed out and hence slightly decrease the photocatalytic efficiency. Therefore, the high stability and excellent reusability proved that as-prepared Au@Vm-BiVO₄ is a promising photocatalyst for practical applications. See results in Fig. 4(c and d).

PL spectral studies

The intrinsic properties of photocatalyst, such as light absorption range and charge separation efficiency strongly affects the photocatalytic degradation rate.³⁷ It has been reported by the many researchers that recombination of photo-induced charges restricts overall efficiency of the photocatalysts. Contrary to that, improving charge separation and mobility of charges to the active centers increases the photocatalytic activities. Thus, it is important to investigate the charge excitation, transfer and trapping process by employing photoluminescence (PL) technique. Fig. 5(a) indicates the low PL intensity in case of Au@Vm- $BiVO₄$ than bare Vm-BiVO₄ indicates higher charge transfer to the active sites due to Au-SPR. Moreover, existence of Au-NPs over

Vm-BiVO4 reduces the chances of charge recombination during photoreaction.

Effect of initial concentration of CV-dye on photocatalytic degradation

The effect of initial concentration of CV dye was assessed on the degradation efficiency. The degradation percentages were measured after 60 min of photo reaction in the presence of 10 mg/50 mL over Au@Vm-BiVO₄ photocatalyst at pH 7 and 30 °C. Different initial CV dye concentrations (5-100 mg L^{-1}) were evaluated and the results are revealed in Fig. 5(b). Results depict that by increasing the dye concentration, additional fragments of dye were adsorbed over the catalyst's surfaces.³⁸ The additional fragments block the penetration of light; hence decrease the generation of active sites during photoreaction. Due to less active sites, efficiency of photocatalyst significantly decreased. It is obvious that less harvest of solar light generates less number of active sites at catalysts, similarly due to higher absorption of photons of light at catalyst surfaces, higher number of

Fig. 5 (a) PL spectra of Vm-BiVO₄ & Au@Vm-BiVO₄; factors affecting photocatalytic CV-dye degradation (b) initial concentration of dye (c) pH (d) temperature.

photogenerated charges are anticipated for dye degradation.³⁹ Moreover, the photocatalytic generated 'OH and 'O $_2^-$ on photocatalyst surface remains constant because the amount of catalyst remain same. Commonly, for higher concentration of dye there must be need of high concentration of 'OH and 'O $_2^{-}$ reactive species to sustain the equilibrium if amount of catalyst has been kept fixed.⁴⁰

Effect of pH

The most significant aspect that affects the dye degradation is the pH of the solution.⁴¹ It is obvious that by changing the concentration of pH, the chemical properties of catalysts used and dye that is to be degraded, changes. For investigating the pH factor, the reagent HCl and NaOH (Alfa chemicals/analytical grade) was added to maintain the pH of the reaction mixture/ analyte solution. The pH range was set from 2–9 for 15 mg L⁻¹ of CV-dye and 10 mg of Au@Vm-BiVO₄ catalyst amount for each photoreaction. Similarly, 30 °C temperatures were optimised for 40 min to evaluate the pH effect. CV exhibited slow degradation rate in acidic pH due to its strong affinities with the surface of the catalyst.⁴² Moreover, at acidic pH the deposited Au nanoparticles over Vm-BiVO₄ lose the metallic characteristics and converts into higher oxidation state. On the other hand, in the alkaline pH, the degradation

rate of CV was accelerated due to the presence of large amount of hydroxide ions and their ability to be converted into 'OH increased. In other sense, Au@Vm-BiVO₄ photocatalysts could efficiently work in alkaline medium due to more adsorption of cationic dyes over the surfaces.⁴³ Results of photodegradation rate of CV on $Au@Vm-BiVO_4$ with an increase in pH are illustrated in Fig. 5(c). At low pH *i.e.* \sim pH > 9, CV loses its colour as demonstrated in Fig. S4.† Hence, the impact of pH over (pH \sim 10–12) were also investigated but not taken into consideration. Thus, pH 9 was selected as the optimum pH.

Effect of temperature

Effect of temperature on degradation of CV was monitored at 10, 30, 50 and 70 °C. To investigate the temperature effect, 10 mg of Au@Vm-BiVO₄ was used to degrade 50 mL of CV dye (15 mg L⁻¹) at pH 7. The result depicts that at ~10 °C, slower desorption of dye molecules have been inevitable that inhibits the photoreaction and serves as the rate-limiting step. Contrary to that, when the temperature is raised to 50 \degree C, adsorption of dye molecules over the catalysts becomes disfavored and limits the photodegradation reaction. The recombination of charge carriers is considerably boosted when the reaction temperature is reached above 50 $\mathrm{^{\circ}C^{44}}$ It has been observed that higher temperatures favor a raised internal kinetic movement of dye

Fig. 6 Factors affecting photocatalytic CV degradation (a) photocatalytic dose (b) inorganic anion (c) dissolved oxygen (d) hydrogen peroxide concentration.

molecules over the surface of photocatalyst, decreasing the catalyst's efficiency.⁴⁵ Therefore, higher temperatures limit the dye degradation. An effective photodegradation is favored at optimized temperature.⁴¹ Results in Fig. 5(d) indicate that ∼30 ° C temperature favors the adsorption of the dye molecules on the surface of Au@Vm-BiVO₄ catalyst.

Effect of photocatalyst dose

Effect of photocatalyst dose on degradation of CV was monitored using 5.0–30 mg amount of Au@Vm-BiVO₄ photocatalyst for 50 mL of dye solution (*i.e.* 15 mg L⁻¹) at optimised pH 7. Each photoreaction was conducted for 40 minutes. The rate of CO_2 [–] and COH generation is increased due to the large number of catalytically active sites produced by increasing the catalyst dose. After 25 mg, there was a reduction in the rate of degradation which was due to the excess amount of catalyst impeding light penetration; results are shown in Fig. 6(a). Consequently, 25 mg/50 mL was elected as the optimum catalyst dose using reactor (140 mL Pyrex/Japan).

Effect of the different interfering substances (inorganic anions)

Inorganic anions (such as NO_3^- , $SO_4^2^-$, Cl^- and $PO_4^2^-$) are worldwide effluents present in wastewater discharged from dyestuff and textile industries.³⁸ They could prohibit the photocatalytic efficiency of the catalyst. The accumulation of anions in the solution can hardly change the photocatalytic degradation performance of CV. Addition of inorganic anions was monitored using optimised amount ∼10 mg/50 mL of Au@Vm-BiVO₄ at pH 7 (15 mg per L CV dye). Each photoreaction was conducted for 40 min, by the addition of NaCl, NaNO₃, Na₂SO₄ and Na₃PO₄. The effects of NO₃⁻, SO₄²⁻, Cl⁻ and PO₄³⁻ anions were investigated at concentration of 50 mmol $\text{L}^{-1}.$ Results are demonstrated in Fig. 6(b), there is no damaging consequences on photocatalytic activity.³⁸

Effect of dissolved oxygen

Addition of O_2 contents were monitored using 10 mg/50 mL over Au@Vm-BiVO4 photocatalyst at ∼pH 7 (15 mg per L CV dye). Each photoreaction was conducted for 40 min. The CV dye photodegradation was decreased under N_2 environment, whereas the photodegradation rate was slightly enhanced under $O₂$ purging, because photocatalytic generated electrons in CB were easily utilized by dissolved O_2 (electron receivers) during the photoreaction to produce the super oxide radical 'O $_2$ ⁻, these radicals are responsible for degrading CV dye molecules. Results depicted in Fig. $6(c)$ confirm that dissolved $O₂$ in the solution played a crucial role for the CV photodegradation.

Effect of hydrogen peroxide

Addition of H_2O_2 was monitored using 10 mg Au@Vm-BiVO₄ photocatalyst at pH 7 to degrade (50 mL) CV dye 15 mg $\text{L}^{-1}.$ Each photoreaction was conducted for 40 min; one of the most important photo-oxidants in water remediation is hydrogen peroxide. Hydrogen peroxide is exploited under visible light to measure the production of 'OH radical, which is a crucial promoter for the decomposition of toxic organic pollutants. The effect of H_2O_2 on degradation of CV dye is shown in Fig. 6(d). The % CV degradation is directly proportional to the increasing dose of H₂O₂ from 0–20 mmol L⁻¹ which further increases the amount of 'OH and enhances the degradation rate. Furthermore, the addition of $\rm H_2O_2$ (25 mmol $\rm L^{-1})$ reduced the % degradation of CV dye due to the hole scavenging effect and hydroxyl radical. As a result, the 20 mmol L⁻¹ of H₂O₂ was elected as optimum dose, because hydrooxide radicals ('OH) that were generated through excessive H_2O_2 reacting with the 'OH did not contribute to CV degradation.

Effect of light intensity

The photocatalytic degradation of CV dye increases with increasing light intensity. The electron hole generation increases at elevated light intensity. The separation of photogenerated charges struggles with its recombination at low light intensity,⁴⁶ thus hinder the formation of secondary reactive radicals ('OH & 'O₂⁻).⁴⁷ The reaction rate shows a maximum value, even though the light intensity continues to increase because the total active sites for photodegradation remain constant. The results of this work showed that during the 60 min time interval light intensity varies within 5000 Lux. Photoreactions for CV dye degradation was 60 min so different photoreactions were conducted at time intervals of 60 min. Fig. 7(a) illustrate the results, according to the results, 50–55 \times $10³$ Lux gives the maximum photocatalytic activity.

Effect of sacrificial agents

The variations in dye degradation of CV before and after sacrificial agents were observed to understand the role of the active species

Fig. 7 Factors affecting photocatalytic CV dye degradation (a) sunlight intensity (b) scavengers (c) comparison (d) mechanism of photolysis and photosensitization.

i.e. holes (h⁺), electrons (e $^{-}$) and hydroxyl group ('OH). Under sunlight irradiation, Au@Vm-BiVO₄ photocatalyst generates 'OH by reaction of adsorbed H_2O with h^+ . Additionally, adsorbed O_2 produces 'O₂[−], by reacting with e[−]. Sacrificial agent indicates that, O_2 ⁻ is a main reactive species generated by Au@Vm-BiVO₄ systems. The sacrificial agents used to trap hydroxyl radical ('OH), holes (h⁺) and superoxide radical ($^{\circ}O_2^{\,-}$) are isopropyl alcohol (IPA), ethylene diamine tetra acetate (EDTA) and benzoquinone (BQ) respectively. When 1 mM of EDTA (h ⁺ scavenger) was added, the degradation efficiency of Au@Vm-BiVO₄ reduces to 71%, which indicates holes contributions towards dye degradations. Whereas, 1 mM IPA ('OH scavenger) reduces the degradation efficiency to 85% that suggests 'OH has minor role in the photocatalytic reaction. Only 58% of CV dye was degraded when BQ scavengers were used as compared with absence of sacrificial agents which degrade 98.2% of CV. Thus results in Fig. 7(b), clear that the degradation of CV dye is quite suppressed by BQ so $"\mathrm{O_{2}}^{-}$ plays a major role in photocatalytic degradation reactions. RSC Advances Compare (Fig. Under ame a dyc molecule published of Fig. The published of the molecule is like the mole

Photosensitization process

When the photon energy is less than bandgap energy and photocatalyst fails to generate charge carriers (e⁻ & h⁺), then photodegradation occurs directly by photons. Under sun-light, a dye molecule produces e− at the LUMO level; the dyes become more negative than the CB of photocatalysts, then photo excited e− transfer from the molecules of dye to the Au@Vm-BiVO4 photocatalyst and facilities to produce reactive species for degradation. The comparison between photolysis, photosensitization and Au@Vm-BiVO₄ photocatalyst is shown in Fig. $7(c)$. This process is illustrated in Fig. $7(d)$.

Surface plasmonic resonance

Under light irradiation, Au metal nanostructures act as antenna which transforms light into localized electric field.⁴⁸ This application helps to create a strong interaction between electrons in the nanostructures and incident light of the photocatalyst materials. In localized surface plasmon resonance (LSPR), the negatively charged cloud of electrons in the conduction band of metal is forced to oscillate collectively by the time-varying electric field corresponding with the light. This oscillation of the incident light at a certain excitation frequency generates the powerful oscillation of the surface electron.⁴⁹ In LSPR photocatalyst, noble metal with circulating electrons has a dipolar character which improves localized electric field and radiates associated energy in the nearby semiconducting particles.⁵⁰ This effect expands the visible absorption bands. Plasmonic effect can create an optical

Fig. 8 Photocatalytic degradation of CV dye by Au@Vm-BiVO₄ photocatalyst.

Scheme 1 Photocatalytic reactions involved in dye degradation.

field at semiconductor metal junctions that increases the intensity of light absorption bands.³²

Mechanism of the enhanced photocatalytic degradation

The mechanisms of the photocatalytic CV dye degradation are shown in Fig. 8. When $Au@Vm-BiVO_4$ photocatalysts are exposed to visible light, the electrons in the valence band (VB) get excited and transfer towards the conduction band (CB). Au metals present as active centers and produce the Schottky barrier at the interface,⁵¹ which prevents the fast recombination of electrons and holes. At the same time, the holes produced in the VB of Au@Vm-BiVO₄ degrade the CV molecules either directly or through the generation of 'OH radicals by oxidizing water molecules.^{52,53} In addition to providing a Schottky barrier, Au also works as an SPR electron promoter, thereby activating the production of superoxide radical anion $({^1O_2}^-)$, which decomposes the CV dye (Scheme 1).²³ Additionally, the SPR effect of Au noble metal improves the utilization of solar energy and expands the light absorption range of semiconductors.⁵⁴ Because of these factors, photocatalytic performance is enhanced significantly in the presence of Au metal. Puper

Reaction of the internal state areas in the main terms in the state area on 13 Magnitudine area in the state and the state area in the state and the state area in the state and the state area in the state and the ph

Conclusion

In this work, Vm-BiVO₄ and Au@Vm-BiVO₄ photocatalysts have been successfully synthesized using the hydrothermal method for the degradation of toxic CV dye. The incorporation of the Au and structural morphologies were confirmed using XRD, Raman, SEM, EDX, UV-Vis-DRS and PL results. Au metal suppresses the recombination of photoinduced charges and extends the absorption in the visible light region. The photocatalytic experiments revealed that Au metal enhanced the degradation efficiency of Vm-BiVO₄ from 54 to 98.21% within 60 min. These higher photocatalytic activities are attributed to the higher sun-light harvesting, SPR effect and charge separation owing to the Schottky barrier at the interface of Au@Vm-BiVO4. The main active species involved in dye degradation is O_2 ⁻ which is revealed through free radical trapping experiments. Moreover, dye degradation efficiencies have been evaluated and optimized employing various factors. Higher CV dye degradation activities have been observed at pH 9, temperature 30 °C, ca.∼H₂O₂ 25 mmol L^{-1} , catalyst amount 25 mg/50 mL, and intensity of light 50–55 \times 10³ Lux. The Au@Vm-BiVO₄ photocatalyst is very capable for degradation of dyes contaminated water under visible light.

Conflicts of interest

The author declares no competing financial interest.

Acknowledgements

This work was finically supported by Higher Education Commission (HEC) of Pakistan (No. 377/IPFP-II) (Batch-I)/ SRGP/NAHE/HEC/2020/27 Islamabad. Synthesis work and dye degradation activities were conducted in Institute of Chemistry, The Islamia University of Bahawalpur (Inorganic Material Laboratory (52s). Dr Ejaz Hussain acknowledges Syed Babar Ali School of Science and engineering, Lahore University of Management Sciences (LUMS) to facilitate for characterization of samples.

References

- 1 P. Kaushik and A. Malik, Fungal dye decolourization: recent advances and future potential, Environ. Int., 2009, 35(1), 127–141.
- 2 A. M. Omer, et al., Fabrication of novel iminodiacetic acidfunctionalized carboxymethyl cellulose microbeads for efficient removal of cationic crystal violet dye from aqueous solutions, Int. J. Biol. Macromol., 2020, 148, 1072–1083.
- 3 W. Tu, Y. Zhou and Z. Zou, Versatile graphene-promoting photocatalytic performance of semiconductors: basic principles, synthesis, solar energy conversion, and environmental applications, Adv. Funct. Mater., 2013, 23(40), 4996–5008.
- 4 K. Zhang, et al., Strategies for Optimizing the Photocatalytic Water-Splitting Performance of Metal–Organic Framework-Based Materials, Small Sci., 2021, 1(12), 2100060.
- 5 X. Zhang, et al., Selective synthesis and visible-light photocatalytic activities of $B\text{i} \text{VO}_4$ with different crystalline phases, Mater. Chem. Phys., 2007, 103(1), 162–167.
- 6 C. Xu, et al., Nanostructured materials for photocatalysis, Chem. Soc. Rev., 2019, 48(14), 3868–3902.
- 7 Q. Wang, et al., Photocatalytic hydrogen generation on lowbandgap black zirconia $(ZrO₂)$ produced by high-pressure torsion, J. Mater. Chem. A, 2020, 8(7), 3643–3650.
- 8 R. Ran, J. G. McEvoy and Z. Zhang, Synthesis and optimization of visible light active $B\text{i}VO_4$ photocatalysts for the degradation of RhB, Int. J. Photoenergy, 2015, 2015, 1-14.
- 9 G. Zhao, et al., Construction of a visible-light-driven magnetic dual Z-scheme $BiVO_4/g-C_3N_4/NiFe_2O_4$ photocatalyst for effective removal of ofloxacin: mechanisms and degradation pathway, Chem. Eng. J., 2021, 405, 126704.
- 10 L. Zhou, et al., A sonochemical route to visible-light-driven high-activity BiVO₄ photocatalyst, *J. Mol. Catal. A: Chem.*, 2006, 252(1–2), 120–124.
- 11 M. Gotić, et al., Synthesis and characterisation of bismuth (m) vanadate, J. Mol. Struct., 2005, 744, 535–540.
- 12 L. Zhou, et al., Single-crystalline BiVO₄ microtubes with square cross-sections: microstructure, growth mechanism, and photocatalytic property, J. Phys. Chem. C, 2007, 111(37), 13659–13664.
- 13 K. Hirota, et al., Formation, characterization and sintering of alkoxy-derived bismuth vanadate, Mater. Res. Bull., 1992, 27(7), 823–830.
- 14 J. Liu, et al., Hydrothermal preparation of BiVO₄ powders, Mater. Sci. Eng., B, 2003, 104(1–2), 36–39.
- 15 A. Zhang and J. Zhang, Characterization of visible-lightdriven BiVO₄ photocatalysts synthesized via a surfactantassisted hydrothermal method, Spectrochim. Acta, Part A, 2009, 73(2), 336–341.
- 16 L. Zhang, D. Chen and X. Jiao, Monoclinic structured BiVO4 nanosheets: hydrothermal preparation, formation mechanism, and coloristic and photocatalytic properties, J. Phys. Chem. B, 2006, 110(6), 2668–2673.
- 17 A. Zhang, et al., Effects of pH on hydrothermal synthesis and characterization of visible-light-driven BiVO₄ photocatalyst, J. Mol. Catal. A: Chem., 2009, 304(1–2), 28–32.
- 18 J. Lin, et al., Nitrogen-doped cobalt-iron oxide cocatalyst boosting photoelectrochemical water splitting of BiVO4 photoanodes, Appl. Catal., B, 2023, 320, 121947.
- 19 S. Tokunaga, H. Kato and A. Kudo, Selective preparation of monoclinic and tetragonal $BivO₄$ with scheelite structure and their photocatalytic properties, Chem. Mater., 2001, 13(12), 4624–4628.
- 20 S. Dong, et al., Shape-controlled synthesis of BiVO₄ hierarchical structures with unique natural-sunlight-driven photocatalytic activity, Appl. Catal., B, 2014, 152, 413–424.
- 21 O. A. Sánchez, et al., High performance of $Ag/BiVO₄$ photocatalyst for 2,4-dichlorophenoxyacetic acid degradation under visible light, Appl. Catal., A, 2020, 600, 117625.
- 22 A. Zhang and J. Zhang, Synthesis and characterization of Ag/ BiVO4 composite photocatalyst, Appl. Surf. Sci., 2010, 256(10), 3224–3227.
- 23 E. Hussain, et al., Titania-supported palladium/strontium nanoparticles (Pd/Sr-NPs@P25) for photocatalytic H_2 production from water splitting, J. Phys. Chem. C, 2016, 120(31), 17205–17213.
- 24 E. Hussain, et al., Remarkable effect of BaO on photocatalytic H_2 evolution from water splitting via TiO₂ (P25) supported palladium nanoparticles, J. Environ. Chem. Eng., 2019, 7(1), 102729.
- 25 B. Fu, et al., Construction of MIL-125-NH₂@BiVO₄ Composites for Efficient Photocatalytic Dye Degradation, ACS omega, 2022.
- 26 W. Zhao, et al., Fabrication of a novel p–n heterojunction photocatalyst n-BiVO₄@ p-MoS₂ with core–shell structure and its excellent visible-light photocatalytic reduction and oxidation activities, Appl. Catal., B, 2016, 185, 242–252.
- 27 S.-W. Cao, et al., Preparation of Au-BiVO₄ heterogeneous nanostructures as highly efficient visible-light photocatalysts, ACS Appl. Mater. Interfaces, 2012, 4(1), 418–423.
- 28 L. Zhang, et al., Plasmonic enhancement in BiVO₄ photonic crystals for efficient water splitting, Small, 2014, 10(19), 3970–3978.
- 29 J. Zhang, et al., Core–shell Ag@nitrogen-doped carbon quantum dots modified BiVO₄ nanosheets with enhanced photocatalytic performance under Vis-NIR light: synergism of molecular oxygen activation and surface plasmon resonance, Chem. Eng. J., 2021, 410, 128336.
- 30 J. Yu and A. Kudo, Effects of structural variation on the photocatalytic performance of hydrothermally synthesized BiVO4, Adv. Funct. Mater., 2006, 16(16), 2163–2169.
- 31 C. Yu, et al., Design and fabrication of microsphere photocatalysts for environmental purification and energy conversion, Chem. Eng. J., 2016, 287, 117–129.
- 32 V. I. Merupo, et al., High Energy Ball-Milling Synthesis of Nanostructured Ag-Doped and BiVO₄-Based Photocatalysts, ChemistrySelect, 2016, 1(6), 1278–1286.
- 33 H.-Y. Huang, et al., Coordination-induced emission enhancement in gold-nanoclusters with solid-state quantum yields up to 40% for eco-friendly, lowreabsorption nano-phosphors, Sci. Rep., 2019, 9(1), 1–11.
- 34 H. Wang, et al., Semiconductor heterojunction photocatalysts: design, construction, and photocatalytic performances, Chem. Soc. Rev., 2014, 43(15), 5234–5244.
- 35 C. Galindo, P. Jacques and A. Kalt, Photodegradation of the aminoazobenzene acid orange 52 by three advanced oxidation processes: UV/H_2O_2 , UV/TiO_2 and VIS/TiO_2 : comparative mechanistic and kinetic investigations, J. Photochem. Photobiol., A, 2000, 130(1), 35–47. RSC Advances **Common Access Article** Common Access Article is the model of the state of the published on 10/5/2024 11:52 PM. This are also the common and the state of th
	- 36 J. Li, et al., Combined Schottky junction and doping effect in $Cd_xZn_{1-x}S@Au/BiVO_4$ Z-scheme photocatalyst with boosted carriers charge separation for $CO₂$ reduction by H₂O, *J.* Colloid Interface Sci., 2022, 606, 1469–1476.
	- 37 S. Li, et al., Photocatalytic degradation of antibiotics using a novel $Ag/Ag_2S/Bi_2MoO_6$ plasmonic pn heterojunction photocatalyst: mineralization activity, degradation pathways and boosted charge separation mechanism, Chem. Eng. J., 2021, 415, 128991.
	- 38 X. Liu, et al., Microwave-assisted catalytic degradation of crystal violet with barium ferrite nanomaterial, Ind. Eng. Chem. Res., 2016, 55(46), 11869–11877.
	- 39 X. Wang, et al., Full-spectrum solar-light-activated photocatalysts for light–chemical energy conversion, Adv. Energy Mater., 2017, 7(23), 1700473.
	- 40 E. E. Battin and J. L. Brumaghim, Antioxidant activity of sulfur and selenium: a review of reactive oxygen species scavenging, glutathione peroxidase, and metal-binding antioxidant mechanisms, Cell Biochem. Biophys., 2009, 55(1), 1–23.
	- 41 A. Adak, M. Bandyopadhyay and A. Pal, Removal of crystal violet dye from wastewater by surfactant-modified alumina, Sep. Purif. Technol., 2005, 44(2), 139–144.
	- 42 S. Rojas-Carbonell, et al., Effect of pH on the activity of platinum group metal-free catalysts in oxygen reduction reaction, ACS Catal., 2018, 8(4), 3041–3053.
	- 43 P. Faria, J. Orfao and M. Pereira, Adsorption of anionic and cationic dyes on activated carbons with different surface chemistries, Water Res., 2004, 38(8), 2043–2052.
	- 44 H. Li, et al., State-of-the-art progress in diverse heterostructured photocatalysts toward promoting photocatalytic performance, Adv. Funct. Mater., 2015, 25(7), 998–1013.
	- 45 Y.-H. Chiu, et al., Mechanistic insights into photodegradation of organic dyes using heterostructure photocatalysts, Catalysts, 2019, 9(5), 430.
	- 46 C. Jiang, et al., All solid-state Z-scheme $CeO₂/ZnIn₂S₄$ hybrid for the photocatalytic selective oxidation of aromatic alcohols coupled with hydrogen evolution, Appl. Catal., B, 2020, 277, 119235.
- 47 S. Wacławek, et al., Chemistry of persulfates in water and wastewater treatment: a review, Chem. Eng. J., 2017, 330, 44–62.
- 48 W. Ye, et al., Plasmonic nanostructures in solar energy conversion, J. Mater. Chem. C, 2017, 5(5), 1008–1021.
- 49 M. Rycenga, et al., Controlling the synthesis and assembly of silver nanostructures for plasmonic applications, Chem. Rev., 2011, 111(6), 3669–3712.
- 50 X. Zhang, et al., Plasmonic photocatalysis, Rep. Prog. Phys., 2013, 76(4), 046401.
- 51 X.-H. Li and M. Antonietti, Metal nanoparticles at mesoporous N-doped carbons and carbon nitrides: functional Mott–Schottky heterojunctions for catalysis, Chem. Soc. Rev., 2013, 42(16), 6593–6604.
- 52 S. Sugashini, et al., Nanochitosan/carboxymethyl cellulose/ TiO2 biocomposite for visible-light-induced photocatalytic degradation of crystal violet dye, Environ. Res., 2022, 204, 112047.
- 53 K. Rambabu, et al., Green synthesis of zinc oxide nanoparticles using Phoenix dactylifera waste as bioreductant for effective dye degradation and antibacterial performance in wastewater treatment, Journal of hazardous materials, 2021, 402, 123560. Puper

15 S. Worksweek, et al., Characteris are access Article. Published on 12 January 2023. Downloaded to 12 Alexanded on 10/5/2024 11:51:13 PM. The published on 10/5/2024 11:51:13 PM. The published on 10/5/2024 11:51:13
	- 54 A. Zada, et al., Surface plasmonic-assisted photocatalysis and optoelectronic devices with noble metal nanocrystals: design, synthesis, and applications, Adv. Funct. Mater., 2020, 30(7), 1906744.