



Cite this: *RSC Adv.*, 2023, 13, 720

Correction: Amyloid fibrillation of the glaucoma associated myocilin protein is inhibited by epicatechin gallate (ECG)

Ritika Sharma, ^a Anchala Kumari, ^b Bishwajit Kundu ^c and Abhinav Grover ^{*a}

DOI: 10.1039/d2ra90131e

rsc.li/rsc-advances

Correction for 'Amyloid fibrillation of the glaucoma associated myocilin protein is inhibited by epicatechin gallate (ECG)' by Ritika Sharma *et al.*, *RSC Adv.*, 2022, 12, 29469–29481, <https://doi.org/10.1039/D2RA05061G>.

In the original article, in Section 4.11 REMD simulations, the number of replicas, their average exchange probability and the temperature range utilized were inaccurately reported as 32, 20% and 290–500 K, respectively. However, the presented results were obtained using 48 replicas, with an average exchange probability of 13% and a temperature range of 298–380 K. The authors regret this error. The scientific conclusions of this article remain unchanged.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aSchool of Biotechnology, Jawaharlal Nehru University, New Delhi-110067, India. E-mail: sharma.ritika198@gmail.com; abhinavgr@gmail.com; Tel: +91-8130738032

^bIndian Council of Medical Research, International Health Division, New Delhi-110029, India. E-mail: anchala.choudhary27@gmail.com

^cKusuma School of Biological Sciences, Indian Institute of Technology Delhi, Hauz Khas, New Delhi, India – 110016. E-mail: bkundu@bioschool.iitd.ac.in

