

Cite this: *Chem. Sci.*, 2024, 15, 13495

All publication charges for this article have been paid for by the Royal Society of Chemistry

# Atomically precise metal nanoclusters combine with MXene towards solar CO<sub>2</sub> conversion†

Yu-Shan Cai,<sup>a</sup> Jia-Qi Chen,<sup>a</sup> Peng Su,<sup>a</sup> Xian Yan,<sup>a</sup> Qing Chen,<sup>a</sup> Yue Wu<sup>a</sup> and Fang-Xing Xiao<sup>ib</sup> \*<sup>ab</sup>

Atomically precise metal nanoclusters (NCs) have been deemed a new generation of photosensitizers for light harvesting on account of their quantum confinement effect, peculiar atom-stacking mode, and enriched catalytic active sites. Nonetheless, to date, precise charge modulation over metal NCs has still been challenging considering their ultra-short carrier lifetime and poor stability. In this work, we conceptually demonstrate the integration of metal NCs with MXene in transition metal chalcogenide (TMC) photosystems via a progressive, exquisite, and elegant interface design to trigger tunable, precise and high-efficiency charge motion over metal NCs, stimulating a directional carrier transport pathway. In this customized ternary heterostructured photosystem, metal NCs function as light-harvesting antennas, MXene serves as a terminal electron reservoir, and the TMC substrate provides suitable energy level alignment for retracting photocarriers of metal NCs, giving rise to a spatial cascade charge transport route and markedly boosting charge separation efficiency. The interface configuration and energy level alignment engineering synergistically contribute to the considerably enhanced visible-light-driven photocatalytic CO<sub>2</sub>-to-CO reduction performance of the metal NCs/TMCs/MXene heterostructure. The intermediate active species during the photocatalytic CO<sub>2</sub> reduction are unambiguously determined, based on which the photocatalytic mechanism is elucidated. Our work will provide an inspiring idea to bridge the gap between atomically precise metal NCs and MXene in terms of controllable charge migration for solar-to-fuel conversion.

Received 4th June 2024

Accepted 9th July 2024

DOI: 10.1039/d4sc03663h

rsc.li/chemical-science

## 1 Introduction

Photocatalytic CO<sub>2</sub> conversion to hydrocarbon fuels has been considered an effective strategy to solve the deteriorating energy crisis and mitigate the notorious greenhouse effect.<sup>1–4</sup> However, semiconductor-based CO<sub>2</sub> photocatalysis suffers from the inertness of CO<sub>2</sub> molecules, slow charge transfer kinetics and rapid charge recombination, rendering it complicated and difficult to accurately regulate.<sup>5–8</sup> Although there have been many investigations into CO<sub>2</sub> photoreduction, high-efficiency solar CO<sub>2</sub> conversion is far from satisfactory, which is ascribed mainly to the deficiency of applicable photocatalysts with robust and stable photoactivity,<sup>9–12</sup> low CO<sub>2</sub> reduction selectivity, and a complex charge transport route.<sup>7,13–15</sup> Hence, it is highly desirable to explore novel artificial photosystems with desirable charge separation efficiency, selectivity, and photoactivity for solar CO<sub>2</sub> conversion.<sup>16–18</sup>

Metal nanoclusters (NCs, <2 nm), which consist of a precise number of metal atoms and thiolate ligands, have garnered enormous attention in recent years due to their unique atom-stacking pattern, abundant active sites, and favorable molecular-like discrete highest occupied molecular orbital–lowest unoccupied molecular orbital (HOMO–LUMO) energy levels, making them emerging photosensitizers for substantial light harvesting and conversion.<sup>19</sup> Nevertheless, the ultra-short lifetime of photogenerated charge carriers, scarcity of matched semiconductor pairs with applicable energy levels, and difficulty in mediating charge migration concurrently hinder the widespread application of metal NCs in photocatalysis.<sup>20</sup> Noteworthy, co-catalyst engineering demonstrates unprecedented merits in accurately tuning directional charge transport to the ideal active sites, which might provide an efficacious and convenient strategy to surmount the drawbacks of metal NCs and foster the construction of multifarious metal-NC-based composite photocatalytic CO<sub>2</sub> reduction systems.<sup>21,22</sup>

In 2011, a novel category of two-dimensional (2D) transition metal carbide, nitride, or carbonitride (MXene) nanomaterials sparked enormous attention from academy communities.<sup>23</sup> As a new generation of 2D materials, MXenes harbor the generic merits of rapid carrier mobility, abundant active sites, and excellent hydrophilicity due to their unique structural flexibility

<sup>a</sup>College of Materials Science and Engineering, Fuzhou University, New Campus, Minhou, Fujian Province, 350108, China. E-mail: fxxiao@fzu.edu.cn

<sup>b</sup>State Key Laboratory of Structural Chemistry, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou, Fujian 350002, PR China

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d4sc03663h>

and diversity of elemental composition, featuring promising co-catalysts for photocatalysis.<sup>24,25</sup> Recent studies have provided evidence that MXene is able to engender a Schottky barrier in photocatalysis to facilitate the spatial separation of photo-generated charge carriers, thus inhibiting charge recombination.<sup>26,27</sup> Inspired by the merits of MXenes with excellent conductivity and well-defined 2D nano-architecture, we deduce that they could be judiciously used as co-catalysts to solve the inherent problems of the easy charge recombination and ultrashort charge lifetime of metal NCs by smartly constructing an MXene/metal NC heterojunction. This is rationalized by the fact that the 2D morphology of MXenes is beneficial for the uniform deposition of metal NCs to reduce the charge diffusion distance,<sup>28–30</sup> and, moreover, the suitable energy level alignment formed between the Fermi level of MXene and the HOMO level of metal NCs benefits carrier migration. However, adornment with MXene alone does not provide sufficient impetus to withdraw the electrons photoexcited over metal NCs given their super-fast charge recombination rate. Involving second-component semiconductors with matched energy level alignment for fabricating metal NCs/semiconductor/MXene ternary heterostructured photosystems is expected to perfectly solve this problem by stimulating tunable charge transport among the building blocks. Transition metal chalcogenides (TMCs) represent the optimal semiconductor alternative owing to their large absorption coefficient, favorable energy level position, and enriched active sites, which would match well with both MXene and metal NCs by constructing a directional charge transport pathway, boosting interfacial charge separation.<sup>27,31,32</sup>

Herein, as a proof-of-concept investigation, 2D CdS is used as a bridging medium connecting MXene with gold nanoclusters ( $\text{Au}_x$  NCs) by a facile and easily accessible electrostatic self-assembly method under ambient conditions, forming a well-defined  $\text{CdS}/\text{Ti}_3\text{C}_2\text{T}_x/\text{Au}_x$  (CTA) heterostructure for photocatalytic  $\text{CO}_2$  reduction. In this exquisitely designed heterostructure, CdS and metal NCs concurrently serve as light-harvesting antennas and form a beneficial energy level alignment, while MXene attached on the outermost surface serves as a terminal electron-trapping reservoir, which synergistically contributes to the cascade electron flow from  $\text{Au}_x$  NCs to CdS and eventual trapping by MXene, giving rise to a considerably prolonged charge lifetime and significantly boosting photocatalytic  $\text{CO}_2$  reduction performance under visible light irradiation. The photocatalytic mechanism was then elucidated with intermediate active species clearly determined during the photocatalytic  $\text{CO}_2$ -to-CO conversion. Our work would provide new ideas for rationally constructing metal NC artificial photosystems and strategically mediating charge transport pathways over metal NCs for solar-to-fuel conversion.

## 2 Experimental section

### 2.1 Preparation of $\text{Ti}_3\text{C}_2\text{T}_x$ (MXene)<sup>33</sup>

Multilayered  $\text{Ti}_3\text{C}_2\text{T}_x$  was first synthesized by etching 1 g of  $\text{Ti}_3\text{AlC}_2$  powder in a mixture of 1 g of lithium fluoride and 10 mL of hydrochloric acid ( $9 \text{ mol L}^{-1}$ ) for 24 h at  $35^\circ\text{C}$ . The product was washed with deionized water until the pH of the

supernatant was above 5. The multilayered  $\text{Ti}_3\text{C}_2\text{T}_x$  powder was then added into 200 mL of deionized water and delaminated by bath sonication for 1 h under  $\text{N}_2$  flow. After centrifugation for 1 h at 3500 rpm, the dark green supernatant was collected. The concentration of the delaminated  $\text{Ti}_3\text{C}_2\text{T}_x$  was determined by filtering a known volume of the supernatant through a Celgard membrane and measuring the weight of the film after drying. The delaminated  $\text{Ti}_3\text{C}_2\text{T}_x$  colloid was then diluted to obtain a concentration of  $0.5 \text{ mg mL}^{-1}$ .

### 2.2 Preparation of CdS nanosheets

CdS nanosheets (NSs) were prepared *via* a hydrothermal method reported previously.<sup>33</sup> In detail,  $0.32 \text{ mmol CdCl}_2 \cdot 2.5\text{H}_2\text{O}$ ,  $2.0 \text{ mmol S}$  powder and 12 mL of diethylenetriamine (DETA) were mixed and vigorously stirred to form a homogeneous suspension. Then, the mixture was transferred into a Teflon-lined stainless-steel autoclave with a capacity of 50 mL for 48 h at  $80^\circ\text{C}$ . After cooling to room temperature, the yellowish precipitate was rinsed with deionized water and ethanol separately, and then dried in an oven at  $60^\circ\text{C}$  for 24 h to obtain the CdS NS powder.

### 2.3 Preparation of CdS NSs@MEA<sup>34</sup>

First,  $0.1 \text{ g}$  of CdS NSs was first dispersed in deionized  $\text{H}_2\text{O}$  ( $100 \text{ mL}$ ) by sonication for 10 min, and then  $9 \text{ mL}$  of 2-mercaptoethylamine (MEA) ( $0.25 \text{ mol L}^{-1}$ ) was added into the above mixture under stirring ( $1000 \text{ rpm}$ ) and stirred for 1 h under ambient conditions to promote the adsorption of MEA on the CdS NSs. Finally, the MEA-modified CdS NS substrates (CdS NSs@MEA) were rinsed with ethanol and fully dried in an oven at  $333 \text{ K}$ .

### 2.4 Preparation of $\text{Au}_x$ @GSH NCs<sup>32</sup>

Gold(III) chloride trihydrate ( $40 \text{ mg}$ ) and L-glutathione (GSH,  $46 \text{ mg}$ ) were thoroughly mixed in  $50 \text{ mL}$  of deionized water under ambient conditions. The mixture was continuously stirred until the appearance of a colorless solution and then heated at  $343 \text{ K}$  for 24 h. The aqueous solution of  $\text{Au}_x$  clusters was stored at  $277 \text{ K}$  for further use.

### 2.5 Preparation of CdS NSs@MEA/ $\text{Ti}_3\text{C}_2\text{T}_x$

Typically, CdS NSs@MEA were dispersed in deionized water with a concentration of  $1 \text{ mg mL}^{-1}$  by ultrasonication.  $\text{Ti}_3\text{C}_2\text{T}_x$  colloid solution ( $0.06 \text{ mg mL}^{-1}$ ) was then added into the as-prepared CdS NSs@MEA solution and stirred at room temperature for 5 h. Subsequently, the mixture was centrifuged and washed with deionized water ( $\text{DI H}_2\text{O}$ ). The precipitate obtained was dried in an oven at  $60^\circ\text{C}$  to get the CdS-MXene heterostructures.

### 2.6 Preparation of $\text{Au}_x$ @GSH/CdS NSs@MEA/ $\text{Ti}_3\text{C}_2\text{T}_x$

First,  $0.1 \text{ g}$  of CdS NSs@MEA/ $\text{Ti}_3\text{C}_2\text{T}_x$  was dispersed in different volumes of  $\text{Au}_x$ @GSH NCs aqueous solution ( $2, 4, 6, 9, 12, 15 \text{ mL}$ ) and stirred ( $1000 \text{ rpm}$ ) for 60 min. Then, the mixture was centrifuged and washed with deionized water and dried at  $333 \text{ K}$



in an oven to obtain the metal NCs/TMCs/MXene nanocomposites.

## 2.7 Characterization

Zeta potential ( $\xi$ ) measurements were operated by dynamic light scattering analysis (zeta sizer Nano ZS90) with five repeated measurements. The crystal structure was studied by X-ray diffraction (XRD, Miniflex600, Rigaku Corporation, Japan) using Cu K $\alpha$  as the radiation source under 40 kV and 15 mA. Field-emission scanning electron microscopy (FESEM, Supra55, Carl Zeiss, Germany) was used to probe the morphology of the samples. Transmission electron microscopy (TEM), high-resolution (HR) TEM images and energy dispersive X-ray spectrum (EDS) were collected on a Tecnai G2 F20 transmission electron microscope with an accelerating voltage of 200 kV. UV-vis diffuse reflectance spectra (DRS, Cary50, Varian, America) were obtained using BaSO<sub>4</sub> as the reflectance background ranging from 200 to 800 nm. X-ray photoelectron spectrometer (XPS) spectra were recorded on a photoelectron spectrometer (Escalab 250, Thermo Scientific, America), where the binding energy (BE) of the elements was calibrated based on the BE of carbon (284.8 eV). Fourier transform infrared (FTIR) spectra were collected by an infrared spectrophotometer (TJ270-30A, Tianjin, China). Raman spectra were studied with a Raman spectrometer (Dxr-2xi, Thermo Scientific, America). Brunauer–Emmett–Teller (BET) specific surface area and N<sub>2</sub> adsorption experiments were carried out on a ASAP 2460. <sup>13</sup>C NMR spectra were recorded on a Bruker Avance III 500 MHz spectrometer or a Bruker Avance NEO 600 MHz spectrometer. Photoluminescence spectra (PL) for solid samples were detected on an Edinburgh FS5 photoluminescence spectrophotometer and the excitation wavelength was set as 385 nm. *In situ* diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) measurements were carried out on a Nicolet iS50FT-IR spectrometer (Thermo Fisher, USA).

## 2.8 Photocatalytic CO<sub>2</sub> reduction

Photocatalytic reactions were conducted in an online photocatalytic CO<sub>2</sub> reduction system using a Pyrex vessel. Photocatalytic CO<sub>2</sub> reduction was performed by dispersing 10 mg of catalyst in 10 mL of aqueous solution containing 5 mL of acetonitrile (MeCN), 2 mL of DI H<sub>2</sub>O as a reaction solvent and 3 mL of triethanolamine (TEOA) as the sacrificial agent. The solution was constantly stirred with the help of a magnetic stirrer, preventing the settling of particles at the bottom of the reactor. Prior to irradiation, the reaction mixture was vacuumed to eliminate the dissolved gases, and then the photocatalytic reactor was filled with CO<sub>2</sub> for 10 min. The photocatalytic system was thoroughly degassed and then irradiated by a 300 W Xe lamp (PLSSXE300D, Beijing Perfect Light Co. Ltd, China) equipped with a 420 nm cut-off optical filter ( $\lambda > 420$  nm). A magnetic stirrer bar was continuously stirred at the bottom of the reactor to keep the catalyst in a suspended state during the whole experiment. The evolving CO and H<sub>2</sub> were monitored periodically by an online gas chromatograph (Shimadzu GC-2014C using argon as carrier gas). Photoactivities were

evaluated based on the amount of CO and H<sub>2</sub> evolution in the first 2 h of the reaction. Recycling photocatalytic CO<sub>2</sub> reduction reactions were carried out as follows. The photocatalytic system was thoroughly degassed again after the first run without separating the catalyst or supplementing anything. Subsequently, the thoroughly degassed system was irradiated again by a 300 W Xe lamp with a UV-CUT filter to cut off light with wavelength  $\lambda$ .

## 2.9 Photoelectrochemical (PEC) measurements

PEC measurements were carried out with a conventional three-electrode system on electrochemical workstations (CHI 660E & Gamary Interface 1000 E). Pt foil, an Ag/AgCl electrode and the samples coated on FTO acted as the counter, reference and working electrodes, respectively. Information about the fabrication of the working electrodes is provided in ESI.† An aqueous solution of Na<sub>2</sub>SO<sub>4</sub> (0.5 M, pH = 6.69) was utilized as the electrolyte, and the photoelectrodes were irradiated with visible light ( $\lambda > 420$  nm) (FX300, Beijing Perfectlight Co. Ltd, China).


# 3 Results and discussion

A flowchart for the fabrication of CdS/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/Au<sub>x</sub> heterostructure is exhibited in Scheme 1, which can be divided into three steps. Firstly, CdS NSs were prepared by a hydrothermal method and then modified with 2-mercaptoethylamine (MEA) to obtain a positively charged surface (Fig. S1†). Subsequently, CdS were integrated with negatively charged Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> nanosheets (Fig. S2a†) by electrostatic attraction to get the CdS/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> (CT) nanocomposite. It is noteworthy that GSH ligands endow Au<sub>x</sub> NCs with a negatively charged surface. As a result, CdS/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/Au<sub>x</sub> ternary heterostructures are obtained by self-assembling negatively charged Au<sub>x</sub>@GSH NCs (Fig. S3 & 4a†) on the positively charged MEA-modified CT nanocomposite in an analogous integration mode *via* electrostatic interaction. Therefore, the complementary surface charge properties of CdS, Ti<sub>3</sub>AlC<sub>2</sub> and Au<sub>x</sub>@GSH NC building blocks contribute to the construction of a CdS/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/Au<sub>x</sub> (CTA) heterostructure.

## 3.1 Characterization of CdS/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/Au<sub>x</sub> NCs heterostructure

X-ray powder diffraction (XRD) was used to explore the crystal structures of CdS, Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, CT and CTA. As shown in Fig. S2c,† the as-prepared Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> nanosheets demonstrate a characteristic diffraction peak at  $2\theta = 6.7^\circ$  corresponding to the (002) crystal plane, which is distinct from the XRD result of the Ti<sub>3</sub>AlC<sub>2</sub> precursor.<sup>35</sup> Note that the peak at  $2\theta = 38.9^\circ$  attributable to the (104) crystal plane of Ti<sub>3</sub>AlC<sub>2</sub> is almost invisible in the XRD pattern of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, indicating that the layer of Al atoms in Ti<sub>3</sub>AlC<sub>2</sub> has been completely removed by etching and successful preparation of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>. As can be seen from Fig. 1a, the peaks at  $24.8^\circ$ ,  $26.7^\circ$ ,  $28.4^\circ$ ,  $36.6^\circ$ ,  $43.7^\circ$ ,  $47.9^\circ$  and  $52^\circ$  match well with the (100), (002), (101), (102), (110), (103) and (112) crystal planes of wurtzite phase CdS (PDF#65-3414). The XRD spectra of CT and CTA are basically consistent with CdS, but a new peak appears at  $2\theta = 20.7^\circ$ , which can be attributed to the (004)





Scheme 1 Schematic illustration of the self-assembly of CdS/Ti<sub>3</sub>C<sub>2</sub>/Au<sub>x</sub> nanocomposites.

crystal plane of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>.<sup>36</sup> No obvious peak of Au<sub>x</sub>@GSH NCs can be observed in the XRD result for CTA, probably due to the intrinsic amorphous property of Au<sub>x</sub>@GSH NCs. As displayed in Fig. 1b, two characteristic peaks at 300 and 600 cm<sup>-1</sup> in the Raman spectrum of CdS are ascribed to the longitudinal-optical (LO) phonon of CdS and its first multiscattering (2LO),<sup>37</sup> which is analogous to those of CT and CTA owing to the low deposition percentage of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> and Au<sub>x</sub>@GSH NCs.

Fig. 1c shows the Fourier transform infrared (FTIR) spectra of CdS, CT and CTA, all of which show two peaks at 2917 and

2856 cm<sup>-1</sup> that can be ascribed to the stretching vibration mode of -CH<sub>2</sub> groups from the MEA molecules.<sup>20</sup> The peak at 612 cm<sup>-1</sup> in the FTIR spectra of CT and CTA originates from the Ti-O bond from the surface functional groups of Ti<sub>3</sub>AlC<sub>2</sub>,<sup>38</sup> which matches the XRD result, indicating the successful integration of Ti<sub>3</sub>AlC<sub>2</sub> with CdS in the composite. The single peak at 1630 cm<sup>-1</sup> corresponds to the stretching vibration mode of the -COOH group from the GSH ligand of Au<sub>x</sub> NCs,<sup>20</sup> which confirms the successful combination of Au<sub>x</sub>@GSH NCs with CT.




Fig. 1 (a) XRD results, (b) Raman, (c) FTIR, (d) DRS and (e) bandgap determination plots for CdS, CT, and CTA. High-resolution (f) S 2p, (g) Cd 3d, (h) Ti 2p, and (i) Au 4f spectra of (I) CdS, (II) CT, and (III) CTA.



The optical properties of CdS, CT and CTA were investigated by UV-vis diffuse reflectance spectroscopy (DRS). As shown in Fig. S4b,† Au<sub>x</sub>@GSH NCs demonstrate visible light absorption with a band edge approaching 450 nm,<sup>39</sup> confirming the successful synthesis of Au<sub>x</sub>@GSH NCs. The absorption spectrum of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> (Fig. S2d†) shows the appearance of characteristic peaks at 255 and 314 nm,<sup>40</sup> and in particular the near-infrared (NIR) absorption at ca. 700–800 nm confirm the successful fabrication of MXene. From Fig. 1d, it is apparent that the light absorption band edge of the CdS NS substrate is around 550 nm owing to intrinsic band gap photoexcitation. When integrating MXene with CdS NSs, the absorption intensity of CT shows an enhancement in the range 550–800 nm compared with pure CdS NSs. This result agrees with the change in sample color from bright yellow to green, which confirms that MXene deposition can promote the light-capturing capacity of the nanocomposite. It is worth noting that the light absorption intensity of CTA is not remarkably altered compared with CT because of the low deposition percentage of Au<sub>x</sub>@GSH NCs. The band gap energy of these samples can be determined with the following formula:

$$(\alpha h\nu)^n = A(h\nu - E_g) \quad (1)$$

where  $\alpha$ ,  $h\nu$ ,  $E_g$  and  $A$  are the light coefficient, photon energy, band gap and constant, respectively. According to the transformation diagram of the Kubelka–Munk function *versus* light energy, the bandgap values of CdS, CT and CTA are roughly determined to be 2.36, 2.30 and 2.32 eV (Fig. 1e), respectively. Note that the band gap differences among CdS, CT, and CTA are relatively small, suggesting that the introduction of Au<sub>x</sub>@GSH NCs and MXene does not change the optical properties of the CdS substrate.

X-ray photoelectron spectroscopy (XPS) was utilized to explore the surface element composition and chemical states of CdS, CT and CTA. As depicted in Fig. S5,† the survey spectrum of CTA shows the signals of Cd 3d, Cd 4d, S 2p, S 2s, C 1s, Ti 2p, Au 4f and O 1s. Among them, the Cd & S signals come from CdS NSs, the C & Ti signals originate from Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, and the Au signal stems from Au<sub>x</sub>@GSH NCs. In the high-resolution S 2p spectrum of CTA (Fig. 1f), two peaks of S 2p<sub>3/2</sub> and S 2p<sub>1/2</sub> are located at around 161.4 eV and 162.6 eV, respectively, neither of which are obviously changed compared with those of CT, but they demonstrate an evident red-shift in binding energy relative to those of CdS. As for CTA, the high-resolution Cd 3d spectrum shows Cd 3d<sub>3/2</sub> and Cd 3d<sub>5/2</sub> peaks at 411.8 eV and 405 eV, respectively,<sup>41</sup> and the changes in binding energy of the high-resolution Cd 3d spectra for CdS, CT and CTA are consistent with that of the aforementioned S 2p spectrum (Fig. 1g). The change in position of these peaks in the high-resolution S 2p and Cd 3d spectra of CdS, CT and CTA can be attributed to the strong interaction between CdS and Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, which facilitates the formation of an intimate interface and exerts a significant influence on the distribution of electron density in CT. The characteristic peaks at 460.2 eV/458.8 eV, 455.5 eV/462.3 eV, 461 eV and 463.1 eV in the high-resolution Ti 2p spectrum of CTA (Fig. 1h) match well with the Ti–C, Ti–O<sub>x</sub>, Ti–x and Ti–O

bonds, respectively.<sup>42</sup> The presence of Ti–O and Ti–x species indicates that Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> features various functional groups on the surface, such as –O, –F and –OH, which can improve the adsorption capacity of CO<sub>2</sub> or H<sub>2</sub>O.<sup>43</sup> As shown in Fig. 1i, the high-resolution Au 4f spectrum of CTA shows two peaks which correspond to the Au<sup>+</sup> and Au<sup>0</sup> species from the generic core-shell nanostructure of Au<sub>x</sub>@GSH NCs,<sup>20</sup> confirming the successful integration of Au<sub>x</sub>@GSH NCs into the nanocomposites.

An analysis of N<sub>2</sub> adsorption/desorption isotherms and pore size distribution curves is shown in Fig. S7,† from which we can see that the three samples all exhibit type IV isotherms, and the mean pore size is between 2 and 50 nm, indicating they are mesoporous materials. As summarized in Table S2,†, the specific surface area of CT (67.7794 m<sup>2</sup> g<sup>–1</sup>) is much larger than that of CdS (36.08 m<sup>2</sup> g<sup>–1</sup>) due to the introduction of 2D Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>. However, note that the specific surface area of CTA (54.53 m<sup>2</sup> g<sup>–1</sup>) is slightly smaller than that of CT after introducing Au<sub>x</sub>@GSH NCs (ca. 1.36 nm, Fig. S4†) which blocks the surface pores of CT. Therefore, the remarkable enhancement in the photocatalytic performance of CTA illustrated in the latter part is independent of the specific surface area.

As shown in Fig. 2a, CdS exhibits a morphology of corrugated nanosheets stacking with each other. The elemental mapping and energy-dispersive X-ray spectroscopy (EDS) of CdS are consistent with the scanning electron microscopy (SEM) image (Fig. S8†). As displayed in Fig. 2b, the morphology of CT is similar to that of pure CdS, indicating that introducing 2D layered Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> with an average thickness of about 1.4 nm (Fig. S2e and f†) does not exert much impact on the morphology of the composite. The SEM image and EDS results of CT (Fig. S9†) suggest that Ti and C elements are evenly distributed on the surface of CdS, which implies the successful introduction of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>. The morphology of CTA (Fig. 2c) is not apparently altered compared with CT and no Au<sub>x</sub>@GSH NCs can be directly observed on the surface, which is attributed mainly to the ultra-small size of the Au<sub>x</sub>@GSH NCs.

The microstructure and morphology of CdS, CT and CTA were further probed by transmission electron microscopy (TEM) and high-resolution transmission electron microscopy (HRTEM). As shown in Fig. 2d, CdS exhibits an integrated 2D nanosheet structure, which is consistent with the SEM results, and the lattice fringe with spacing of 0.336 nm (Fig. 2g) agrees well with the (002) crystal plane of hexagonal CdS. From the TEM image of CT (Fig. 2e), a layered structure of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> can obviously be found in the area outlined by white dots. Meanwhile, we can see the clear boundaries marked by the dashed line, confirming the tight connection formed between MXene and the CdS substrate. Besides the (002) crystal plane of CdS, the (104) crystal plane of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> can also be observed in the HRTEM image of CT (Fig. 2h). As shown in the TEM image of CTA (Fig. 2f), Au<sub>x</sub>@GSH NCs are uniformly dispersed on the CTA surface. It can be seen from HRTEM (Fig. 2i) that the lattice spacings of 0.318 nm and 0.248 nm correspond to the (101) and (006) crystal planes of hexagonal CdS and Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, respectively, but no lattice fringe belonging to Au<sub>x</sub>@GSH NCs is observed because of its generic amorphous property. As shown in Fig. 2(j)–






Fig. 2 Panoramic FESEM images of (a) CdS, (b) CT, and (c) CTA; TEM images of (d) CdS, (e) CT, and (f) CTA; HRTEM images of (g) CdS, (h) CT, and (i) CTA; (j–j<sub>8</sub>) TEM elemental mapping results of CTA with (j<sub>1</sub>) S, (j<sub>2</sub>) Ti, (j<sub>3</sub>) Au, (j<sub>4</sub>) F, (j<sub>5</sub>) Cd, (j<sub>6</sub>) C, (j<sub>7</sub>) O and (j<sub>8</sub>) N signals.

j<sub>8</sub>), S, Cd, C, Ti, Au and N elements are uniformly distributed in the whole framework of the CTA nanocomposite, among which the N signal originates mainly from the GSH ligand, and the F signal derives from the surface functional group of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, confirming the successful dispersion of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> and Au<sub>x</sub>@GSH NCs in the CTA nanocomposite.

### 3.2 Photocatalytic activities

The photoactivities of CdS, CT and CTA toward CO<sub>2</sub> reduction under visible light irradiation were probed. As displayed in

Fig. 3a, pure CdS demonstrates a CO yield of 19.458 μmol g<sup>−1</sup> h<sup>−1</sup>. When Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> (0.06 mg mL<sup>−1</sup>) is integrated with CdS, the CO yield of CT<sub>0.06</sub> increases to 66.792 μmol g<sup>−1</sup> h<sup>−1</sup>, which is attributed to the merits of 2D Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> with excellent conductivity that not only promotes charge transfer and reduces carrier recombination, but also boosts the specific surface area of the CT nanocomposite to yield more active sites. When Au<sub>x</sub>@GSH NCs (1.2 mL) are self-assembled on the CT nanocomposite, the photocatalytic performance of CT<sub>0.06</sub>A<sub>1.2</sub> is further enhanced with the CO generation rate reaching 117.327 μmol g<sup>−1</sup> h<sup>−1</sup>,






Fig. 3 (a) CO<sub>2</sub> photoreduction performances of CdS, CT<sub>0.06</sub>, CT<sub>0.06</sub>A<sub>1.2</sub>, CA<sub>1.2</sub>, pure Au<sub>x</sub>@GSH NCs, MXene and T<sub>0.06</sub>A<sub>1.2</sub>; (b) CO<sub>2</sub> photoreduction performances of CT<sub>0.06</sub>A<sub>1.2</sub> under different reaction conditions; (c) mass spectrum of <sup>13</sup>CO ( $m/z = 29$ ) produced over CT<sub>0.06</sub>A<sub>1.2</sub> in the photocatalytic reduction of <sup>13</sup>CO<sub>2</sub>; (d) photoactivities of CT<sub>0.06</sub>A<sub>1.2</sub> using various sacrificial reagents; (e) photoactivities of CT<sub>0.06</sub>A<sub>1.2</sub> under different light intensities; (f) wavelength-dependent CO<sub>2</sub> photoreduction activities of CT<sub>0.06</sub>A<sub>1.2</sub>.

which is 6 and 2 times larger than those of pure CdS ( $19.458 \mu\text{mol g}^{-1} \text{h}^{-1}$ ) and CT<sub>0.06</sub> ( $66.792 \mu\text{mol g}^{-1} \text{h}^{-1}$ ), respectively. This is mainly ascribed to the fact that the involvement of Au<sub>x</sub>@GSH NCs improves the light-trapping capacity of the CT<sub>0.06</sub>A<sub>1.2</sub> nanocomposite and promotes interfacial charge separation and transfer. Notably, no CO can be detected when pure Au<sub>x</sub>@GSH NCs, pure Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> or Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/Au<sub>x</sub>@GSH (T<sub>0.06</sub>A<sub>1.2</sub>) composite were utilized as the catalysts. The results are strong evidence for the indispensable role of CdS as a light-harvesting antenna and its applicable energy level alignment with Au<sub>x</sub>@GSH NCs, the advantageous photosensitization effect of Au<sub>x</sub>@GSH NCs, and the electron-trapping capability of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, which synergistically contribute to the significantly enhanced photocatalytic CO<sub>2</sub> reduction performance of CTA under visible light irradiation.

As shown in Fig. 3b, no obvious CO<sub>2</sub> reduction reaction occurs in the absence of catalyst or light, indicating that the reaction requires photoexcited catalyst and light to produce the charge carriers which trigger the CO<sub>2</sub> photoreduction. That is, light and catalysts are the essential premise for CO<sub>2</sub> photocatalysis. The CO yield of CT<sub>0.06</sub>A<sub>1.2</sub> without using triethanolamine (TEOA) as a sacrificial agent ( $14.373 \mu\text{mol g}^{-1} \text{h}^{-1}$ ) is much lower than under normal conditions, highlighting the important role of a sacrificial reagent in remarkably promoting the CO<sub>2</sub> conversion efficiency by quenching holes. It is worth noting that when N<sub>2</sub> is used to replace CO<sub>2</sub>, there is a small amount of CO generation, which may stem from the trace CO<sub>2</sub> that cannot be completely removed by vacuuming the system. Moreover, the carbon source of CO products was explored by isotope tracking control experiments and analyzed by gas chromatography-mass spectrometry (GC-MS). As shown in Fig. 3c, the peak at an  $m/z$  value of 29

corresponds to <sup>13</sup>CO, which confirms that the CO product originates from CO<sub>2</sub>. Furthermore, we found that different sacrificial reagents also have a great impact on the CO<sub>2</sub> reduction performance (Fig. 3d), among which the photosystem with added TEOA exhibits optimal photoactivity compared with the other counterparts. As exhibited in Fig. 3e, the CO yield of CT<sub>0.06</sub>A<sub>1.2</sub> is heavily dependent on the light intensity. When the light intensity increases to  $350 \text{ mW cm}^{-2}$ , the CO yield increases to its optimum ( $143.334 \mu\text{mol g}^{-1} \text{h}^{-1}$ ), confirming it is indeed a photocatalytic process. Besides, the CO<sub>2</sub> photoreduction performance of CT<sub>0.06</sub>A<sub>1.2</sub> under monochromatic light irradiation (Fig. 3f) also shows a volcanic variation trend when the wavelength changes from 400 to 520 nm, and reaches its highest value ( $63.513 \mu\text{mol g}^{-1} \text{h}^{-1}$ ) at 450 nm. This is completely consistent with the DRS results, indicating that the bandgap photoexcitation of the CdS substrate plays a dominant role in CO<sub>2</sub> reduction.

Stability measurements (Fig. S10†) reveal that CT<sub>0.06</sub>A<sub>1.2</sub> demonstrates improved photostability relative to pure CdS during the five successive photocatalytic reactions. Note that the photoactivity of CT<sub>0.06</sub>A<sub>1.2</sub> is always larger than that of pristine CdS during photostability testing, once again confirming the synergy of MXene and Au<sub>x</sub>@GSH NCs in promoting charge separation. The structural integrity of CT<sub>0.06</sub>A<sub>1.2</sub> after a cyclic photocatalytic CO<sub>2</sub> reduction reaction was explored. As shown in Fig. S11 and S12,† the XRD results for CTA before and after the cyclic reaction are basically similar, and the morphology and elemental composition are not greatly changed according to the SEM and EDS results. The above results indicate that photocorrosion of CdS in the nanocomposite does not occur in our work.

Photoelectrochemical (PEC) measurements were performed to evaluate the roles of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> and Au<sub>x</sub>@GSH in promoting





interfacial charge separation. Photocurrents of CdS, CT<sub>0.06</sub> and CT<sub>0.06</sub>A<sub>1.2</sub> increase successively, which can be attributed to the following reasons: (1) Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> with superior conductivity facilitates electron transfer and suppresses the recombination of electron-hole pairs over CT<sub>0.06</sub>. (2) Au<sub>x</sub>@GSH NCs, as light-harvesting antennas, establish beneficial energy level alignment with CdS and Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, further enhancing carrier migration and increasing carrier density, resulting in the highest photocurrent density of CT<sub>0.06</sub>A<sub>1.2</sub> compared with CdS and CT<sub>0.06</sub> (Fig. 4a). Electrochemical impedance spectroscopy (EIS) was utilized to probe interfacial charge transfer resistance. As shown in Fig. 4b, the semicircular arc radius of CT<sub>0.06</sub>A<sub>1.2</sub> is successively smaller than those of CT<sub>0.06</sub> and CdS, proving that CT<sub>0.06</sub>A<sub>1.2</sub> harbours the lowest interfacial charge transfer resistance compared with the other counterparts. The specific interfacial charge resistance of the samples is summarized in Table S4†. Analogous results are found in the open-circuit photovoltage decay (OCVD) results (Fig. 4c). Specifically, CT<sub>0.06</sub>A<sub>1.2</sub> shows the largest photovoltage and the longest decay rate in comparison with CT<sub>0.06</sub> and CdS, which reflects its most efficient charge separation. As shown in Fig. S13,† the slope of the linear part of the Mott-Schottky (M-S) plots of CdS, CT<sub>0.06</sub> and CT<sub>0.06</sub>A<sub>1.2</sub> is utilized to calculate the carrier density according to the following formula:

$$N_D = \frac{2}{e\epsilon_0\epsilon_r} \left\{ \frac{d(U_s)}{d\left(\frac{1}{C^2}\right)} \right\} \quad (2)$$

where  $e$  is the electron charge ( $1.6 \times 10^{-19}$  C,  $C = F \times V$ ),  $N_D$  is the donor density ( $\text{cm}^{-3}$ ),  $\epsilon_0$  is the vacuum permittivity ( $8.86 \times 10^{-12}$  F m<sup>-1</sup>),  $\epsilon_r$  is the dielectric constant of the material ( $\epsilon_{\text{CdS}} = 8.9$ ), and  $U_s$  is the potential applied at the electrode. The carrier

densities of CdS, CT<sub>0.06</sub> and CT<sub>0.06</sub>A<sub>1.2</sub> are calculated to be  $1.61 \times 10^{19} \text{ cm}^{-3}$ ,  $2.84 \times 10^{19} \text{ cm}^{-3}$  and  $6.10 \times 10^{19} \text{ cm}^{-3}$ , respectively (Fig. 4e), from which it is obvious that the carrier density of CT<sub>0.06</sub>A<sub>1.2</sub> is larger than those of CT<sub>0.06</sub> and CdS, agreeing with the photocurrent and OCVD results. According to the above PEC results, it can be concluded that the synergistic effect among CdS, Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> and Au<sub>x</sub>@GSH NCs gives CT<sub>0.06</sub>A<sub>1.2</sub> the largest carrier density, lowest interfacial charge transfer resistance and fastest charge separation efficiency compared with the CdS and CT<sub>0.06</sub> counterparts. Alternatively, the photoluminescence (PL) spectra (Fig. 4f) of CdS, CT<sub>0.06</sub> and CT<sub>0.06</sub>A<sub>1.2</sub> show a similar emission peak at 525 nm under an excitation wavelength of 360 nm. Moreover, the result implies that CT<sub>0.06</sub>A<sub>1.2</sub> harbours the lowest peak intensity followed in turn by CT<sub>0.06</sub> and CdS, which substantiates its most efficient charge separation, consistent with the PEC results.

### 3.3 Photocatalytic mechanism

The active intermediate species formed during photocatalytic CO<sub>2</sub> reduction over CdS and CT<sub>0.06</sub>A<sub>1.2</sub> were explored through *in situ* diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS). Fig. 5a illustrates the *in situ* formation of unidentate carbonate ( $\text{m-CO}_3^{2-}$ ) ( $1540 \text{ cm}^{-1}$ ,  $1510 \text{ cm}^{-1}$ ), bidentate carbonate ( $\text{b-CO}_3^{2-}$ ) ( $1650 \text{ cm}^{-1}$ ,  $1620 \text{ cm}^{-1}$ ,  $1338 \text{ cm}^{-1}$ ),  $\text{CO}_3^{2-}$  ( $1697 \text{ cm}^{-1}$ ) and  $\text{HCO}_3^-$  ( $1473$ ,  $1223 \text{ cm}^{-1}$ ) species under visible light irradiation, suggesting that CO<sub>2</sub> molecules are adsorbed on the surface of the catalysts and are then converted into diverse intermediate active species.<sup>44</sup> Additionally, as depicted in Fig. 5b, the adsorption bands of these species produced over CT<sub>0.06</sub>A<sub>1.2</sub> exhibit enhanced intensity compared with pure CdS, indicating the superior CO<sub>2</sub> activation capability of CT<sub>0.06</sub>A<sub>1.2</sub>. Noticeably, COOH\* species at  $1558 \text{ cm}^{-1}$ , featuring a key




Fig. 4 (a) Transient photocurrent responses, (b) Nyquist plots of EIS results, (c) open-circuit-photovoltage decay curves, (d) M-S results and (e) carrier densities ( $N_D$ ) of CdS, CT<sub>0.06</sub> and CT<sub>0.06</sub>A<sub>1.2</sub> under visible light ( $\lambda > 420 \text{ nm}$ ) irradiation utilizing Na<sub>2</sub>SO<sub>4</sub> aqueous solution (0.5 M, pH = 7) as the electrolyte; (f) solid-state PL spectra ( $\lambda_{\text{ex}} = 385 \text{ nm}$ ) of CdS, CT<sub>0.06</sub> and CT<sub>0.06</sub>A<sub>1.2</sub>.






Fig. 5 *In situ* DRIFTS analysis of photocatalytic CO<sub>2</sub> reduction over (a) CdS, (b) CT<sub>0.06</sub>A<sub>1.2</sub>. The sorption equilibrium spectra of (c) CdS and CT<sub>0.06</sub>A<sub>1.2</sub> after CO<sub>2</sub> adsorption in the dark for 5 min; (d) CO<sub>2</sub> photoreduction into CO via utilizing a single-metal-site based on carbene generation pathways. (e) Photocatalytic mechanism of CdS/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/Au<sub>x</sub>NCs heterostructure.



intermediate in the process of CO<sub>2</sub>-to-CO conversion, is observed in the DRIFTS results of CdS and CT<sub>0.06</sub>A<sub>1.2</sub>.<sup>45</sup> Meanwhile, CO\* species with significantly enhanced intensity are observed at 1844 cm<sup>-1</sup> and 1868 cm<sup>-1</sup>. Considering that CH<sub>4</sub> is not produced in the photocatalytic products, we speculate that photocatalytic CO<sub>2</sub> reduction over CdS and CT<sub>0.06</sub>A<sub>1.2</sub> follows the pathway of CO → CO<sub>2</sub>\* → COOH\* → CO\* → CO to convert CO<sub>2</sub> into CO. Noteworthily, as illustrated in Fig. 5c, the saturated CO<sub>2</sub> adsorption of CT<sub>0.06</sub>A<sub>1.2</sub> exceeds that of CdS, which is also conducive to improving the photocatalytic activity of CT<sub>0.06</sub>A<sub>1.2</sub>.

To clarify the reaction mechanism, the energy level positions of CdS, MXene, and Au<sub>x</sub>@GSH NCs were explored. According to the M-S results of CdS (Fig. 4d), its flat band potential relative to a normal hydrogen electrode ( $E_{\text{NHE}} = E_{\text{Ag/AgCl}} + 0.1976 \text{ V}$ ) is determined to be -0.44 V vs. NHE. In general, the conduction band (CB) position of n-type semiconductors is 0.1–0.2 V more negative than the flat band potential, by which the CB position of CdS is determined to be -0.54 V (vs. NHE, pH = 7). According to the bandgap determined with the DRS result, the valence band (VB) position of CdS is calculated to be 1.82 V (vs. NHE, pH = 7) with the formula  $E_{\text{VB}} = E_{\text{CB}} + E_{\text{g}}$ . On the other hand, based on the cyclic voltammetry (CV) results (Fig. S14a†) and UV-vis absorption spectra (Fig. S14b†), the LUMO and HOMO levels of Au<sub>x</sub>@GSH NCs are determined to be -1.0 and 1.75 V vs. NHE, respectively.<sup>46</sup> Besides, as reported in previous work,<sup>47</sup> the Fermi level of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> is -0.04 V (vs. NHE). Therefore, according to the aforementioned energy level positions, a type II energy level configuration is established between CdS and Au<sub>x</sub>@GSH NCs while a Schottky barrier with a built-in electric field directed from CdS to Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> is formed.

Based on the above analysis, the photocatalytic CO<sub>2</sub> reduction mechanism of the CdS/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/Au<sub>x</sub> NCs heterostructure can thus be proposed. Under visible light irradiation, CdS NSs and Au<sub>x</sub>@GSH NCs are simultaneously photoexcited to generate electron-hole pairs, and consequently they are efficiently transferred due to the favorable energy level alignment and Schottky barrier generation. To be specific, holes photoexcited in the VB of CdS are transferred to the HOMO level of Au<sub>x</sub>@GSH NCs and then completely quenched by the hole scavenger (TEOA). Meanwhile, electrons photoexcited over Au<sub>x</sub>@GSH NCs migrate from the LUMO level to the CB position of CdS, and then transfer to the Fermi level of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>, leading to a cascade electron transport pathway. Consequently, the spatial separation of electron-hole pairs over the CT<sub>0.06</sub>A<sub>1.2</sub> heterostructure is considerably enhanced, giving rise to a markedly prolonged carrier lifetime. The ultimately separated photoelectrons on the surface of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> participate in the photocatalytic CO<sub>2</sub> reduction, which is specifically illustrated in Fig. 5d. Specifically, the carbon atom in the CO<sub>2</sub> molecule, as a Lewis acid, is easily adsorbed on the -F functional group, which acts as a Lewis base on the surface of Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>.<sup>48</sup> The acid-base interaction between fluorine and CO<sub>2</sub> reduces the activation energy barrier of CO<sub>2</sub> and accelerates the activation of CO<sub>2</sub> molecules to form CO<sub>2</sub>\*.<sup>49</sup> The activated CO<sub>2</sub>\* triggers a reaction with protons and photoexcited electrons, resulting in the formation of COOH\* intermediates. Subsequent protonation further benefits conversion

of COOH\* to CO\*, which is ultimately desorbed to generate CO.<sup>50</sup>

## 4 Conclusions

In summary, a cascade electron transport pathway is elaborately constructed by integrating CdS with Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> and Au<sub>x</sub>@GSH NCs in a controllable fashion to customize an elegant interface configuration *via* electrostatic self-assembly towards photocatalytic CO<sub>2</sub> reduction. In this well-designed CdS/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/Au<sub>x</sub> ternary heterostructure, CdS and Au<sub>x</sub>@GSH NCs function as light-harvesting antennas and engender a favorable type II energy level alignment, while MXene serves as a terminal electron-trapping reservoir, which synergistically contributes to effective charge separation, thereby significantly enhancing the photocatalytic CO<sub>2</sub>-to-CO reduction performance under visible light irradiation. The photocatalytic mechanism of CO<sub>2</sub> reduction along with generation of intermediate active species were determined by DRIFTS. Our work will provide an inspiring idea to combine MXene with atomically precise metal NCs to strategically mediate charge transport pathways for solar-to-fuel conversion.

## Data availability

The data supporting this article have been included as part of the ESI.†

## Author contributions

Yu-Shan Cai performed the experiments, analyzed all data, and draft the manuscript. Jia-Qi Chen and Peng Su help to check the manuscript. Xian Yan, Qing Chen and Yue Wu carried out the DRIFTS experiments. Fang-Xing Xiao guided this work and correct the manuscript.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

The support by the award Program for Minjiang scholar professorship is greatly acknowledged. This work was financially supported by the National Natural Science Foundation of China (No. 21703038, 22072025). The financial support from state key laboratory of structural chemistry, Fujian institute of research on the structure of matter, Chinese academy of science is acknowledged (No. 20240018).

## References

- 1 A. J. Morris, G. J. Meyer and E. Fujita, *Acc. Chem. Res.*, 2009, **42**, 1983–1994.
- 2 J. Ran, M. Jaroniec and S.-Z. Qiao, *Adv. Mater.*, 2018, **30**, 1704649–1704680.



- 3 S. C. Roy, O. K. Varghese, M. Paulose and C. A. Grimes, *Acs Nano*, 2010, **4**, 1259–1278.
- 4 W. Tu, Y. Zhou and Z. Zou, *Adv. Mater.*, 2014, **26**, 4607–4626.
- 5 M. Han, S. Zhu, S. Lu, Y. Song, T. Feng, S. Tao, J. Liu and B. Yang, *Nano Today*, 2018, **19**, 201–218.
- 6 W. Hou, W. H. Hung, P. Pavaskar, A. Goeppert, M. Aykol and S. B. Cronin, *ACS Catal.*, 2011, **1**, 929–936.
- 7 X. Li, Y. Sun, J. Xu, Y. Shao, J. Wu, X. Xu, Y. Pan, H. Ju, J. Zhu and Y. Xie, *Nat. Energy*, 2019, **4**, 690–699.
- 8 J. Yu, K. Wang, W. Xiao and B. Cheng, *Phys. Chem. Chem. Phys.*, 2014, **16**, 11492–11501.
- 9 M. D. Hernandez-Alonso, F. Fresno, S. Suarez and J. M. Coronado, *Energy Environ. Sci.*, 2009, **2**, 1231–1257.
- 10 X. Li, M. Rui, J. Song, Z. Shen and H. Zeng, *Adv. Funct. Mater.*, 2015, **25**, 4929–4947.
- 11 P. Niu, L. Zhang, G. Liu and H.-M. Cheng, *Adv. Funct. Mater.*, 2012, **22**, 4763–4770.
- 12 W.-J. Ong, L.-L. Tan, Y. H. Ng, S.-T. Yong and S.-P. Chai, *Chem. Rev.*, 2016, **116**, 7159–7329.
- 13 Y. Dai, C. Li, Y. Shen, T. Lim, J. Xu, Y. Li, H. Niemantsverdriet, F. Besenbacher, N. Lock and R. Su, *Nat. Commun.*, 2018, **9**, 7.
- 14 X. Li, J. Yu, M. Jaroniec and X. Chen, *Chem. Rev.*, 2019, **119**, 3962–4179.
- 15 S. Zhou, Y. Liu, J. Li, Y. Wang, G. Jiang, Z. Zhao, D. Wang, A. Duan, J. Liu and Y. Wei, *Appl. Catal., B*, 2014, **158**, 20–29.
- 16 Y. Wu, P. Wang, H. Che, W. Liu, C. Tang and Y. Ao, *Angew. Chem., Int. Ed.*, 2024, **63**, 202316410.
- 17 C. Xue, P. Wang, H. Che, W. Liu, B. Liu and Y. Ao, *Appl. Catal., B*, 2024, **340**, 123259.
- 18 Q. Zhang, T. Wu, H. Che, C. Tang, B. Liu and Y. Ao, *Surf. Interfaces*, 2024, **47**, 104205.
- 19 G. Li and R. Jin, *Acc. Chem. Res.*, 2013, **46**, 1749–1758.
- 20 S. Hou, M.-H. Huang and F.-X. Xiao, *J. Mater. Chem. A*, 2022, **10**, 7006–7012.
- 21 Z.-Q. Wei, S. Hou, X. Lin, S. Xu, X.-C. Dai, Y.-H. Li, J.-Y. Li, F.-X. Xiao and Y.-J. Xu, *J. Am. Chem. Soc.*, 2020, **142**, 21899–21912.
- 22 X.-Y. Fu, Z.-Q. Wei, S. Xu, X. Lin, S. Hou and F.-X. Xiao, *J. Phys. Chem. Lett.*, 2020, **11**, 9138–9143.
- 23 M. Naguib, M. Kurtoglu, V. Presser, J. Lu, J. Niu, M. Heon, L. Hultman, Y. Gogotsi and M. W. Barsoum, *Adv. Mater.*, 2011, **23**, 4248–4253.
- 24 M. Khazaei, A. Ranjbar, M. Arai, T. Sasaki and S. Yunoki, *J. Mater. Chem. C*, 2017, **5**, 2488–2503.
- 25 A. V. Mohammadi, J. Rosen and Y. Gogotsi, *Science*, 2021, **372**, 1165–1180.
- 26 J. Choi, Y.-J. Kim, S.-Y. Cho, K. Park, H. Kang, S. J. Kim and H.-T. Jung, *Adv. Funct. Mater.*, 2020, **30**, 2003998–2004007.
- 27 R. Xiao, C. Zhao, Z. Zou, Z. Chen, L. Tian, H. Xu, H. Tang, Q. Liu, Z. Lin and X. Yang, *Appl. Catal., B*, 2020, **268**, 118382–118393.
- 28 M.-Y. Ye, Z.-H. Zhao, Z.-F. Hu, L.-Q. Liu, H.-M. Ji, Z.-R. Shen and T.-Y. Ma, *Angew. Chem., Int. Ed.*, 2017, **56**, 8407–8411.
- 29 Y.-J. Yuan, Z. Shen, S. Wu, Y. Su, L. Pei, Z. Ji, M. Ding, W. Bai, Y. Chen, Z.-T. Yu and Z. Zou, *Appl. Catal., B*, 2019, **246**, 120–128.
- 30 Q. Liu, T. Chen, Y. Guo, Z. Zhang and X. Fang, *Appl. Catal., B*, 2016, **193**, 248–258.
- 31 J. Bai, R. Shen, Z. Jiang, P. Zhang, Y. Li and X. Li, *Chin. J. Catal.*, 2022, **43**, 359–369.
- 32 X.-Y. Fu, Z.-Q. Wei, S. Xu, X. Lin, S. Hou and F.-X. Xiao, *J. Phys. Chem. Lett.*, 2020, **11**, 9138–9143.
- 33 X. Xie, N. Zhang, Z.-R. Tang, M. Anpo and Y.-J. Xu, *Appl. Catal., B*, 2018, **237**, 43–49.
- 34 H. Liang, B.-J. Liu, B. Tang, S.-C. Zhu, S. Li, X.-Z. Ge, J.-L. Li, J.-R. Zhu and F.-X. Xiao, *ACS Catal.*, 2022, **12**, 4216–4226.
- 35 J. Low, L. Zhang, T. Tong, B. Shen and J. Yu, *J. Catal.*, 2018, **361**, 255–266.
- 36 B. Saini, K. Harikrishna, D. Laishram, R. Krishnapriya, R. Singhal and R. K. Sharma, *ACS Appl. Nano Mater.*, 2022, **5**, 9319–9333.
- 37 K. Sun, J. Shen, Y. Yang, H. Tang and C. Lei, *Appl. Surf. Sci.*, 2020, **505**, 144042–144050.
- 38 S.-C. Zhu, Z.-C. Wang, B. Tang, H. Liang, B.-J. Liu, S. Li, Z. Chen, N.-C. Cheng and F.-X. Xiao, *J. Mater. Chem. A*, 2022, **10**, 11926–11937.
- 39 H. Choi, Y.-S. Chen, K. G. Stamplecoskie and P. V. Kamat, *J. Phys. Chem. Lett.*, 2015, **6**, 217–223.
- 40 Y. Shao, C. Chen, Q. He, W. Wu, C. Li and Y. Gao, *Nanomaterials*, 2020, **10**, 2544–2555.
- 41 M. N. Meeran, N. Haridharan, M. Shkir, H. Algarni and V. R. M. Reddy, *Chem. Phys. Lett.*, 2022, **809**, 140150–140159.
- 42 X. Chen, Y. Guo, R. Bian, Y. Ji, X. Wang, X. Zhang, H. Cui and J. Tian, *J. Colloid Interface Sci.*, 2022, **613**, 644–651.
- 43 M. Tahir, A. A. Khan, S. Tasleem, R. Mansoor, A. Sherryana and B. Tahir, *J. Energy Chem.*, 2023, **76**, 295–331.
- 44 H. Yu, J. Li, Y. Zhang, S. Yang, K. Han, F. Dong, T. Ma and H. Huang, *Angew. Chem., Int. Ed.*, 2019, **58**, 3880–3884.
- 45 J. Di, X. Zhao, C. Lian, M. Ji, J. Xia, J. Xiong, W. Zhou, X. Cao, Y. She, H. Liu, K. P. Loh, S. J. Pennycook, H. Li and Z. Liu, *Nano Energy*, 2019, **61**, 54–59.
- 46 L. Yu-Bing and X. Fang-Xing, *J. Mater. Chem. A*, 2022, **11**, 589–599.
- 47 J.-Y. Li, Y.-H. Li, F. Zhang, Z.-R. Tang and Y.-J. Xu, *Appl. Catal., B*, 2020, 118783–118792, DOI: [10.1016/j.apcatb.2020.118783](https://doi.org/10.1016/j.apcatb.2020.118783).
- 48 Y. Su, Y. Cheng, Z. Li, Y. Cui, C. Yang, Z. Zhong, Y. Song, G. Wang and L. Zhuang, *J. Energy Chem.*, 2024, **88**, 543–551.
- 49 M. W. D. Hanson-Heine and N. A. Besley, *Chem. Phys. Lett.*, 2015, **638**, 191–195.
- 50 J. Wu, X. Li, W. Shi, P. Ling, Y. Sun, X. Jiao, S. Gao, L. Liang, J. Xu, W. Yan, C. Wang and Y. Xie, *Angew. Chem., Int. Ed.*, 2018, **57**, 8719–8723.

