



# ORGANIC CHEMISTRY

## FRONTIERS

Accepted Manuscript



This article can be cited before page numbers have been issued, to do this please use: S. Thiele, M. Giffin, M. Wendling, D. Görl, C. Plummer and H. Frauenrath, *Org. Chem. Front.*, 2025, DOI: 10.1039/D5QO00087D.



This is an Accepted Manuscript, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about Accepted Manuscripts in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this Accepted Manuscript or any consequences arising from the use of any information it contains.

# Polymer-Bridged Nanofibrils in a High-Molar-Mass Polyester via Co-assembly of Benzenetricarboxamide End Groups and Additive

*Sophia Thiele<sup>1</sup>, Michael Giffin<sup>1</sup>, Matthieu Wendling<sup>1</sup>, Daniel Görl<sup>1</sup>,*

*Christopher J. G. Plummer<sup>1</sup>, Holger Frauenrath<sup>1\*</sup>*

<sup>1</sup> École Polytechnique Fédérale de Lausanne (EPFL)

Institute of Materials

1015 Lausanne, Switzerland

\* Corresponding Author :

[holger.frauenrath@epfl.ch](mailto:holger.frauenrath@epfl.ch)

## Abstract

View Article Online  
DOI: 10.1039/D5QO00087D

Benzenetricarboxamide (BTA) derivatives are versatile compounds widely employed as nucleating agents in commercial semicrystalline plastics and as supramolecular ligands in self-assembling telechelic polymer-based organogels, hydrogels, and bulk elastomers. However, their effectiveness as supramolecular modifiers is typically limited to low-molar-mass apolar polymers. Here, we report the supramolecular aggregation of a BTA-end-functionalized semicrystalline aliphatic polyester with a number-average molar mass several times its entanglement molar mass, blended with a matching low-molar-mass BTA additive. In these blends, the BTA end groups and additive co-assemble to form a new phase comprising a network of polymer-bridged nanofibrils. This network gives rise to a high-melt-strength rubbery regime that is absent from the pure telechelic polyester but extends to temperatures well above its melting point in the blends. Moreover, the nanofibrils prove to be highly efficient nucleating agents for crystallization of the polyester, significantly outperforming bulk additive precipitates. Our findings hence demonstrate that co-assembly of polymer end groups with a low-molar-mass additive may facilitate supramolecular aggregate formation in polymer matrices where end-modification alone is insufficient, leading to materials with increased melt strength, crystallization rates, and thermal dimensional stability, and hence valuable benefits for industrial applications.

## Introduction

Supramolecular functional motifs that self-assemble in a controlled and reversible manner into complex hierarchical structures<sup>1–3</sup> are used in a wide range of applications, including soft robotics,<sup>4,5</sup> targeted drug delivery systems,<sup>6</sup> soft pliable adhesives,<sup>7</sup> and tissue-mimicking materials.<sup>8</sup> An important class of materials based on such motifs is supramolecular polymers, which have evolved from small molecules that aggregate into materials with polymer-like properties,<sup>9–13</sup> to telechelic polymers end-modified with supramolecular functional motifs,<sup>14,15</sup> improving toughness, enabling self-healing, and facilitating recycling.<sup>10,16–21</sup>

Many of the reported supramolecular polymers and networks based on telechelic polymers are derived from multivalent hydrogen-bonded motifs that we refer to here as “inherently monotopic”, that is, ligands designed to form dimers with one complementary partner. Examples of such ligands include the self-complementary 2-ureido-4-pyrimidone (UPy) motif,<sup>9</sup> and hetero-complementary donor/acceptor systems such as uracil/2,6-diacyl-amino-pyridine,<sup>22,23</sup> other nucleobases,<sup>24</sup> UPy/2,7-diamido-1,8-naphthyridine,<sup>25,26</sup> Hamilton receptor/barbituric acid,<sup>27–30</sup> and isophthalic acid/pyridine<sup>31</sup>. In some cases, these dimers may further undergo microphase separation to form larger clusters with irregularly shaped domains analogous to those observed in thermoplastic elastomers containing hard and soft segments.<sup>32</sup>

By contrast, “inherently ditopic” hydrogen-bonded motifs bind simultaneously to two other ligands to form one-dimensionally extended aggregates with well-defined lateral dimensions on the nanometer scale.<sup>33,34</sup> The vast majority of such ditopic motifs rely on multivalent hydrogen bonding between amide,<sup>35–39</sup> urethane,<sup>7,40</sup> or urea<sup>41–43</sup> functions that show cooperative self-assembly due to electronic coupling in the extended N–H...O=C hydrogen bond strands within the aggregates.<sup>2,12,44</sup> In polymers end-modified with UPy ligands with additional lateral ditopic urea<sup>45</sup> or urethane<sup>46</sup> motifs, for instance, it is the combination of the ditopic hydrogen bonds of the urea or urethane motifs and the  $\pi$ -interactions between UPy units that promote formation of one-dimensionally extended aggregates with well-defined lateral dimensions.<sup>47</sup> Telechelic polymers modified in this way are reported to show significantly increased tensile strength.<sup>45,46</sup> These examples highlight the importance of synergistic and/or competing interactions for the design of materials with precisely controlled, hierarchical morphologies.<sup>48</sup>

Well-established supramolecular motifs for the reliable formation of nanofibrils include  $\beta$ -sheet-forming oligopeptides,<sup>35,49,50</sup> oligourethanes,<sup>51</sup> oligoureas,<sup>52</sup> and their hybrids,<sup>40,53–55</sup> as well as benzene-1,3,5-tricarboxamide (BTA) derivatives.<sup>37,38</sup> These latter have been shown to form nanofibrils by three-fold hydrogen bonding of the amide functions combined with  $\pi$ -interactions between the benzene cores, resulting in extended 1D stacks. The geometric discrepancy between the length of the constituting unit involved in C–N–H $\cdots$ O=C hydrogen bonding and the  $\pi$ -stacking distance causes a rotational offset of BTA units along the stack, leading to a helical arrangement of the peripheral amide functions.<sup>38,56</sup> This disrupts lateral aggregation and crystallization into hexagonal or pseudo-hexagonal columnar phases in dilute solutions of BTA derivatives<sup>57</sup> and BTA-functionalized polymers<sup>37,58</sup> in favor of nanoscopic BTA aggregates. For instance, apolar low-molar-mass polymers, such as poly(ethylene-*ran*-butylene), which otherwise behave as viscous fluids, become soft elastomers when end-modified with BTA motifs.<sup>37</sup> By contrast, BTA end-group aggregation is not observed in polymers with higher polarity, such as aliphatic polyesters.<sup>59</sup>

The self-assembly of end groups also generally becomes less favorable with increasing polymer molar mass.<sup>42</sup> Previous investigations of supramolecular polymers and networks have therefore largely excluded polymers with molar masses high enough for formation of a robust entanglement network. This is a critical limitation given that entanglement is generally key to high extensibility and toughness in the solid state,<sup>60,61</sup> and the melt properties required for industrially relevant processing techniques, such as thermoforming, film blowing, and extrusion.<sup>60,62–64</sup> The few notable exceptions make use of specific polymer architectures to increase the local concentration of aggregating units. For instance, materials with increased toughness are obtained from high molar mass polyisoprene (PI) block copolymers in which the central PI block is well above its entanglement molar mass and the terminal blocks are modified with oligoalanine side groups so that their high local concentration renders aggregation favorable.<sup>65,66</sup> By contrast, when the aggregating motifs are incorporated into the corresponding random copolymers, the reduced segment length between physical crosslinks results in materials with reduced tensile strength and extensibility.<sup>65</sup>

Unlike supramolecular networks based on telechelic polymers end-modified with inherently monotopic ligands, which tend to break down on addition of a low-molar-mass ligand,<sup>9</sup> the high-aspect-ratio, one-dimensionally extended aggregates formed by intrinsically ditopic end groups may be significantly reinforced by co-assembly with a corresponding low-molar-mass ligand. For instance, co-assembly of a low-molar-mass BTA derivative with BTA-modified polyethylene glycol (PEG) telechelics, which form a micellar fluid in the absence of the additive, has been reported to result in stable viscoelastic hydrogels containing fibrillar domains.<sup>67,68</sup>

We recently demonstrated that a similar approach is effective in high-molar-mass polymers where the end group concentration may otherwise be insufficient for aggregation to occur. To this end, we used co-assembly of polymer end groups and a low-molar-mass additive, both based on a  $\beta$ -sheet-forming oligopeptide motif, to create a robust supramolecular network in poly( $\epsilon$ -caprolactone) (PCL), with a molar mass several times the entanglement threshold.<sup>50</sup> The resulting high melt elasticity, melt extensibility, and melt strain hardening, enable preparation of highly oriented films by melt drawing, with a correspondingly high room-temperature yield stress.<sup>50</sup> However, to the best of our knowledge, the analogous use of a low-molar-mass BTA additive addition to modify the viscoelastic properties of well-entangled BTA-end-functionalized polymers in the bulk melt state has not so far been reported.

Low-molar-mass BTA derivatives are used as ferroelectric switches,<sup>69</sup> emitter materials in organic diodes,<sup>70</sup> organogelators,<sup>71,72</sup> and hydrogel-promoters with low cytotoxicity for tissue engineering.<sup>58,68,73,74</sup> They are of particular interest in the plastics industry as nucleating agents for the crystallization of semicrystalline polymers such as isotactic polypropylene (iPP),<sup>75–77</sup> polyvinylidene fluoride (PVDF),<sup>78</sup> polybutylene terephthalate (PBT),<sup>79</sup> polylactic acid (PLA),<sup>80–82</sup> and the semiconductor poly(3-hexylthiophene) (P3HT).<sup>83</sup> BTA nucleating agents are hence important processing additives in many packaging materials, and some are considered safe for use in contact with food by the US Food and Drug Administration (FDA) and the European Food Safety Authority (EFSA).<sup>84</sup> They typically show high-aspect-ratio morphologies, for instance, needle-like crystals, and their nucleation efficiency increases with their specific active surface area.<sup>85</sup> Systematic studies of the concentration dependence of BTA structure formation and its influence on polymer crystallization have been used to construct phase diagrams for binary

polymer/BTA nucleating agent blends.<sup>86</sup> However, blends of BTA derivatives with telechelic polymers modified with end groups that potentially co-assemble to form nanoscopic structures with significantly higher surface-to-volume ratios than conventional BTA nucleating agents, have not so far been investigated for their nucleation efficiency.

In the present work, we explore the behavior of **PCL-BTA**, a high-molar-mass PCL end-modified with a BTA-based motif, in the presence of the matching low-molar-mass BTA derivative **B** (Figure 1). We establish a phase diagram for this binary system and show that, below a certain threshold **B** concentration, co-assembly of the **PCL-BTA** end groups with **B** results in the precipitation of nanophase-separated fibrillar BTA aggregates on cooling from the melt. In this low-concentration regime, the nanoscopic fibrillar BTA aggregates act as more efficient nucleating agents for PCL crystallization than the bulk BTA precipitates observed in reference blends of **B** with unmodified PCL. Moreover, the physical network formed by the nanofibrils and the PCL manifests itself as a rubbery plateau in dynamic shear rheometry temperature sweeps that extends to well above the PCL crystallization temperature. This leads to improved thermal dimensional stability and increased melt elasticity, which facilitates thermoforming. We hence overcome previous limitations to the assembly of BTA-based end groups in high-molar-mass, polar polymers.

## Results and Discussion


We have carried out a systematic investigation of blends of the low-molar-mass additive *N,N',N''*-tris(isopentyl)-1,3,5-benzenetricarboxamide **B** with **PCL-BTA**, a telechelic PCL end-modified with *N,N''*-bis(isopentyl)-1,3,5-benzenetricarboxamide ligands, whose overall number-average molar mass  $\bar{M}_n = 110'000$  g/mol is about 37 times the entanglement molar mass of PCL ( $M_e \approx 3'000$  g/mol).<sup>87</sup> We focus on the phase behavior, melt properties, thermal dimensional stability, and nucleation efficiency of these materials, using blends of **B** with unmodified PCL of the same molar mass as reference materials.

PCL is an aliphatic, semi-crystalline polyester with a degree of crystallinity of about 40 %, a glass transition temperature,  $T_g$ , of  $-62$  °C (measured by DSC at a cooling rate of  $10$  °C/min), and a nominal melting temperature,  $T_m$ , of about  $58$  °C, above which it transforms into a low-viscosity





liquid for the range of molar masses considered here (Supplementary Figure S1). The low melt strength of PCL is incompatible with many important industrial processes, and its inadequate dimensional stability at temperatures above  $T_m$  has largely restricted its use to biomedical applications.<sup>88</sup>



**Figure 1.** a) Chemical structure of end-modified **PCL-BTA**, and the matching additive **B**. On cooling, the end groups of **PCL-BTA/B** co-assemble with **B** by three-fold hydrogen bonding into b) polymer-tethered nanofibrils comprising one-dimensional stacks of BTA end groups and additive molecules. c) In the bulk materials, the nanofibrils are bridged by the polymer segments and d) coexist with crystalline PCL lamella upon cooling to  $T < T_m$ . For clarity the alkyl side chains of **B** have been omitted in b–d).

We begin by discussing the behavior of the PCL/**B** reference blends in order to establish a benchmark for the interpretation of the results for the modified blends. The additive **B** used in our study forms extended 1D stacks in its bulk state at room temperature, in common with a wide range of other BTA derivatives. These stacks adopt a pseudo-hexagonal parallel close-packed crystalline structure with a monoclinic unit cell whose lattice parameters vary somewhat depending on the crystallization conditions, characterized by strong Bragg peaks with  $d$ -spacings,  $d_B$ , of around 1.3 nm and intercolumnar spacings in the range 1.25–1.55 nm. On heating, this structure undergoes a first endothermal transition to a columnar mesophase at  $T_{meso} = 207\text{ }^{\circ}\text{C}$ ,




followed by a transition to the isotropic melt at its dissociation temperature,  $T_{d0} = 269^\circ\text{C}$  (Supplementary Figure S2), consistent with previous observations.<sup>89</sup>

In the range 0.5–10 wt%, the PCL/**B** reference blends show an intense exothermic transition in DSC cooling scans at  $10^\circ\text{C}/\text{min}$  corresponding to crystallization of PCL at  $T_c = 35^\circ\text{C}$ , but also an additional weaker exothermic transition at higher temperatures,  $T_{agg}$ , corresponding to the aggregation of **B** (Figure 2a, Supplementary Figure S3). Subsequent heating scans reveal the PCL melting transition at  $T_m = 58^\circ\text{C}$  and an endothermic transition at higher temperatures,  $T_d$ , attributed to dissociation of the **B** precipitates. Dissociation nevertheless occurs at significantly lower temperatures than for the pure additive **B** ( $T_{d0} = 269^\circ\text{C}$ ) and blends of **B** with isotactic polypropylene for a given **B** concentration,<sup>86</sup> owing to the comparatively high solubility of **B** in the polar PCL matrix.  $T_{agg}$  and  $T_d$  both increase systematically with **B** concentration, but  $T_d$  is 6–26  $^\circ\text{C}$  higher than  $T_{agg}$ , with the highest supercoolings being observed at the lowest **B** concentrations. Aggregation of **B** is therefore inferred to be kinetically controlled under these conditions, so that  $T_d$  is assumed to be more representative of equilibrium conditions than  $T_{agg}$ .

In Fourier transformation infrared (FTIR) spectra recorded in the attenuated total reflection (ATR) configuration at room temperature, the N–H stretching band at  $3232\text{--}3240\text{ cm}^{-1}$ , the C=O stretching band at  $1637\text{--}1641\text{ cm}^{-1}$ , and the combined N–H bending/C–N stretching band at  $1560\text{--}1561\text{ cm}^{-1}$  are characteristic of strongly hydrogen-bonded BTA aggregates in the PCL/**B** blends, regardless of the **B** concentration (Figure 2b,c, Supplementary Figure S4).<sup>89,90</sup> FTIR spectra recorded in transmission at temperatures above  $T_d$  show the N–H stretching band at  $3411\text{ cm}^{-1}$ , the C=O stretching band at  $1679\text{ cm}^{-1}$ , and the combined N–H bending/C–N stretching band at  $1513\text{ cm}^{-1}$ , all of which indicate the presence of free amide groups, as described previously for BTA derivatives in dilute solution (Supplementary Figure S5).<sup>89</sup> **B** may hence be assumed to be homogeneously dispersed in the PCL matrix above  $T_d$ .

Consistent with the DSC results, solid bulk precipitates, **B<sub>s</sub>**, in the form of microfibers are observed by bright-field optical microscopy (OM) between  $T_{agg}$  and  $T_c$  during cooling (Figure 2d, Supplementary Figure S6), but are obscured by the PCL crystallinity at temperatures below  $T_c$ , (PCL/**B**)<sub>s</sub>, and disappear on heating to above  $T_d$ , where OM indicates a single-phase, amorphous melt, (PCL/**B**)<sub>l</sub>, for the range of **B** concentrations investigated. Room-temperature X-ray

diffraction (XRD) patterns from all the blends show an intense Bragg reflection at  $q < 0.2 \text{ \AA}^{-1}$ , which corresponds to the lamellar long period of PCL,  $L$ , of 17.5–18.3 nm.<sup>91</sup> The additional, markedly less intense Bragg reflections in the neighborhood of  $q \approx 0.24 \text{ \AA}^{-1}$  ( $d_B \approx 1.3 \text{ nm}$ ) are characteristic of the bulk **B** crystal structure (Figure 2e, Supplementary Figure S7).<sup>89</sup>



**Figure 2.** a) DSC heating (red) and cooling (blue) scans of PCL/**B** at 10 °C/min for different **B** concentrations. For clarity, the PCL melting and crystallization transitions at  $T_m = 58 \text{ °C}$  and  $T_c = 35 \text{ °C}$ , respectively, are only shown for 1 wt% **B**. b) ATR FTIR spectra at room temperature show the N–H stretching band at 3235–3243 cm<sup>-1</sup>, c) the C=O stretching band at 1637 cm<sup>-1</sup>, and the combined N–H bending/C–N stretching band at 1559–1561 cm<sup>-1</sup>, characteristic of strongly hydrogen-bonded amides in extended aggregates of **B**, all of which shift to positions corresponding to free amides<sup>90</sup> in FTIR transmission spectra recorded at 155 °C from a film of PCL/**B** (1.2 wt%) on KBr. d) Optical micrographs show micrometer-sized fibrous precipitates of **B**, formed by lateral aggregation of the individual stacks, giving e) Bragg reflections in the neighborhood of  $q \approx 0.24 \text{ \AA}^{-1}$  ( $d_B \approx 1.3 \text{ nm}$ ) in XRD patterns obtained at room temperature. f) Phase diagram for the PCL/**B** reference blends, constructed from  $T_d$  determined from DSC heating scans. The PCL/**B** blends form an optically transparent, homogeneous melt, (PCL/**B**)<sub>i</sub>, at sufficiently high temperatures.

Solid bulk additive domains (microfibers), **B**<sub>s</sub>, precipitate from the liquid phase upon cooling and persist to below the polymer melting temperature (58 °C), where crystalline lamellae begin to form in the PCL matrix (PCL/**B**)<sub>s</sub>. The solid orange curve is a fit of the Flory-Huggins model to the data. See Supplementary Figures S3–S7 for more information.


The  $T_d$  determined from DSC heating scans were fitted using the Flory-Huggins model, as described in our previous study of oligoalanine aggregates in PCL,<sup>50</sup> assuming a Flory-Huggins interaction parameter in the form of

$$\chi = \frac{\chi_0}{T} + \chi_1, \quad (1)$$

where  $\chi_0 = 1633$  K and  $\chi_1 = -2.569$  are fitting parameters and the reference volume is that of **B** (Figure 2f). When normalized with respect to the corresponding molar masses,  $\chi$  for **B** is found to be a factor of 1.5 lower at 70 °C than  $\chi$  determined in the same way for oligoalanine aggregates in PCL,<sup>50</sup> indicating **B** to be significantly more soluble in PCL than these latter.

The end-modified **PCL-BTA** used in the investigation of the corresponding supramolecular **PCL-BTA/B** blends is obtained from commercial telechelic PCL with a degree of (difunctional) hydroxyl end-group functionalization of at least 92 %, determined by comparing  $\bar{M}_n$  obtained from gel permeation chromatography (GPC) with the end-group content according to the peak integrals in <sup>1</sup>H nuclear magnetic resonance (NMR) spectroscopy (Supplementary Figure S8). The hydroxyl end groups have then quantitatively been modified by a Steglich esterification with Fmoc-protected glycine, as confirmed by the absence of the peak at  $\delta = 3.63$  ppm assigned to the CH<sub>2</sub>-OH end groups and the presence of peaks characteristic of the Fmoc protection group in the range  $\delta = 7$ –8 ppm in the <sup>1</sup>H NMR spectrum of **PCL-GlyFmoc** (Supplementary Figure S9). Subsequent deprotection yields NH<sub>2</sub>-terminated PCL, which is functionalized via a standard peptide coupling reaction with 3,5-bis(isopentylcarbamoyl)benzoic acid (Supplementary Scheme 1). By comparing  $\bar{M}_n$  obtained from GPC with the end-group content determined from peak integrals in <sup>1</sup>H NMR spectroscopy, we estimate a degree of BTA end-group functionalization of at least 95% (Supplementary Figure S10). Pure **PCL-BTA**, which has an end-group concentration of 0.63 wt%, shows no evidence of end-group aggregation and its melt behavior is therefore very similar to that of unmodified PCL of the same molar mass (Supplementary Figure S1c,d), as generally observed for high-molar-mass polymers<sup>42,50</sup> and low-molar-mass polymers with high backbone polarity, including polyesters.<sup>59</sup>

In what follows, unless mentioned otherwise, we compare PCL/**B** and **PCL-BTA/B** blends with equal  $w_B$ , given in wt% (for the corresponding effective total concentration of BTA-based moieties,  $w_{B+BTA}$ , in wt%,  $[B]$  and  $[B+BTA]$  in mol/L, and the additive-to-end-group ratio,  $[B]/[BTA]$ , in mol/mol, see Table 1 in the *Materials and Methods*). Upon addition of **B** at concentrations in the range 0.6–5 wt% investigated, the resulting **PCL-BTA/B** blends form again a single-phase, amorphous melt (**PCL-BTA/B**)<sub>1</sub> at sufficiently high temperatures, based on their homogeneous appearance in OM. However, FTIR spectra recorded of **PCL-BTA/B** (1 wt%) in the melt state at temperatures up to 155 °C (Figure 3) now show the main N–H stretching band at 3396 cm<sup>-1</sup>, the C=O stretching band at 1672–1677 cm<sup>-1</sup>, and the combined N–H bending/C–N stretching band at 1520–1524 cm<sup>-1</sup>, indicating weakly hydrogen-bonded BTA amides, as reported previously for optically homogeneous melts of pure BTA-derivatives.<sup>89</sup> The C=O stretching band assigned to the polymer backbone ester groups at 1733 cm<sup>-1</sup> remains unchanged over the whole temperature range, showing that these ester groups do not interact significantly with **B** (Figure 3d). Hence, in marked contrast with the PCL/**B** reference blends, the IR results for the modified **PCL-BTA/B** blends suggest that at temperatures immediately above the  $T_d$  implied by DSC scans, **B** is presumably present in the form of colloidal aggregates, characterized by a weak, discontinuous hydrogen bond network, and stabilized by the end-modified **PCL-BTA**, which acts as a surfactant. Under these conditions,  $T_d$  does hence not mark a transition to a fully dispersed state but rather a melting transition to a disordered, but still phase-separated state.




View Article Online  
DOI: 10.1039/D5QO00087D

**Figure 3.** FTIR transmission spectra of a **PCL-BTA/B** (1 wt%) film on KBr, recorded at 25, 79, 101, 119, 126, 132, and 155 °C, respectively, showing *a*) the N-H stretching band, with examples of the deconvolution of the spectrum at 25 and 155 °C, and *b*) the C=O stretching band and the combined N-H bending/C-N stretching band. The ensemble of the deconvoluted spectra are shown in Supplementary Figure S11. The sharp absorption visible in all the spectra at 3435–3445  $\text{cm}^{-1}$  is assigned to water absorption by the PCL.<sup>92</sup> *c*) The area of the N-H stretching peak obtained from the deconvoluted spectra of **PCL-BTA/B** (1 wt%) (blue) and **PCL/B** (1.2 wt%) (orange), normalized with respect to the area of the PCL C–H<sub>2</sub> stretching peak (not shown). The dashed curves serve as guide to the eye. *d*) The C=O stretching band of the PCL backbone does not change with temperature.

DSC scans of the **PCL-BTA/B** blends reveal two distinct types of behavior depending on the **B** concentration. In a high-concentration regime corresponding to  $w_B \geq 1.5 \text{ wt\%}$  ( $[\text{B}]/[\text{BTA}] \geq 1.98 \text{ mol/mol}$ , see 0, *Materials and Methods*), we observe results similar to the **PCL/B** reference blends, that is, an exothermic transition at  $T_{\text{agg}} > T_c$  in cooling scans and an endothermic transition at  $T_d > T_m$  in subsequent heating in subsequent heating scans, corresponding to association and dissociation of **B** aggregates, respectively (Figure 4a). OM shows that this leads to solid bulk additive precipitates, **B<sub>s</sub>**, in the form of microfibers similar to those observed in the **PCL/B**




reference blends according to XRD and FTIR (Figure 4b–f, Supplementary Figure S12). The absolute values of  $T_d$  of the **PCL-BTA/B** blends are also similar to those of the reference blends, indicating the end groups to have little effect on the global solubility of **B** in **PCL-BTA**. The  $T_{agg}$  determined from the DSC cooling scans at a cooling rate of 10 °C/min are some 13–21 °C lower than the corresponding  $T_d$  in this concentration regime, the highest supercoolings being observed at **B** concentrations immediately above 1.5 wt%.



**Figure 4.** a) DSC heating and cooling scans (10 °C/min, exothermal transitions up) from the **PCL-BTA/B** blends for **B** concentrations  $\geq 1.5$  wt%. For clarity, the PCL melting and crystallization transitions at  $T_m = 58$  °C and  $T_c = 35$  °C, respectively, are only shown for one composition. b, c) Cross-polarized (top) and bright-field (bottom) optical micrographs of **PCL-BTA/B** recorded at  $T < T_{agg}$  during cooling at 10 °C/min from the melt state. **PCL-BTA/B** blends containing  $\geq 1.5$  wt% **B** show microfibrous precipitates (see also Supplementary Figure S12). d) The N–H stretching band, and e) the C=O stretching band and the combined N–H bending/C–N stretching band from ATR FTIR spectra of **PCL-BTA/B** recorded at 25 °C. The sharp absorption visible in all the spectra at 3435–3445 cm<sup>-1</sup> is assigned to water absorption by the PCL.<sup>92</sup> f) The corresponding structures show Bragg reflections in the neighborhood of  $q \approx 0.24$  Å<sup>-1</sup> ( $d_B \approx 1.3$  nm) in XRD patterns obtained at room temperature.






**Figure 5.** a) DSC heating and cooling scans (10 °C/min, exothermal transitions up) from **PCL-BTA/B** blends. For clarity, the PCL melting and crystallization transitions at  $T_m = 58$  °C and  $T_c = 35$  °C, respectively, are only shown for one composition. b) Cross-polarized (top) and bright-field (bottom) optical micrographs of **PCL-BTA/B** recorded at  $T < T_{agg}$  during cooling at 10 °C/min from the melt state. **PCL-BTA/B** blends at  $w_B \leq 1.1$  wt% remain optically homogeneous (see also Supplementary Figure S12), but ATR FTIR spectra of **PCL-BTA/B** recorded at 25 °C contain c) the N-H stretching band and d) the C=O stretching band and the combined N-H bending/C-N stretching band indicative of BTA aggregates at all **B** concentrations investigated. The sharp absorption visible in all the spectra at 3435–3445 cm<sup>-1</sup> is assigned to water absorption by the PCL.<sup>92</sup>


Despite these similarities in the high-concentration regime, the modified **PCL-BTA/B** blends behave very differently from the unmodified PCL/**B** reference blends at in a low-concentration regime corresponding to  $w_B \leq 1.1$  wt% ( $[B]/[BTA] \geq 1.45$  mol/mol, see 0, *Materials and Methods*), where two endothermic transitions are observed in the DSC heating scans at temperatures above  $T_m$ . The first of these transitions occurs at temperatures 18–35 °C below  $T_d$  in PCL/**B** for a given **B** concentration (Figure 5a), which we refer to as  $T_{d,NF}$ , and is identified with co-aggregation of **B** with the chain ends to form a distinct nanofibrillar phase on cooling. Although OM suggests the melt to remain optically homogeneous at temperatures down to  $T_c$  for the PCL on cooling and immediately above  $T_m$  on heating (Figure 5b, Supplementary Figure S12), FTIR spectra exclusively show sharp absorptions at about 3238 cm<sup>-1</sup> (N-H stretching) and 1642 cm<sup>-1</sup> (C=O stretching), which proves that **B** and the **PCL-BTA** end groups nevertheless quantitatively

assemble into strongly hydrogen-bonded BTA aggregates, with no indication of weakly hydrogen-bonded, disordered aggregates (Figure 5c,d).<sup>90</sup> Moreover, the ratio of the intensity of the 3235 cm<sup>-1</sup> peak in the temperature-dependent IR spectra (Figure 3c) of **PCL-BTA/B** (1 wt%) below 90 °C to that in **PCL/B** (1.2 wt%) is close to the ratio of the combined concentrations of the **PCL-BTA** end groups and additive **B** in the modified blend to the **B** concentration in the reference blend. This indicates that practically all the end groups in **PCL-BTA/B** take part in the aggregation.

The nanofibrillar nature of the resulting structures is confirmed by AFM images recorded from **PCL-BTA/B** (0.6 wt%) heated to between  $T_m$  and  $T_{d,NF}$ , which are dominated by high-aspect-ratio nanofibrils with diameters in the nanometer size range, bearing in mind that the radius of curvature of the AFM tip may be up to 7 nm, locally aligned with interfibrillar spacings in the range 10–20 nm (Figure 6, Supplementary Figure S13). The nanofibril spacing is hence considerably greater than the intercolumnar spacings characteristic of the crystalline bulk **B** precipitates, but comparable with a value of 13 nm estimated from volumetric considerations for an ideal dispersion of single stacks of co-assembled **B** and **PCL-BTA** end groups (see *Materials and Methods* for details). However, it generally remains less than the root-mean-square end-to-end distance of the present PCL of about 25 nm,<sup>93</sup> consistent with substantial incorporation of the chain ends in the nanofibrils and implying significant bridging of these latter by the PCL chains or via trapped entanglements.



**Figure 6.** Intermittent-contact AFM phase images of **PCL-BTA/B (0.6 wt%)** recorded at 70 °C at different magnifications. See Supplementary Figure S13.




**Figure 7.** *a)* 1D SAXS diffractograms of **PCL-BTA/B** blends, measured on flat specimens obtained by cooling from the melt at  $-10\text{ }^{\circ}\text{C}/\text{min}$ , normalized with respect to the intense low  $q$  Bragg peaks corresponding to the lamellar long period,  $L$ , of the PCL matrix at about 17–18 nm. *b)* Enlargement of the Bragg reflections in the neighborhood of  $q \approx 0.24\text{ }\text{\AA}^{-1}$  ( $d_B \approx 1.3\text{ nm}$ ). *c,d)* Corresponding 1D SAXS diffractograms of **PCL/B** blends. *e)* Total area of the Bragg peaks in the neighborhood of  $q \approx 0.24\text{ }\text{\AA}^{-1}$  divided by the **B** concentration and plotted against the **B** concentration, and *f)* the crystallite size,  $D$ , estimated from  $\beta$  for the Bragg reflections at  $d_B \approx 1.3\text{ nm}$  using the Scherrer equation (2), in both the **PCL/B** (orange symbols) and **PCL-BTA/B** blends (blue symbols – filled symbols for the **NF** regime, open symbols for the regime in which bulk precipitates become visible in OM); the dashed line corresponds to  $D$  estimated from  $\beta$  for bulk **B**, for which extrinsic factors such as instrumental broadening are assumed be significant.

In XRD scans of **PCL-BTA/B** for **B** concentrations in the range 0.6–1.1 wt%, Bragg peaks corresponding to bulk **B** precipitates are still present but overlap to form a single broad peak, in marked contrast to the PCL/**B** reference materials where the three reflections remain well-resolved even at the lowest **B** concentrations. (Figure 7a–d). The resulting relatively large effective XRD peak widths at half-maximum,  $\beta$ , may reflect reduced crystal sizes,  $D$ , according to the Scherrer equation

$$D = \frac{K\lambda}{\beta \cos(\theta)} \quad (2)$$

where  $K$  is the Scherrer constant (taken to be 0.9),  $\lambda = 1.54 \text{ \AA}$  is the X-ray wavelength, and  $\theta$  is the Bragg angle. The corresponding  $D$  values of 9–12 nm are certainly considerably smaller than the values of 24 nm or more implied by the peak widths for PCL/**B** and **PCL-BTA/B** ( $\geq 1.5 \text{ wt\%}$ ). Indeed, the largest  $D$  obtained in this way are likely to be underestimates due, for instance, to instrumental broadening, as reflected by the value of only about 38 nm estimated from the Bragg peaks observed in bulk **B** (Figure 7e). Moreover, the Bragg peak intensities are also significantly lower for **PCL-BTA/B** than for PCL/**B** at any given **B** concentration but particularly at  $w_B \leq 1.1 \text{ wt\%}$  (Figure 7f). Thus, only around half the **B** molecules in **PCL-BTA/B** (0.6 wt%) diffract at around  $q = 0.24 \text{ \AA}^{-1}$  compared with PCL/**B** with a similar **B** concentration. Given that the FTIR spectra imply nearly all the ligands to form hydrogen-bonded BTA aggregates, and taking into account the end-group concentration of about 0.6 wt%, only about 25 % of the BTA stacks are implied to show significant lateral aggregation in **PCL-BTA/B** (0.6 wt%). This is consistent with the presence of tethered PCL chains in stacks containing the end groups, and one concludes that many of the co-assembled nanofibrils present in **PCL-BTA/B** at low **B** concentrations may comprise a single BTA stack.

A new phase region, denoted **NF** and bounded by  $T_{d,NF}$  therefore appears in the pseudo-phase diagram for **PCL-BTA/B** in the **B** concentration range 0.6–1.1 wt%, which gradually gives way to bulk **B** precipitation (bounded by  $T_d$ ) as the **B** concentration increases beyond this range. In this region, we propose the polymer-stabilized, weakly hydrogen-bonded colloidal aggregates revealed by FTIR to be converted into a phase characterized by a network of strongly hydrogen-bonded polymer-bridged nanofibrils that persist on PCL crystallization (Figure 8).



**Figure 8.** Phase diagram of **PCL-BTA/B** blends constructed from  $T_d^*$  (open circles),  $T_{d,NF}$  (filled squares) and  $T_d$  (open squares) obtained from DSC heating scans of **PCL-BTA/B** blends. **(PCL-BTA/B)<sub>l</sub>** – homogeneous melt; **NF** – nanofibrils; **B<sub>s</sub>** – bulk **B** precipitates; **(PCL-BTA/B)<sub>s</sub>** – solid solution. The grey dashed line is the fit of the Flory-Huggins model to  $T_d$  for **PCL/B** (see Figure 2).


In addition to the dissociation transition of the nanofibrils at  $T_{d,NF}$ , we observe an endothermic transition at higher temperatures,  $T_d^*$ , which is very close to  $T_d$  of the corresponding **PCL/B** blends for a given **B** concentration. However, no corresponding exothermic transition is observed in the cooling scans. In view of the supercooling associated with bulk **B** precipitation in the high-concentration regime, we therefore assume it to be kinetically suppressed at low **B** concentrations in favor of a direct transition from the **PCL-BTA**-stabilized colloidal aggregates to co-assembled nanofibrils. However, **B** molecules released from the nanofibrils on heating through  $T_{d,NF}$  are inferred to reorganize into bulk precipitates that subsequently melt at  $T_d^*$ . It is noteworthy that the  $T_{agg}$  determined from DSC cooling scans at 10 °C/min are also some 16–40 °C lower than  $T_{d,NF}$  in this regime (Figure 5a). At lower cooling rates, however,  $T_{agg}$  approaches  $T_{d,NF}$  confirming this to be a kinetic effect, and the cooling rate has little effect on the values of  $T_{d,NF}$  and  $T_d^*$  observed in subsequent heating scans at 10 °C/min (Supplementary Figure S14).



The melt properties of the **PCL-BTA/B** blends are compared with those of the **PCL/B** reference blends based on oscillatory shear rheometry temperature sweeps at a frequency of 1 rad/s and a scanning rate of 10 °C/min, in which the specimens were cooled from the homogeneous melt state (180–200 °C, depending on the **B** content) to 30 °C and heated back to the melt state. In what follows, we focus on the results for **PCL-BTA/B** obtained from the heating scans (Figure 9, Supplementary Figure S15) which show one or more of the following features as the temperature is raised: (i) a steep drop in the storage modulus,  $G'$ , upon melting of the PCL matrix at its  $T_m$  of about 58 °C; (ii) a rubbery plateau in which  $G'$  decreases slowly from a value in the range 0.1 MPa–2.7 MPa (depending on the **B** content of the material, Figure 9c); (iii) a crossover temperature referred to as the softening temperature,  $T_s$  (Figure 9d), above which  $G' < G''$ , marking the upper limit of the rubbery plateau; (iv) a steep decrease in both  $G'$  and  $G''$  towards a "rheological" dissociation temperature,  $T_{d,rheo}$  (Figure 9e,f), above which  $G' < 3.5$  kPa and the behavior approaches that of a low-viscosity fluid (so that  $G'$  falls below the sensitivity limit of the present set-up).

In the **PCL-BTA/B** blends,  $T_{d,rheo}$  is generally close to either  $T_{d,NF}$ , for  $w_B \leq 1.1$  wt%, or  $T_d$  for  $w_B \geq 1.5$  wt% (Figure 9f), implying that the aggregates act as a reinforcement at temperatures  $T < T_{d,rheo}$ . The absence of significant reinforcement between  $T_{d,rheo}$  and  $T_d^*$ , suggests that the nanofibrils make a dominant contribution where they are present, and that the structural reorganization that gives rise to  $T_d^*$  has no significant effect. In the **PCL/B** reference blends,  $T_{d,rheo}$  is generally somewhat lower than  $T_d$ , but the two temperatures remain strongly correlated over the whole composition range. It follows that  $T_{d,rheo}$  decreases strongly with decreasing **B** concentration in both **PCL-BTA/B** and **PCL/B** (Figure 9e).

Both **PCL-BTA/B** and **PCL/B** also show an increase in  $G'$  with decreasing temperature towards a limiting value immediately above  $T_m$ , which again decreases with decreasing **B** concentration, as reflected by  $G'_{70^\circ C}$ , the value of  $G'$  measured at 70 °C (Figure 9c). However,  $G'_{70^\circ C}$  is about six times higher in **PCL-BTA/B** than in **PCL/B** for a given  $w_B$ , levelling off at about 2 MPa in **PCL-BTA/B** (4 wt%). Moreover, only **PCL-BTA/B** shows a true rubbery plateau delimited by  $T_m$  and  $T_s$ , this latter being undefined for **PCL/B**, which remains a viscoelastic fluid ( $G' < G''$ ) at all temperatures  $T > T_m$  regardless of the **B** concentration in the range investigated.




**Figure 9.** *a,b*) Representative plots of the storage ( $G'$ , filled squares) and loss ( $G''$ , open squares) moduli obtained from oscillatory shear rheometry heating scans for the **PCL-BTA/B** (blue) and **PCL/B** blends (orange) at a frequency of 1 rad/s and a scanning rate of 10 °C/min. Data for other **B** contents are shown in Supplementary Figure S15. *c*)  $G'$  at 70 °C increases systematically with  $w_B$  as do *d*) the softening temperature,  $T_s$ , above which  $G' > G''$  (not observed for **PCL/B**) and *e*)  $T_{d,rheo}$ . *f*) In **PCL-BTA/B**,  $T_{d,rheo}$  corresponds to either  $T_{d,NF}$ , for  $w_B \leq 1.1$  wt%, or  $T_d$  for  $w_B \geq 1.5$  wt% determined from DSC heating scans, but is slightly lower in **PCL/B** particularly at low **B** concentrations. Similar trends are also observed for  $G'$  at 70 °C,  $T_s$ , and  $T_{d,rheo}$  when plotted against the total concentration of BTA moieties, including the end groups,  $w_B + w_{BTA}$  (see Supplementary Figure S16). The dashed curves in all panels serve as guide to the eye.

The additional rheological transition at  $T_s$  in the modified blends **PCL-BTA/B**, their rubbery elastic response in the temperature range  $T_m < T < T_s$ , and their significantly increased  $G'$  compared with the **PCL/B** reference blends are consistent with the formation of a network of polymer-bridged nanofibrils<sup>94</sup> due to incorporation of the **PCL-BTA** end groups in the **B** aggregates formed during cooling. This is strongly reminiscent of the behavior of the oligoalanine-based system described previously,<sup>50</sup> but the transition temperatures  $T_d$ ,  $T_{d,rheo}$ , and  $T_s$  are significantly higher in the **PCL-BTA/B** blends than in the oligoalanine-based materials, not

least because the  $T_d$  of the pure **B** additive is higher than that of the oligoalanine additive. The **PCL-BTA/B** materials are therefore expected to be processable by techniques that require high melt strength and elasticity over a correspondingly wider temperature range.<sup>60</sup> Moreover, thermal degradation of oligopeptides (decomposition temperature in air,  $T_{dec} \approx 250$  °C) limits their potential for high-temperature polymer processing, whereas the BTA-based materials show much greater stability ( $T_{dec} \approx 350$  °C).


To demonstrate the improved processability, we have successfully processed **PCL-BTA/B** (1 wt%) films into cup-shaped specimens by thermoforming at 70 °C (Figure 10), which is not possible for free-standing unmodified PCL films. When filled with boiling water, the **PCL-BTA/B** cups become transparent due to the loss of crystallinity in the PCL matrix at temperatures above  $T_m = 58$  °C but retain their shape and support the weight of the water, thanks to the elastic response of the nanofibrillar network at this temperature.



**Figure 10.** a) **PCL-BTA/B** (1 wt%) has been processed into cup-shaped objects by thermoforming, whereas pristine PCL can only be thermoformed with the aid of a paper support. b) The **PCL-BTA/B** cups were filled with

boiling water. Defects associated with the connection of the mold to the vacuum pump during thermoforming resulted in water leakage after 12 s but the cups remained globally intact. Scale bars represent 1 cm.

BTA derivatives are well known to be efficient nucleating agents for polymer crystallization. In iPP, where they typically form microfibrinous or needle-like crystalline bulk precipitates with high surface-to-volume ratios,<sup>75</sup> similar to the structures observed in the PCL/**B** reference blends. The much higher surface-to-volume ratio areas of the nanofibrils formed in the **PCL-BTA/B** blends may further enhance their nucleation effect. To investigate this, we determined the crystallization half time ( $\tau_{1/2}$ ) in isothermal DSC experiments at 48 °C after cooling from the melt. While  $\tau_{1/2}$  is reduced by a factor of up to 5.6 in PCL/**B** reference blends with respect to pristine PCL, it is reduced by a factor of 11 in **PCL-BTA/B**, for all  $w_B \geq 1$  wt% (Figure 11a, b). The resulting crystallinity, determined by integrating the PCL melting peak in heating scans at 10 °C/min immediately after the isothermal step and assuming the melting enthalpy of an ideal PCL crystal to be 139.5 J/g,<sup>95</sup> is around 40 % at  $w_B \leq 2$  wt% but decreases somewhat at higher **B** concentrations (Figure 11c). Hence, the nanofibrils in the **PCL-BTA/B** materials are confirmed to nucleate PCL crystallization more effectively than the bulk additive. This may be due to their high degree of dispersion and/or the covalent attachment of the polymer chains.<sup>96</sup>



**Figure 11.** a) Examples of isothermal DSC traces for **PCL-BTA/B** (blue), PCL/**B** (orange) and pristine PCL (grey) at 48 °C after cooling from 200 °C at 10 °C/min to 70 °C, followed by rapid cooling to 48 °C, from which b) the crystallization half times  $\tau_{1/2}$  have been determined.  $\tau_{1/2}$  is decreased by a factor of up to 5.6 in PCL/**B** (orange), and up to 11 in blends of **PCL-BTA/B** (blue) compared with pristine PCL (grey). The dashed curves serve as guide to the eye. c) The degree of crystallinity of the PCL matrix as determined by integrating the PCL melting peak in heating scans at 10 °C/min recorded immediately after the isothermal step, assuming the melting enthalpy of an ideal PCL crystal to be 139.5 J/g.<sup>95</sup>

To emphasize the importance of using high molar mass polymers, we have also studied BTA-end-modified PCL of  $\bar{M}_n = 24'900$  g/mol (**PCL25-BTA**), with an end-group concentration of 3.2 wt%. There is no evidence from DSC, FTIR, or shear rheology experiments for end-group aggregation in **PCL25-BTA** in the absence of **B**, consistent with previous reports of BTA-modified PCL.<sup>59</sup> However, **PCL25-BTA/B** blends contain co-assembled nanoscopic aggregates similar to those in **PCL-BTA/B**. Moreover, due to its higher end-group concentration, the threshold for the onset of bulk **B** precipitation increases to  $w_B \geq 3$  wt% in **PCL25-BTA**, indicating more **B** to participate in the formation of the nanoscopic aggregates (Supplementary Figure S17). In agreement with our previously reported findings for low- $\bar{M}_n$  PCL modified with oligo-L-alanine end groups,<sup>50</sup> **PCL25-BTA/B** remains brittle (Supplementary Figure S17f) despite the presence of the reinforcing network, because the molar mass of the base polymer is too low for the establishment of well-developed, stable entanglements.

## Conclusions

We have shown that high-molar-mass **PCL-BTA**, modified with BTA-based self-assembling end groups, undergoes nanophase separation when blended with the low-molar-mass BTA derivative **B** in the low-concentration regime,  $w_B \leq 1.1$  wt%. In this regime, we observe the quantitative formation of strongly hydrogen-bonded nanoscopic aggregates by co-assembly of the end groups and additive. This is particularly remarkable considering not only the high molar mass of the PCL but also its polarity, which has been reported to render supramolecular network formation difficult, even for substantially lower molar masses.<sup>59</sup> Accordingly, pure **PCL-BTA** shows no evidence of end-group assembly. Moreover, the bulk **B** precipitates seen in unmodified PCL/**B** reference blends in this concentration range are absent in **PCL-BTA/B**. Indeed, weakly hydrogen-bonded colloidal **B** domains persist in **PCL-BTA/B** at temperatures well above the dissociation temperature of the aggregates, presumably stabilized by the **PCL-BTA** end groups. This may impede the bulk precipitation of **B** upon cooling, instead providing precursors for the formation of well-defined, polymer-bridged, high-aspect-ratio BTA nanofibrils.

In the bulk melt state, the resulting physically crosslinked, reinforced polymer network manifests itself as a rubbery plateau in rheometry temperature sweeps. Depending on the **B** content, this

plateau extends to up to about 90 °C above the PCL melting point and is associated with a storage modulus more than two orders of magnitude higher than that of pristine PCL or **PCL-BTA** in this temperature range, and some six times higher than that of PCL/**B** containing the same amount of **B**. The resulting materials show significantly enhanced thermal stability and facilitated processing by thermoforming, for instance. In addition, the polymer-tethered BTA nanofibrils are far more efficient nucleating agents for polymer crystallization than the corresponding bulk **B** precipitates, with the potential to reduce industrial process cycle times and hence manufacturing costs. Moreover, a comparison to blends using modified PCL of lower molar mass demonstrate that it is precisely the combination of a well-entangled base polymer and the polymer-bridged nanofibril network that renders **PCL-BTA/B** technologically interesting. Finally, the concept of end-group and additive co-assembly may in principle be extended to the many other aliphatic polyesters currently considered to be more sustainable alternatives to conventional plastics, but which often lack sufficient melt strength for certain key processing techniques, thus broadening manufacturing options.



## Conflict of Interests

The authors declare no conflict of interests.

## Data Availability

The authors declare that the data supporting the findings of this study is available within the paper and its Supplementary Information file.

## Acknowledgements

This project was funded by the SNSF BRIDGE program under the grant agreement no. 40B2-0\_211501. We would like to thank Dr. S. Koppenhoefer for the photography and Dr. Y. Hryshunin for carrying out the thermoforming experiments.

## Author Contributions

H.F. and D.G. developed the research concept and designed the experiments. S.T. carried out the DSC, FTIR, OM, XRD, and rheology experiments and analyzed the data. M.G. developed the synthesis procedure for the BTA-based reagent for polymer end modification and the additive **B**. M.W. performed the temperature-dependent FTIR measurements and the Flory-Huggins analysis. C.J.G.P. carried out the AFM experiments. S.T., D.G., C.J.G.P., and H.F. wrote the manuscript.

## Materials and Methods

### Materials

The following chemicals were obtained from commercial sources and used without further purification: PCL,  $\bar{M}_n = 80'000$  g/mol (Sigma), triethylamine  $\geq 99.5$  % (Sigma), *N,N'*-dicyclohexylcarbodiimide (DCC) 99 % (Sigma), 3-methylbutylamine  $\geq 98$  % (Sigma), 1,3,5-benzenetricarbonyl trichloride 98 % (Sigma), *N,N*-diisopropylethylamine (DIPEA) 99 % (abcr), trimethyl benzene-1,3,5-tricarboxylate 98 % (abcr), 4-dimethyl aminopyridine (DMAP, Fluorochem), 1H-benzotriazol-1-yloxytripyrrolidinophosphoniumhexafluorophosphate (PyBOP, Fluorochem), *N*-(9-Fluorenylmethoxycarbonyl)-glycine (GlyFmoc)  $\geq 98$  % (novabiochem), piperidine 99 % (Acros Organics), DMSO- $d_6$  99.8 % D (ZEOTOP),  $CDCl_3$  99.8 % D, stabilized with Ag (ZEOTOP), diethyl ether (Reactolab), ethanol (EtOH, Reactolab), hexane (Reactolab), ethyl acetate (EtOAc, Reactolab), Argon 99.999 % (Carbagas), HCl 25 % (Sigma), KOH (Reactolab), NaOH (Reactolab), LiOH  $\geq 98$  % (Fisher Chemicals). Tetrahydrofuran (THF), methanol (MeOH), and  $CHCl_3$  (Reactolab) were distilled prior to use. Dichloromethane (DCM)  $\geq 99.9$  % stabilized with amylene (Sigma) was distilled prior to use.

### Synthetic Procedures

***N,N,N'*-Tris(isopentyl)-1,3,5-benzenetricarboxamide (B).** 3-Methylbutylamine (0.785 g, 9.0 mmol), triethylamine (5.08 g, 50.0 mmol), and THF (150 mL) were added to a flask at 0 °C. 1,3,5-benzenetricarbonyl trichloride (0.664 g, 2.5 mmol) was added slowly to the reaction mixture over 10 min, and the mixture was stirred at 0 °C for 1 h and then at room temperature for 16 h. The resulting white precipitate was filtered and discarded, the volume of the remaining solution was reduced to about 50 mL under reduced pressure, and the solution was poured into water (500 mL). The resulting white solid product was collected, washed with 0.5 M KOH (25 mL) and water (50 mL), and dried to give a white powder (0.84 g, 81 %).  $^1H$  NMR (DMSO- $d_6$ , 400 MHz, 64 scans):  $\delta$ /ppm = 8.62 (t, 3H), 8.35 (s, 3H), 3.30 (q, 6H), 1.63 (m, 3H), 1.45 (q, 6H), 0.92 (d, 18H).  $^{13}C$  NMR (100 MHz,  $CDCl_3$ ):  $\delta$ /ppm = 166.46, 135.72, 127.83, 38.79, 38.58, 26.12, 22.59. HRMS (nanochip-ESI/LTQ-Orbitrap)  $m/z$ :  $[M + H]^+$  Calcd. for  $C_{24}H_{40}N_3O_3^+$  418.3064; Found: 418.3058.

EA: Calcd. for  $C_{24}H_{39}N_3O_3$ : C, 69.03; H, 9.41; N, 10.06. Found: C, 67.96; H, 9.28; N, 9.78. For  $^1H$  NMR and  $^{13}C$  NMR spectra, see Supplementary Figures S18–S20.

**5-Methoxycarbonylbenzene-1,3-dicarboxylic acid (1).** Trimethyl benzene-1,3,5-tricarboxylate (20.2 g, 80 mmol) was added to MeOH (200 mL) in a 1 L round-bottom flask. The mixture was stirred to create a slurry. Sodium hydroxide (7.04 g 176 mmol) was dissolved in MeOH (400 mL) and then added to the slurry. The mixture was heated to reflux to obtain a clear solution. After 16 h, the volume of the solution was reduced to about 300 mL by rotary evaporation, and it was poured into 1 M HCl (1 L). The solution was then extracted with diethyl ether ( $4 \times 200$  mL). The combined organic phase was washed once with 1 M HCl (125 mL), and the solvent was subsequently removed in vacuo to give a white powder (18.0 g) that was refluxed in  $CHCl_3$  (460 mL) and EtOH (4.4 mL) for 15 min, followed by hot filtration. The filter cake was collected and the refluxing procedure was repeated twice more to give crude **1** as a white powder (16.5 g, 92 %), which was used without further purification.  $^1H$  NMR (400 MHz,  $DMSO-d_6$ ):  $\delta$ /ppm = 8.66 (s, 1H), 8.64 (s, 2H), 3.93 (s, 3H). For  $^1H$  NMR spectra, see Supplementary Figure S21.

**Methyl 3,5-bis(isopentylcarbamoyle)benzoate (2).** Crude product **1** (7.0 g, 31.2 mmol), 3-methylbutylamine (6.80 g, 78.0 mmol), PyBOP (40.6 g, 78 mmol), and THF (300 mL) were combined in a 500 mL round-bottom flask. DIPEA (20 g, 156 mmol) was added to the mixture, and the mixture was stirred at room temperature. After 16 h, the volume was reduced to 75 mL under reduced pressure and the remaining solution was precipitated into water (1 L). The precipitate was collected, redissolved in MeOH (50 mL), and precipitated into water again (700 mL). The precipitate was collected and dried to yield crude **2** (10.5 g, 93 %, containing approximately 12 mol% **B**) that was used without further purification. However, for analytics **2** was purified by column chromatography using hexane/EtOAc (7:3) as eluent.  $^1H$  NMR (400 MHz,  $DMSO-d_6$ ):  $\delta$ /ppm = 8.76 (t, 2H), 8.55 (d, 1H), 8.53 (d, 2H), 3.93 (s, 3H), 3.32 (m, 4H), 1.63 (m, 2H), 1.45 (q, 4H), 0.92 (d, 12H).  $^{13}C$  NMR (100 MHz,  $DMSO-d_6$ ):  $\delta$ /ppm = 161.03, 160.95, 130.77, 126.22, 125.62, 124.98, 47.87, 33.92, 33.64, 22.16, 17.71. HRMS (nanochip-ESI/LTQ-Orbitrap)  $m/z$ :  $[M + H]^+$  Calcd. for  $C_{20}H_{30}N_2O_4$  363.2206; Found: 363.2274. For HRMS,  $^1H$  NMR and  $^{13}C$  NMR spectra, see Supplementary Figures S22–S24.

***N,N'*-Bis(isopentylcarbamoyl)benzoic acid (3).** Crude product **2** (10.5 g, 29.0 mmol) was dissolved in MeOH (200 mL), and the resulting mixture was filtered to remove any insoluble material. LiOH (1.80 g, 75.0 mmol) was dissolved in a mixture of water (15 mL) and MeOH (50 mL), and the resulting solution was added to the MeOH solution. This reaction mixture was stirred for 16 h at room temperature. The mixture was then acidified with 1 M HCl ( $\approx$  150 mL) until pH  $\approx$  2 was reached. The resulting white precipitate was collected and dried to give crude **3** as a white powder (9.5 g). The crude product was then added to CHCl<sub>3</sub> (200 mL). The resulting suspension was refluxed for 10 min under vigorous stirring, allowed to cool to room temperature, and filtered. This process was repeated twice more, until TLC indicated that the side product tris(3-methylbutyl) benzene-1,3,5-tricarboxamide ( $R_f$  = 0.3, heptane/EtOAc, 3:2) had been completely removed. Pure **3** was obtained as a white powder (8.0 g, 80 %). <sup>1</sup>H NMR (400 MHz, toluene-*d*<sub>8</sub>, 375 K):  $\delta$ /ppm = 12.72 (br, 1H), 8.82 (s, 2H), 8.75 (s, 1H), 8.09 (br, 2H), 3.43 (q,  $J$  = 6.9 Hz, 4H), 1.63 (m, 2H), 1.50 (q,  $J$  = 6.9 Hz, 4H), 0.88 (d,  $J$  = 6.5 Hz, 12H). <sup>13</sup>C NMR (100 MHz, DMSO-*d*<sub>6</sub>):  $\delta$ /ppm = 166.52, 164.86, 135.34, 131.10, 130.35, 130.08, 37.99, 37.60, 25.24, 22.41. HRMS (nanochip-ESI/LTQ-Orbitrap)  $m/z$ : [M + H]<sup>+</sup> Calcd. for C<sub>19</sub>H<sub>29</sub>N<sub>2</sub>O<sub>4</sub><sup>+</sup> 349.2122; Found 349.2118. EA: Calcd. for C<sub>19</sub>H<sub>28</sub>N<sub>2</sub>O<sub>4</sub>: C, 65.49; H, 8.10; N, 8.04. Found: C, 65.31; H, 8.10; N, 8.01. For HRMS, <sup>1</sup>H NMR, and <sup>13</sup>C NMR spectra, see Supplementary Figures S25–S27.

**PCL.** To obtain a reference <sup>1</sup>H NMR spectrum of non-modified commercial poly( $\epsilon$ -caprolactone) (PCL), 1 g of the polymer was dissolved in DCM (3 mL) and precipitated into MeOH (25 mL). This process was repeated twice more, and the purified PCL was dried under high vacuum. The number-average molar mass  $\bar{M}_n$  = 112'000 g/mol was determined by GPC (polystyrene calibration). The number-average molar mass  $\bar{M}_n$  = 103'000 g/mol was also calculated from the ratio of CH<sub>2</sub>-OH end group signals to all PCL backbone peak integrals, implying an end group content of  $\geq$  92 % OH end groups. <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>, 512 scans):  $\delta$ /ppm = 4.04 (1817 H, t, CH<sub>2</sub>OCO<sub>PCL</sub>), 3.63 (4 H, t, CH<sub>2</sub>-OH), 2.29 (1813 H, t, CH<sub>2</sub>COO<sub>PCL</sub>), 1.68 (3714 H, m, CH<sub>2,PCL</sub>), 1.37 (1813 H, m, CH<sub>2,PCL</sub>), GPC:  $\bar{M}_n$  = 112'000,  $\bar{M}_w$  = 164'000,  $\bar{D}$  = 1.47. GPC traces are shown in Supplementary Figure S28.

**PCL-GlyFmoc.** PCL and *N*-(9-fluorenylmethoxycarbonyl)-glycine (GlyFmoc) were dried under high vacuum prior to use. GlyFmoc (1.041 g, 3.5 mmol, 8.8 equiv.), DMAP (0.293 g, 2.4 mmol, 6.0

equiv.), and DCC (1.465 g, 7.1 mmol, 17.8 equiv.) were dissolved in DCM (280 mL) under an argon atmosphere. Dry PCL (40 g, 0.4 mmol, 1 equiv.) was then added and the colorless reaction mixture was stirred at room temperature for 6 d, during which time it turned yellow. The mixture was precipitated into MeOH (2 L). The precipitate was redissolved in DCM (280 mL), and reprecipitated into MeOH (2 L) twice more. The precipitate was collected and dried under vacuum at 30 °C to yield **PCL-GlyFmoc** as a colorless solid (39.6 g, 99 %). <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>, 512 scans): δ/ppm = 7.77 (4H, d, CH<sub>ar</sub>), 7.59 (4H, d, CH<sub>ar</sub>), 7.40 (4H, t, CH<sub>ar</sub>), 7.31 (4H, t, CH<sub>ar</sub>), 6.48-5.34 (2H, 3 s, NH), 4.39 (4H, d, CH-CH<sub>2</sub>-NH), 4.16 (t, OCO-CH<sub>2</sub>-NH), 4.03 (1524H, t, CH<sub>2</sub>OCO<sub>PCL</sub>), 3.93 (t, CH<sub>Fmoc</sub>), 2.31 (1529H, t, CH<sub>2</sub>COO<sub>PCL</sub>), 1.68 (3185H, m, CH<sub>2,PCL</sub>), 1.41 (1561H, m, CH<sub>2,PCL</sub>)

**PCL-GlyNH<sub>2</sub>.** **PCL-GlyFmoc** (39.6 g, 0.4 mmol, 1 equiv.) was dissolved in DCM (280 mL) under argon atmosphere, and piperidine (0.35 mL, 3.5 mmol, 8.8 equiv.) was added. The reaction mixture was stirred at room temperature, more piperidine (0.35 mL, 3.5 mmol, 8.8 equiv.) was added after 1 d, and stirring was continued for 2 d. The reaction mixture was precipitated into MeOH (2 L). The precipitate was redissolved in DCM (280 mL) and again precipitated into MeOH (2 L) twice more. The precipitate was washed with MeOH and dried under vacuum at 30 °C to yield **PCL-GlyNH<sub>2</sub>** as a colorless solid (35 g, 88 %). <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>, 512 scans): δ/ppm = 4.05 (1500H, t, CH<sub>2</sub>OCO<sub>PCL</sub>), 2.30 (1564H, t, CH<sub>2</sub>COO<sub>PCL</sub>), 1.64 (3175H, m, CH<sub>2,PCL</sub>), 1.38 (1472H, m, CH<sub>2,PCL</sub>)

**PCL-BTA.** *N,N'*-Bis(isopentylcarbamoyl)benzoic acid **3** (0.3356 g, 0.96 mmol, 2.9 equiv.), DIPEA (0.21 mL, 1.2 mmol, 3.6 equiv.), and PyBOP (0.546 g, 1.0 mmol, 3.0 equiv.) were dissolved in DCM (280 mL) under an argon atmosphere. **PCL-GlyNH<sub>2</sub>** (35 g, 0.33 mmol, 1 equiv.) was added to the slightly turbid mixture. The reaction mixture was stirred at room temperature for 3 d and then precipitated into MeOH (1.5 L). The precipitate was dissolved in DCM (280 mL), and reprecipitated into MeOH (1.5 L) twice more. The precipitate was collected and dried under vacuum at 30 °C to yield **PCL-BTA** as a white solid (34.2 g, 98 %). <sup>1</sup>H-NMR (400 MHz, CDCl<sub>3</sub>, 512 scans): δ/ppm = 8.36 (6H, s, CH<sub>ar</sub>), 7.04-6.46 (3H, 3s, NH), 4.05 (2068H, t, CH<sub>2</sub>OCO<sub>PCL</sub>), 3.48 (9H, m, CH<sub>2</sub>-NH), 2.30 (2057H, t, CH<sub>2</sub>COO<sub>PCL</sub>), 1.65 (4418H, m, CH<sub>2,PCL</sub>), 1.37 (2153H, m, CH<sub>2,PCL</sub>), 0.96 (31H, d,

**CH<sub>3</sub>**). GPC:  $\overline{M}_n = 107'000$ ,  $\overline{M}_w = 166'000$ ,  $\overline{D} = 1.54$ . GPC traces are shown in Supplementary Figure S28.

**PCL25-GlyFmoc.** PCL and *N*-(9-fluorenylmethoxycarbonyl)-glycine (GlyFmoc) were dried under high vacuum prior to use. GlyFmoc (1.57 g, 5.28 mmol, 8.8 equiv.), DMAP (0.440 g, 3.6 mmol, 6.0 equiv.), and DCC (2.204 g, 10.68 mmol, 17.8 equiv.) were dissolved in DCM (100 mL) under an argon atmosphere. Dry PCL (15 g, 0.6 mmol, 1 equiv.) was then added and the colorless reaction mixture was stirred at room temperature for 3 d, during which time it turned yellow. The mixture was precipitated into MeOH (0.7 L). The precipitate was redissolved in DCM (100 mL) and reprecipitated into MeOH (0.7 L) twice more. The precipitate was collected and dried under vacuum at 30 °C to yield **PCL25-GlyFmoc** as a colorless solid (14 g, 93 %). <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>, 512 scans):  $\delta$ /ppm = 7.75 (4H, d, CH<sub>ar</sub>), 7.59 (4H, d, CH<sub>ar</sub>), 7.40 (4H, t, CH<sub>ar</sub>), 7.31 (4H, t, CH<sub>ar</sub>), 5.34 (2H, s, NH), 4.41 (4H, d, CH-CH<sub>2</sub>-NH), 4.16 (t, OCO-CH<sub>2</sub>-NH), 4.05 (205H, t, CH<sub>2</sub>OCO<sub>PCL</sub>), 3.87 (t, CH<sub>Fmoc</sub>), 2.30 (189H, t, CH<sub>2</sub>COO<sub>PCL</sub>), 1.64 (395H, m, CH<sub>2,PCL</sub>), 1.38 (216H, m, CH<sub>2,PCL</sub>). For the <sup>1</sup>H NMR spectrum, see Supplementary Figure S29.

**PCL25-GlyNH<sub>2</sub>.** **PCL-GlyFmoc** (14 g, 0.56 mmol, 1 equiv.) was dissolved in DCM (100 mL) under argon atmosphere and piperidine (0.49 mL, 4.9 mmol, 8.8 equiv.) was added. The reaction mixture was stirred at room temperature, more piperidine (0.49 mL, 4.9 mmol, 8.8 equiv.) was added after 1 d, and stirring was continued for 2 d. The reaction mixture was precipitated into MeOH (0.7 L). The precipitate was redissolved in DCM (100 mL) and again precipitated into MeOH (0.7 L) twice more. The precipitate was washed with MeOH and dried under vacuum at 30 °C to yield **PCL25-GlyNH<sub>2</sub>** as a colorless solid (10 g, 71 %). <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>, 512 scans):  $\delta$ /ppm = 8.72 (4H, s, NH<sub>2</sub>), 4.05 (382H, t, CH<sub>2</sub>OCO<sub>PCL</sub>), 2.30 (364H, t, CH<sub>2</sub>COO<sub>PCL</sub>), 1.64 (750H, m, CH<sub>2,PCL</sub>), 1.37 (364H, m, CH<sub>2,PCL</sub>). For the <sup>1</sup>H NMR spectrum, see Supplementary Figure S30.

**PCL25-BTA.** *N,N'*-Bis(isopentylcarbamoyl)benzoic acid **3** (0.4055 g, 1.26 mmol, 2.9 equiv.), DIPEA (0.252 mL, 1.44 mmol, 3.6 equiv.), and PyBOP (0.6552 g, 1.2 mmol, 3.0 equiv.) were dissolved in DCM (70 mL) under an argon atmosphere. **PCL25-GlyNH<sub>2</sub>** (10 g, 0.40 mmol, 1 equiv.) was added to the slightly turbid mixture. The reaction mixture was stirred at room temperature for 1 d and then precipitated into MeOH (0.4 L). The precipitate was dissolved in



DCM (70 mL) and re-precipitated into MeOH (0.4 L) twice more. The precipitate was collected and dried under vacuum at 30 °C to yield **PCL25-BTA** as a white solid (8.5 g, 85 %). <sup>1</sup>H-NMR (400 MHz, CDCl<sub>3</sub>, 512 scans): δ/ppm = 8.32 (6H, s, CH<sub>ar</sub>), 7.37-6.46 (4H, 3s, NH), 4.05 (533H, t, CH<sub>2</sub>OCO<sub>PCL</sub>), 3.86 (5H, m, CH<sub>2</sub>-NH), 2.29 (525H, t, CH<sub>2</sub>COO<sub>PCL</sub>), 1.63 (1108H, m, CH<sub>2,PCL</sub>), 1.37 (527H, m, CH<sub>2,PCL</sub>), 0.96 (27H, d, CH<sub>3</sub>). GPC:  $\overline{M}_n$  = 24'900,  $\overline{M}_w$  = 33'100, Đ = 1.33. GPC traces are shown in Supplementary Figure S28. For the <sup>1</sup>H NMR spectrum, see Supplementary Figure S31.

## Methods

**Blend Preparation.** **PCL-BTA** or pristine PCL were blended with **B** by dissolving the respective mixture of compounds in hot THF and stirring the mixture for 15 min after complete dissolution. THF was then evaporated under reduced pressure and the blends dried under high vacuum until further use. Unless mentioned otherwise, we compare PCL/**B** and **PCL-BTA/B** blends with equal  $w_B$  in wt%. For the corresponding [**B**] in mol/L, the combined  $w_{B+BTA}$  for the additive and end groups in wt%, [**B + BTA**] in mol/L, and the additive-to-end-group ratio, [**B**]/[**BTA**], in mol/mol, see Table 1.

**Table 1.** [**B**] in mol/L (assuming  $\rho_{PCL} = 1140 \text{ g/L}^{97}$ ), the combined  $w_{B+BTA}$  for the additive and end groups in wt% (assuming  $M = 346.15 \text{ g/mol}$  for the BTA end group), [**B + BTA**] in mol/L, and the resulting additive-to-end-group ratio, [**B**]/[**BTA**], in mol/mol for selected blends with various **B** contents in wt%.

| $w_B$ wt% | PCL/ <b>B</b>        | PCL-BTA/ <b>B</b> |                            |                                       |
|-----------|----------------------|-------------------|----------------------------|---------------------------------------|
|           | [ <b>B</b> ] (mol/L) | $w_{B+BTA}$ (wt%) | [ <b>B + BTA</b> ] (mol/L) | [ <b>B</b> ]/[ <b>BTA</b> ] (mol/mol) |
| 0         | 0                    | 0.63              | 0.02                       | 0                                     |
| 0.6       | 0.02                 | 1.23              | 0.04                       | 0.79                                  |
| 1         | 0.03                 | 1.63              | 0.05                       | 1.32                                  |
| 2         | 0.05                 | 2.63              | 0.08                       | 2.63                                  |
| 4         | 0.11                 | 4.63              | 0.13                       | 5.27                                  |

**Differential Scanning Calorimetry (DSC).** Temperature-dependent DSC measurements were performed using a Mettler Toledo DSC 3+ under constant nitrogen flow (50 mL/min) with a default scanning rate of 10 °C/min. For the **PCL-BTA/B** and PCL/**B** blends, specimens of 20–30 mg were subjected to three heating and two cooling scans to check for reproducibility. Only the linear baseline-corrected second heating and first cooling scans were considered. Isothermal DSC experiments were conducted by heating the specimens to the homogeneous melt state (up

to 180 °C depending on the composition) and then cooling them to the required measurement temperature and maintaining this temperature until the end of the crystallization process.

*Fourier Transformation Infrared Spectroscopy (FTIR).* Specimens for FTIR spectroscopy in attenuated total reflectance (ATR) mode were prepared in the DSC by cooling a few mg of the material from the homogeneous melt state to room temperature at 10 °C/min. Specimens for temperature-dependent FTIR spectroscopy in transmission mode were prepared by drop-casting **PCL-BTA/B** (1 mg/mL in THF) onto Real Crystal® KBr sample cards, and cooling the film from the melt state (180 °C) to room temperature at a nominal rate of 10 °C/min. All IR spectra were recorded with a JASCO FT/IR 6300 spectrometer using the Miracle ATR accessory from PIKE. Peak deconvolution of the transmission spectra in selected regions was performed using the Peak® Spectroscopy Software. The deconvolution was performed in the spectral region between 3000 and 3500 cm<sup>-1</sup> based on three peaks: one for the N–H stretching vibration at 3235 cm<sup>-1</sup>, one for the N–H stretching vibration at 3396 cm<sup>-1</sup>, and one for the sharp absorption at 3437 cm<sup>-1</sup> assigned to water absorbed to PCL.

*Optical Microscopy (OM).* Specimens of a few mg were compressed between glass cover slides after heating to the homogeneous melt state (up to 220 °C depending on the composition) and then cooled at a nominal rate of 10 °C/min to the desired observation temperature using a Linkam TMS600 hot-stage. Images were recorded using a Sony Alpha6700 digital camera mounted on an Olympus BH2 optical microscope with an LMscope adaptor in either bright field or between cross-polarizers.

*Atomic Force Microscopy (AFM).* Selected materials were cooled from the melt at 200 °C to ambient temperature at 10 °C/min. Flat surfaces were prepared by hot-pressing the specimens directly onto a steel AFM stub at the desired temperature (between the PCL matrix melting point and the dissociation temperature of the fibrils) with the aid of an amorphous Kapton™ H release film (DuPont) using a Linkam TMS600 hot stage. They were then cooled to room temperature at 10 °C/min and the release film was removed. Images were recorded using an Asylum Research Cypher VRS AFM equipped with a heating stage and a laser-excited MikroMasch aluminum-coated NC14 probe (resonance frequency 160 kHz, force constant 5 N/m, tip radius of curvature

< 7 nm) in intermittent contact mode, with a typical scanning frequency of 5 Hz and amplitude ratios of 0.3–0.5. Images were analyzed using the NIH software ImageJ.

**Interfibrillar Distance Calculation.** An idealized interfibrillar distance,  $d_{\text{NF}}$ , was calculated as described elsewhere for oligoalanine-modified PCL blended with a matching oligoalanine molecule,<sup>50</sup> assuming a uniform dispersion of hexagonally close-packed nanofibrils composed of a single stack of **B** and **PCL-BTA** end groups,

$$d_{\text{NF}} = \sqrt{\frac{2M_{\text{B}}}{\sqrt{3}N_{\text{A}}\rho_{\text{NF}}d_{\text{H}}}} \frac{\rho_{\text{NF}} + w_{\text{NF}}(\rho_{\text{PCL}} - \rho_{\text{NF}})}{w_{\text{NF}}\rho_{\text{PCL}}}, \quad (3)$$

where  $M_{\text{B}} = 417.6$  g/mol is the molar mass of the additive,  $N_{\text{A}}$  is Avogadro's number, and  $d_{\text{H}} = 3.5$  Å is the intermolecular spacing along the nanofibril axis,<sup>89</sup>  $\rho_{\text{NF}} = 1.11$  g/cm<sup>3</sup> is the density of the nanofibril taken from single crystal analysis of **B**,<sup>98</sup>  $w_{\text{NF}}$  is the nanofibril weight fraction, and is approximated by the sum of the additive weight fraction,  $w_{\text{B}}$ , and the end-group weight fraction,  $w_{\text{BTA}}$ , and  $\rho_{\text{PCL}} = 1.06$  g/cm<sup>3</sup> is the melt density of the PCL matrix<sup>99</sup>.

**Shear Rheometry.** Dynamic shear rheometry was performed using a parallel plate TA Instruments ARES 2 rheometer. 8 mm diameter steel plates were used throughout, with the gap set to 0.5 mm. The blend specimens were loaded in their homogeneous melt state (at up to 230 °C depending on the composition) and tested at a nominal rate of 10 °C/min with a fixed radial frequency of 1 rad/s and a strain of 0.1%.

**Small- and Wide-Angle X-Ray Scattering (SAXS/WAXS).** Specimens for SAXS and WAXS analysis were prepared in the rheometer at open parallel plate configuration by cooling the material from the melt state (up to 230 °C depending on the composition) to room temperature at a nominal rate of 10 °C/min. 2D patterns were collected over a time period of 1 min under vacuum using a Xenocs Xeuss 3.0 instrument with a GeniX3D system. A Cu K $\alpha$  ( $\lambda = 1.54$  Å) micro source was used in transmission mode with a Dectris detector at a distance of 200 mm. The intensity profiles were obtained by radial integration of the 2D patterns using the XSACT software from Xeuss.

**Hot-Pressing.** The specimens were placed in an aluminum mold with dimensions  $25 \times 25 \times 0.03$  cm<sup>3</sup> and a square hole ( $5 \times 5$  cm<sup>2</sup>) in the center, which was then placed between Teflon plates with lateral dimensions of  $50 \times 50$  cm<sup>2</sup>. A Laufer Pressen UVL 5.0 laboratory press

was loaded at 25 °C and evacuated to 1 mbar before heating to 190 °C at a nominal rate of 10 °C/min. After the melt temperature was reached, a pressure of 60 N/m was applied, the temperature was held for 1 min, followed by cooling to ambient temperature at a nominal rate of 10 °C/min and subsequent release of the pressure.

**Thermoforming.** Circular hot-pressed specimens with a diameter  $d = 7$  cm and thickness 0.3 mm were processed into a cup (30 mm in diameter and 35 mm in depth) above the melting temperature of PCL using a Formech HD686 vacuum former by heating for 20–30 s in an infrared oven, and thermoforming after a delay of 0.4 s, with 100 % plug assist, 50 % vacuum power, 0 % air pressure and 0 % pre-stretch into a tempered 40 °C mold. Circular defects resulted from application of the vacuum through the holes in the steel mold, which was in direct contact with the **PCL-BTA/B**. To thermoform PCL, a paper support was added to the mold prior to addition of the polymer melt.

**Thermal Dimensional Stability Testing.** To test the dimensional stability of the thermoformed cup-shaped specimens at elevated temperatures, they were filled with boiling water from a household kettle and a video recording was used for analysis.

**Gel Permeation Chromatography (GPC).** The number-average molar mass,  $\bar{M}_n$ , the weight-average molar mass,  $\bar{M}_w$ , and the dispersity,  $D$ , were determined by dissolving a 3–5 mg sample in 1 mL THF and filtering the solution through a 0.220  $\mu\text{m}$  PTFE filter before injection. The elution was performed in THF at 40 °C at a flow rate of 1 mL/min using an Agilent 1260 Infinity instrument incorporating the 390-MDS detector train equipped with a refractive index detector, one PSS SDV precolumn and either two PLgel 5  $\mu\text{m}$  MIXED-C Analytical columns or two PSS SDV Analytical Linear XL columns. The calibration was performed with polystyrene standards with  $\bar{M}_n$  in the 682–2'520'000 g/mol.

**1D NMR Spectroscopy.**  $^1\text{H}$  NMR spectra were obtained at 25 °C using a Bruker Avance III 400 spectrometer at a frequency of 400 MHz and calibrated with respect to the residual solvent peak of  $\text{CHCl}_3$  (7.26 ppm) or DMSO (2.50 ppm). Chemical shifts are expressed in parts per million (ppm) ( $s$  = singlet,  $d$  = doublet,  $t$  = triplet,  $m$  = multiplet).

**Flory-Huggins Fitting for PCL/B.** The concentration-dependent  $T_d$  obtained from DSC heating scans of PCL/B was fitted to the Flory-Huggins model, assuming the Flory-Huggins interaction

parameter to be given by Equation 1. Because the molar volume of the PCL is much greater than that of the additive, the variation of  $T_d$  with the additive volume fraction,  $\phi$ , is given by

$$T_d \approx \frac{T_{d0} + \frac{RT_{d0}\chi_0}{\Delta H_d}(1 - \phi)^2}{1 - \frac{RT_{d0}}{\Delta H_d}(1 - \phi + \ln \phi + \chi_1(1 - \phi)^2)} \quad (4)$$

where  $\Delta H_d = 31$  kJ/mol and  $T_{d0}$  are the molar enthalpy of dissociation and the dissociation temperature, respectively, of the pure additive. Fitting Equation 4 to the observed  $T_d$  for the PCL/B blends gives  $\chi_0 = 1633$  K and  $\chi_1 = -2.569$ .

View Article Online

DOI: 10.1039/C5QO00087D

## References

- 1 S.-L. Li, T. Xiao, C. Lin and L. Wang, Advanced supramolecular polymers constructed by orthogonal self-assembly, *Chem. Soc. Rev.*, 2012, **41**, 5950–5968.
- 2 C. Rest, R. Kandanelli and G. Fernández, Strategies to create hierarchical self-assembled structures via cooperative non-covalent interactions, *Chem. Soc. Rev.*, 2015, **44**, 2543–2572.
- 3 H. Frauenrath and E. Jahnke, A General Concept for the Preparation of Hierarchically Structured  $\pi$ -Conjugated Polymers, *Chem. – Eur. J.*, 2008, **14**, 2942–2955.
- 4 C. Li, A. Iscen, H. Sai, K. Sato, N. A. Sather, S. M. Chin, Z. Álvarez, L. C. Palmer, G. C. Schatz and S. I. Stupp, Supramolecular-covalent hybrid polymers for light-activated mechanical actuation, *Nat. Mater.*, 2020, **19**, 900–909.
- 5 S. M. Chin, C. V. Synatschke, S. Liu, R. J. Nap, N. A. Sather, Q. Wang, Z. Álvarez, A. N. Edelbrock, T. Fyrner, L. C. Palmer, I. Szleifer, M. Olvera de la Cruz and S. I. Stupp, Covalent-supramolecular hybrid polymers as muscle-inspired anisotropic actuators, *Nat. Commun.*, 2018, **9**, 2395.
- 6 M. J. Webber and R. Langer, Drug delivery by supramolecular design, *Chem. Soc. Rev.*, 2017, **46**, 6600–6620.
- 7 D. Gao, G. Thangavel, J. Lee, J. Lv, Y. Li, J.-H. Ciou, J. Xiong, T. Park and P. S. Lee, A supramolecular gel-elastomer system for soft iontronic adhesives, *Nat. Commun.*, 2023, **14**, 1990.
- 8 O. J. G. M. Goor, S. I. S. Hendrikse, P. Y. W. Dankers and E. W. Meijer, From supramolecular polymers to multi-component biomaterials, *Chem. Soc. Rev.*, 2017, **46**, 6621–6637.
- 9 R. P. Sijbesma, F. H. Beijer, L. Brunsveld, B. J. B. Folmer, J. H. K. K. Hirschberg, R. F. M. Lange, J. K. L. Lowe and E. W. Meijer, Reversible Polymers Formed from Self-Complementary Monomers Using Quadruple Hydrogen Bonding, *Science*, 1997, **278**, 1601–1604.
- 10 P. Cordier, F. Tournilhac, C. Soulié-Ziakovic and L. Leibler, Self-healing and thermoreversible rubber from supramolecular assembly, *Nature*, 2008, **451**, 977–980.
- 11 L. Voorhaar and R. Hoogenboom, Supramolecular polymer networks: hydrogels and bulk materials, *Chem. Soc. Rev.*, 2016, **45**, 4013–4031.
- 12 T. F. A. De Greef, M. M. J. Smulders, M. Wolffs, A. P. H. J. Schenning, R. P. Sijbesma and E. W. Meijer, Supramolecular Polymerization, *Chem. Rev.*, 2009, **109**, 5687–5754.
- 13 A. Lavrenova, D. W. R. Balkenende, Y. Sagara, S. Schrettl, Y. C. Simon and C. Weder, Mechano- and Thermoresponsive Photoluminescent Supramolecular Polymer, *J. Am. Chem. Soc.*, 2017, **139**, 4302–4305.
- 14 J. H. K. K. Hirschberg, F. H. Beijer, H. A. van Aert, P. C. M. M. Magusin, R. P. Sijbesma and E. W. Meijer, Supramolecular Polymers from Linear Telechelic Siloxanes with Quadruple-Hydrogen-Bonded Units, *Macromolecules*, 1999, **32**, 2696–2705.
- 15 B. J. B. Folmer, R. P. Sijbesma, R. M. Versteegen, J. a. J. van der Rijt and E. W. Meijer, Supramolecular Polymer Materials: Chain Extension of Telechelic Polymers Using a Reactive Hydrogen-Bonding Synthon, *Adv. Mater.*, 2000, **12**, 874–878.
- 16 N. Roy, V. Schädler and J.-M. Lehn, Supramolecular Polymers: Inherently Dynamic Materials, *Acc. Chem. Res.*, 2024, **57**, 349–361.
- 17 Y. Yanagisawa, Y. Nan, K. Okuro and T. Aida, Mechanically robust, readily repairable polymers via tailored noncovalent cross-linking, *Science*, 2018, **359**, 72–76.
- 18 J.-C. Lai, X.-Y. Jia, D.-P. Wang, Y.-B. Deng, P. Zheng, C.-H. Li, J.-L. Zuo and Z. Bao, Thermodynamically stable whilst kinetically labile coordination bonds lead to strong and tough self-healing polymers, *Nat. Commun.*, 2019, **10**, 1164.



- 19 Z. Huang, X. Chen, S. J. K. O'Neill, G. Wu, D. J. Whitaker, J. Li, J. A. McCune and O. A. Scherman, Highly compressible glass-like supramolecular polymer networks, *Nat. Mater.*, 2022, **21**, 103–109. View Article Online  
DOI: 10.1039/D1QM00087D
- 20 T. Aida, E. W. Meijer and S. I. Stupp, Functional Supramolecular Polymers, *Science*, 2012, **335**, 813–817.
- 21 J. Sautaux, F. Marx, I. Gunkel, C. Weder and S. Schrettl, Mechanically robust supramolecular polymer co-assemblies, *Nat. Commun.*, 2022, **13**, 356.
- 22 C. Fouquey, J. Lehn and A. Levelut, Molecular recognition directed self-assembly of supramolecular liquid crystalline polymers from complementary chiral components, *Adv. Mater.*, 1990, **2**, 254–257.
- 23 J.-M. Lehn, Supramolecular Chemistry, *Science*, 1993, **260**, 1762–1763.
- 24 S. Sivakova and S. J. Rowan, Nucleobases as supramolecular motifs, *Chem. Soc. Rev.*, 2005, **34**, 9–21.
- 25 K. E. Feldman, M. J. Kade, E. W. Meijer, C. J. Hawker and E. J. Kramer, Phase Behavior of Complementary Multiply Hydrogen Bonded End-Functional Polymer Blends, *Macromolecules*, 2010, **43**, 5121–5127.
- 26 G. B. W. L. Ligthart, H. Ohkawa, R. P. Sijbesma and E. W. Meijer, Complementary Quadruple Hydrogen Bonding in Supramolecular Copolymers, *J. Am. Chem. Soc.*, 2005, **127**, 810–811.
- 27 S. Kyu. Chang and A. D. Hamilton, Molecular recognition of biologically interesting substrates: synthesis of an artificial receptor for barbiturates employing six hydrogen bonds, *J. Am. Chem. Soc.*, 1988, **110**, 1318–1319.
- 28 W. H. Binder, L. Petraru, T. Roth, P. W. Groh, V. Pálfi, S. Keki and B. Ivan, Magnetic and Temperature-Sensitive Release Gels from Supramolecular Polymers, *Adv. Funct. Mater.*, 2007, **17**, 1317–1326.
- 29 F. Herbst, S. Seiffert and W. H. Binder, Dynamic supramolecular poly(isobutylene)s for self-healing materials, *Polym. Chem.*, 2012, **3**, 3084–3092.
- 30 S. Chen and W. H. Binder, Dynamic Ordering and Phase Segregation in Hydrogen-Bonded Polymers, *Acc. Chem. Res.*, 2016, **49**, 1409–1420.
- 31 L. Montero de Espinosa, S. Balog and C. Weder, Isophthalic Acid–Pyridine H-Bonding: Simplicity in the Design of Mechanically Robust Phase-Segregated Supramolecular Polymers, *ACS Macro Lett.*, 2014, **3**, 540–543.
- 32 A. Jangizehi, M. Ahmadi and S. Seiffert, Emergence, evidence, and effect of junction clustering in supramolecular polymer materials, *Mater. Adv.*, 2021, **2**, 1425–1453.
- 33 C. B. Cooper and Z. Bao, Using Periodic Dynamic Polymers to Form Supramolecular Nanostructures, *Acc. Mater. Res.*, 2022, **3**, 948–959.
- 34 W. P. J. Appel, G. Portale, E. Wisse, P. Y. W. Dankers and E. W. Meijer, Aggregation of Ureido-Pyrimidinone Supramolecular Thermoplastic Elastomers into Nanofibers: A Kinetic Analysis, *Macromolecules*, 2011, **44**, 6776–6784.
- 35 E. Croisier, S. Liang, T. Schweizer, S. Balog, M. Mionić, R. Snellings, J. Cugnoni, V. Michaud and H. Frauenrath, A toolbox of oligopeptide-modified polymers for tailored elastomers, *Nat. Commun.*, 2014, **5**, 4728.
- 36 J. Scavuzzo, S. Tomita, S. Cheng, H. Liu, M. Gao, J. P. Kennedy, S. Sakurai, S. Z. D. Cheng and L. Jia, Supramolecular Elastomers: Self-Assembling Star–Blocks of Soft Polyisobutylene and Hard Oligo( $\beta$ -alanine) Segments, *Macromolecules*, 2015, **48**, 1077–1086.
- 37 J. Roosma, T. Mes, P. Leclère, A. R. A. Palmans and E. W. Meijer, Supramolecular Materials from Benzene-1,3,5-tricarboxamide-Based Nanorods, *J. Am. Chem. Soc.*, 2008, **130**, 1120–1121.
- 38 S. Cantekin, T. F. A. de Greef and A. R. A. Palmans, Benzene-1,3,5-tricarboxamide : a versatile ordering moiety for supramolecular chemistry, *Chem. Soc. Rev.*, 2012, **41**, 6125–6137.

- 39 L. Albertazzi, F. J. Martinez-Veracoechea, C. M. A. Leenders, I. K. Voets, D. Frenkel and E. W. Meijer, Spatiotemporal control and superselectivity in supramolecular polymers using multivalency, *Proc. Natl. Acad. Sci.*, 2013, **110**, 12203–12208. View Article Online  
DOI: 10.1039/D5QO00087D
- 40 Y. Song, Y. Liu, T. Qi and G. L. Li, Towards Dynamic but Supertough Healable Polymers through Biomimetic Hierarchical Hydrogen-Bonding Interactions, *Angew. Chem. Int. Ed.*, 2018, **57**, 13838–13842.
- 41 S. Pensec, N. Nouvel, A. Guilleman, C. Creton, F. Boué and L. Bouteiller, Self-Assembly in Solution of a Reversible Comb-Shaped Supramolecular Polymer, *Macromolecules*, 2010, **43**, 2529–2534.
- 42 C. Véchambre, X. Callies, C. Fonteneau, G. Ducouret, S. Pensec, L. Bouteiller, C. Creton, J.-M. Chenal and L. Chazeau, Microstructure and Self-Assembly of Supramolecular Polymers Center-Functionalized with Strong Stickers, *Macromolecules*, 2015, **48**, 8232–8239.
- 43 J. Courtois, I. Baroudi, N. Nouvel, E. Degrandi, S. Pensec, G. Ducouret, C. Chanéac, L. Bouteiller and C. Creton, Supramolecular Soft Adhesive Materials, *Adv. Funct. Mater.*, 2010, **20**, 1803–1811.
- 44 M. M. J. Smulders, M. M. L. Nieuwenhuizen, M. Grossman, I. A. W. Pilot, C. C. Lee, T. F. A. De Greef, A. P. H. J. Schenning, A. R. A. Palmans and E. W. Meijer, Cooperative Two-Component Self-Assembly of Mono- and Ditopic Monomers, *Macromolecules*, 2011, **44**, 6581–6587.
- 45 H. Kautz, D. J. M. van Beek, R. P. Sijbesma and E. W. Meijer, Cooperative End-to-End and Lateral Hydrogen-Bonding Motifs in Supramolecular Thermoplastic Elastomers, *Macromolecules*, 2006, **39**, 4265–4267.
- 46 D. J. M. van Beek, A. J. H. Spiering, G. W. M. Peters, K. te Nijenhuis and R. P. Sijbesma, Unidirectional Dimerization and Stacking of Ureidopyrimidinone End Groups in Polycaprolactone Supramolecular Polymers, *Macromolecules*, 2007, **40**, 8464–8475.
- 47 M. M. L. Nieuwenhuizen, T. F. A. de Greef, R. L. J. van der Bruggen, J. M. J. Paulusse, W. P. J. Appel, M. M. J. Smulders, R. P. Sijbesma and E. W. Meijer, Self-Assembly of Ureido-Pyrimidinone Dimers into One-Dimensional Stacks by Lateral Hydrogen Bonding, *Chem. – Eur. J.*, 2010, **16**, 1601–1612.
- 48 M. Muthukumar, C. K. Ober and E. L. Thomas, Competing Interactions and Levels of Ordering in Self-Organizing Polymeric Materials, *Science*, 1997, **277**, 1225–1232.
- 49 A. Levin, T. A. Hakala, L. Schnaider, G. J. L. Bernardes, E. Gazit and T. P. J. Knowles, Biomimetic peptide self-assembly for functional materials, *Nat. Rev. Chem.*, 2020, **4**, 615–634.
- 50 D. Görl, S. Haraguchi, Y. Hryshunin, S. Thiele, G. Scetta, A. Simula, M. Wendling, O. Oguz, N. Candau, T. Tänzler, M. Liebi, C. J. G. Plummer and H. Frauenrath, Supramolecular modification of sustainable high-molar-mass polymers for improved processing and performance, *Nat. Commun.*, 2025, **16**, 217.
- 51 R. Guo, Q. Zhang, Y. Wu, H. Chen, Y. Liu, J. Wang, X. Duan, Q. Chen, Z. Ge and Y. Zhang, Extremely Strong and Tough Biodegradable Poly(urethane) Elastomers with Unprecedented Crack Tolerance via Hierarchical Hydrogen-Bonding Interactions, *Adv. Mater.*, 2023, **35**, 2212130.
- 52 S. Das, I. Yilgor, E. Yilgor, B. Inci, O. Tezgel, F. L. Beyer and G. L. Wilkes, Structure–property relationships and melt rheology of segmented, non-chain extended polyureas: Effect of soft segment molecular weight, *Polymer*, 2007, **48**, 290–301.
- 53 J. Casey Johnson, N. D. Wanasekara and L. T. J. Korley, Influence of secondary structure and hydrogen-bonding arrangement on the mechanical properties of peptidic-polyurea hybrids, *J. Mater. Chem. B*, 2014, **2**, 2554–2561.
- 54 L. E. Matolyak, J. K. Keum, K. M. V. de Voorde and L. T. J. Korley, Synthetic approach to tailored physical associations in peptide-polyurea/polyurethane hybrids, *Org. Biomol. Chem.*, 2017, **15**, 7607–7617.

- 55 Z. Li, Y.-L. Zhu, W. Niu, X. Yang, Z. Jiang, Z.-Y. Lu, X. Liu and J. Sun, Healable and Recyclable Elastomers with Record-High Mechanical Robustness, Unprecedented Crack Tolerance, and Superhigh Elastic Restorability, *Adv. Mater.*, 2021, **33**, 2101498.
- 56 M. P. Lightfoot, F. S. Mair, R. G. Pritchard and J. E. Warren, New supramolecular packing motifs:  $\pi$ -stacked rods encased in triply-helical hydrogen bonded amide strands, *Chem. Commun.*, 1999, **0**, 1945–1946.
- 57 R. P. M. Lafleur, S. Herziger, S. M. C. Schoenmakers, A. D. A. Keizer, J. Jahzerah, B. N. S. Thota, L. Su, P. H. H. Bomans, N. A. J. M. Sommerdijk, A. R. A. Palmans, R. Haag, H. Friedrich, C. Böttcher and E. W. Meijer, Supramolecular Double Helices from Small C<sub>3</sub>-Symmetrical Molecules Aggregated in Water, *J. Am. Chem. Soc.*, 2020, **142**, 17644–17652.
- 58 S. Hafeez, M. C. Decarli, A. Aldana, M. Ebrahimi, F. A. A. Ruiter, H. Duimel, C. van Blitterswijk, L. M. Pitet, L. Moroni and M. B. Baker, In Situ Covalent Reinforcement of a Benzene-1,3,5-Tricarboxamide Supramolecular Polymer Enables Biomimetic, Tough, and Fibrous Hydrogels and Bioinks, *Adv. Mater.*, 2023, **35**, 2301242.
- 59 T. Mes, M. M. J. Smulders, A. R. A. Palmans and E. W. Meijer, Hydrogen-Bond Engineering in Supramolecular Polymers: Polarity Influence on the Self-Assembly of Benzene-1,3,5-tricarboxamides, *Macromolecules*, 2010, **43**, 1981–1991.
- 60 X. Colin and J. Verdu, Polymer degradation during processing, *Comptes Rendus Chim.*, 2006, **9**, 1380–1395.
- 61 R. J. Young and P. A. Lovell, *Introduction to Polymers*, CRC Press, 0 edn., 2011.
- 62 R. S. Porter and J. F. Johnson, The Entanglement Concept in Polymer Systems, *Chem. Rev.*, 1966, **66**, 1–27.
- 63 L. Chen, X. Sun, Y. Ren, R. Wang, M. Sun and W. Liang, Enhancing melt strength of polyglycolic acid by reactive extrusion with chain extenders, *J. Appl. Polym. Sci.*, 2022, **139**, 51796.
- 64 A. Ya. Malkin, A. Arinstein and V. G. Kulichikhin, Polymer extension flows and instabilities, *Prog. Polym. Sci.*, 2014, **39**, 959–978.
- 65 M. Tang, R. Zhang, S. Li, J. Zeng, M. Luo, Y.-X. Xu and G. Huang, Towards a Supertough Thermoplastic Polyisoprene Elastomer Based on a Biomimic Strategy, *Angew. Chem. Int. Ed.*, 2018, **57**, 15836–15840.
- 66 M. Tang, R. Xu, R. Zhang, S.-J. Bai, G. Huang and Y.-X. Xu, Bioinspired strategy to tune viscoelastic response of thermoplastic polyisoprene by retarding the dissociation of hydrogen bonding, *Polymer*, 2021, **212**, 123272.
- 67 E. Vereroudakis, M. Bantawa, R. P. M. Lafleur, D. Parisi, N. M. Matsumoto, J. W. Peeters, E. Del Gado, E. W. Meijer and D. Vlassopoulos, Competitive Supramolecular Associations Mediate the Viscoelasticity of Binary Hydrogels, *ACS Cent. Sci.*, 2020, **6**, 1401–1411.
- 68 S. Hafeez, F. R. Passanha, A. J. Feliciano, F. A. A. Ruiter, A. Malheiro, R. P. M. Lafleur, N. M. Matsumoto, C. Van Blitterswijk, L. Moroni, P. Wieringa, V. L. S. LaPointe and M. B. Baker, Modular mixing of benzene-1,3,5-tricarboxamide supramolecular hydrogelators allows tunable biomimetic hydrogels for control of cell aggregation in 3D, *Biomater. Sci.*, 2022, **10**, 4740–4755.
- 69 C. F. C. Fitié, W. S. C. Roelofs, M. Kemerink and R. P. Sijbesma, Remnant Polarization in Thin Films from a Columnar Liquid Crystal, *J. Am. Chem. Soc.*, 2010, **132**, 6892–6893.
- 70 I. Bala, H. Kaur, M. Maity, R. A. K. Yadav, J. De, S. P. Gupta, J.-H. Jou, U. K. Pandey and S. K. Pal, Electroluminescent Aggregation-Induced Emission-Active Discotic Liquid Crystals Based on Alkoxy Cyanostilbene-Functionalized Benzenetricarboxamide with Ambipolar Charge Transport, *ACS Appl. Electron. Mater.*, 2022, **4**, 1163–1174.

- View Article Online  
DOI: 10.1039/D5QO00087D
- 71 D. Ogata, T. Shikata and K. Hanabusa, Chiral Amplification of the Structure and Viscoelasticity of a Supramolecular Polymeric System Consisting of N,N',N''-Tris(3,7-Dimethyloctyl)Benzene-1,3,5-Tricarboxamide and n-Decane, *J. Phys. Chem. B*, 2004, **108**, 15503–15510.
  - 72 T. Shikata, D. Ogata and K. Hanabusa, Viscoelastic Behavior of Supramolecular Polymeric Systems Consisting of N,N',N''-Tris(3,7-dimethyloctyl)benzene-1,3,5-tricarboxamide and n-Alkanes, *J. Phys. Chem. B*, 2004, **108**, 508–514.
  - 73 S. Hafeez, A. Aldana, H. Duimel, F. A. A. Ruiter, M. C. Decarli, V. Lapointe, C. van Blitterswijk, L. Moroni and M. B. Baker, Molecular tuning of a benzene-1,3,5-tricarboxamide supramolecular fibrous hydrogel enables control over viscoelasticity and creates tunable ECM-mimetic hydrogels and bioinks, *Adv. Mater.*, 2023, **35**, 2207053.
  - 74 S. Hafeez, H. W. Ooi, D. Suylen, H. Duimel, T. M. Hackeng, C. van Blitterswijk and M. B. Baker, Desymmetrization via Activated Esters Enables Rapid Synthesis of Multifunctional Benzene-1,3,5-tricarboxamides and Creation of Supramolecular Hydrogelators, *J. Am. Chem. Soc.*, 2022, **144**, 4057–4070.
  - 75 M. Blomenhofer, S. Ganzleben, D. Hanft, H.-W. Schmidt, M. Kristiansen, P. Smith, K. Stoll, D. Mäder and K. Hoffmann, “Designer” Nucleating Agents for Polypropylene, *Macromolecules*, 2005, **38**, 3688–3695.
  - 76 F. Abraham, S. Ganzleben, D. Hanft, P. Smith and H.-W. Schmidt, Synthesis and Structure–Efficiency Relations of 1,3,5-Benzenetrisamides as Nucleating Agents and Clarifiers for Isotactic Poly(propylene), *Macromol. Chem. Phys.*, 2010, **211**, 171–181.
  - 77 M. Kristiansen, P. Smith, H. Chanzy, C. Baerlocher, V. Gramlich, L. McCusker, T. Weber, P. Pattison, M. Blomenhofer and H.-W. Schmidt, Structural Aspects of 1,3,5-Benzenetrisamides—A New Family of Nucleating Agents, *Cryst. Growth Des.*, 2009, **9**, 2556–2558.
  - 78 F. Abraham and H.-W. Schmidt, 1,3,5-Benzenetrisamide based nucleating agents for poly(vinylidene fluoride), *Polymer*, 2010, **51**, 913–921.
  - 79 F. Richter and H.-W. Schmidt, Supramolecular Nucleating Agents for Poly(butylene terephthalate) Based on 1,3,5-Benzenetrisamides, *Macromol. Mater. Eng.*, 2013, **298**, 190–200.
  - 80 H. Bai, W. Zhang, H. Deng, Q. Zhang and Q. Fu, Control of Crystal Morphology in Poly(l-lactide) by Adding Nucleating Agent, *Macromolecules*, 2011, **44**, 1233–1237.
  - 81 H. Nakajima, M. Takahashi and Y. Kimura, Induced Crystallization of PLLA in the Presence of 1,3,5-Benzenetricarboxylamide Derivatives as Nucleators: Preparation of Haze-Free Crystalline PLLA Materials, *Macromol. Mater. Eng.*, 2010, **295**, 460–468.
  - 82 H. Bai, C. Huang, H. Xiu, Q. Zhang, H. Deng, K. Wang, F. Chen and Q. Fu, Significantly Improving Oxygen Barrier Properties of Polylactide via Constructing Parallel-Aligned Shish-Kebab-Like Crystals with Well-Interlocked Boundaries, *Biomacromolecules*, 2014, **15**, 1507–1514.
  - 83 N. D. Treat, J. A. Nekuda Malik, O. Reid, L. Yu, C. G. Shuttle, G. Rumbles, C. J. Hawker, M. L. Chabinyc, P. Smith and N. Stingelin, Microstructure formation in molecular and polymer semiconductors assisted by nucleation agents, *Nat. Mater.*, 2013, **12**, 628–633.
  - 84 EFSA Panel on Food Contact Materials, Enzymes, Flavourings and Processing Aids (CEF), Scientific Opinion on the safety evaluation of the substance, 1,3,5-tris(2,2-dimethylpropanamido)benzene, CAS No. 745070-61-5, for use in food contact materials, *EFSA J.*, DOI:10.2903/j.efsa.2013.3306.
  - 85 W. Wang, A. Saperdi, A. Doderio, M. Castellano, A. J. Müller, X. Dong, D. Wang and D. Cavallo, Crystallization of a Self-Assembling Nucleator in Poly(L-lactide) Melt, *Cryst. Growth Des.*, 2021, **21**, 5880–5888.

- 86 P. M. Kristiansen, A. Gress, P. Smith, D. Hanft and H.-W. Schmidt, Phase behavior, nucleation and optical properties of the binary system isotactic polypropylene/*N,N',N''*-tris-isopentyl-1,3,5-benzene-tricarboxamide, *Polymer*, 2006, **47**, 249–253. [View Article Online](#)  
DOI: 10.1039/D5QO00087D
- 87 J. Gimenez, P. Cassagnau and A. Michel, Bulk polymerization of  $\epsilon$ -caprolactone: Rheological predictive laws, *J. Rheol.*, 2000, **44**, 527–547.
- 88 M. A. Woodruff and D. W. Hutmacher, The return of a forgotten polymer—Polycaprolactone in the 21st century, *Prog. Polym. Sci.*, 2010, **35**, 1217–1256.
- 89 A. Timme, R. Kress, R. Q. Albuquerque and H.-W. Schmidt, Phase Behavior and Mesophase Structures of 1,3,5-Benzene- and 1,3,5-Cyclohexanetricarboxamides: Towards an Understanding of the Losing Order at the Transition into the Isotropic Phase, *Chem. – Eur. J.*, 2012, **18**, 8329–8339.
- 90 P. J. M. Stals, M. M. J. Smulders, R. Martín-Rapún, A. R. A. Palmans and E. W. Meijer, Asymmetrically Substituted Benzene-1,3,5-tricarboxamides: Self-Assembly and Odd–Even Effects in the Solid State and in Dilute Solution, *Chem. – Eur. J.*, 2009, **15**, 2071–2080.
- 91 T. S. Plivelic, S. N. Cassu, M. do Carmo Gonçalves and I. L. Torriani, Structure and Morphology of Poly( $\epsilon$ -caprolactone)/Chlorinated Polyethylene (PCL/PECl) Blends Investigated by DSC, Simultaneous SAXS/WAXD, and Elemental Mapping by ESI-TEM, *Macromolecules*, 2007, **40**, 253–264.
- 92 M. Kawagoe, Y. Doi, N. Fuwa, T. Yasuda and K. Takata, Effects of absorbed water on the interfacial fracture between two layers of unsaturated polyester and glass, *J. Mater. Sci.*, 2001, **36**, 5161–5167.
- 93 L. Yuan, N. Hamidi, S. Smith, F. Clemons, A. Hamidi and C. Tang, Molecular characterization of biodegradable natural resin acid-substituted polycaprolactone, *Eur. Polym. J.*, 2015, **62**, 43–50.
- 94 M. Ahmadi, A. Jangizehi, K. Saalwächter and S. Seiffert, Effect of Junction Aggregation on the Dynamics of Supramolecular Polymers and Networks, *Macromol. Chem. Phys.*, 2023, **224**, 2200389.
- 95 V. Crescenzi, G. Manzini, G. Calzolari and C. Borri, Thermodynamics of fusion of poly- $\beta$ -propiolactone and poly- $\epsilon$ -caprolactone. comparative analysis of the melting of aliphatic polylactone and polyester chains, *Eur. Polym. J.*, 1972, **8**, 449–463.
- 96 Y. Ming, Z. Zhou, T. Hao and Y. Nie, Molecular simulation of polymer crystallization under chain and space confinement, *Phys. Chem. Chem. Phys.*, 2021, **23**, 17382–17391.
- 97 J. Li, A. T.-L. Lam, J. P. W. Toh, S. Reuveny, S. K.-W. Oh and W. R. Birch, Tunable Volumetric Density and Porous Structure of Spherical Poly- $\epsilon$ -caprolactone Microcarriers, as Applied in Human Mesenchymal Stem Cell Expansion, *Langmuir*, 2017, **33**, 3068–3079.
- 98 M. A. Giffin, PhD thesis, EPFL, 2023.
- 99 W. Ryu, L. Xiang, T. Jeon and M. Ree, Melt density, equilibrium melting temperature, and crystallization characteristics of highly pure cyclic poly( $\epsilon$ -Caprolactone)s, *Polymer*, 2020, **207**, 122899.



**Data Availability**

The authors declare that the data supporting the findings of this study is available within the paper and its Supplementary Information file.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60

Downloaded on 05/25/2025 10:36:35 AM  
This article is licensed under a Creative Commons Attribution 3.0 Unported Licence.

