Nanoscale

REVIEW

Check for updates

Cite this: Nanoscale, 2024, 16, 11480

Received 7th April 2024, Accepted 21st May 2024 DOI: 10.1039/d4nr01517g

rsc.li/nanoscale

1. Introduction

Layered transition metal carbides/nitrides, namely MXenes, as emerging two-dimensional nanomaterials, have a wide range of applications in electrical energy storage,^{1,2} optoelectronic functional devices,³ biomedicine,⁴ photo-catalysis,⁵ electrocatalysis,⁶⁻¹² *etc.*, compared with graphene, MOFs, and TMDs owing to the unique nanostructures and excellent electrical properties of MXenes.^{13–15} The structural formula of MXenes is $M_{n+1}AX_n$, where M is a transition metal (*e.g.*, Cr, Ti, V, Mn, Nb, and Mo), A is usually a III or IV main group element (*e.g.*, Al, Ga, Si, and Ge), and X is C, N, *etc.* Based on the different *n* values, MXenes are divided into three types, namely $M_2X_1T_x$, $M_3X_2T_x$, and $M_4X_3T_x$, with 211, 312, and 413 phases; $M_{n+1}X_n$ layers are sequentially interleaved with an A-atom layer to form a layer-stacked MAX phase structure.¹⁶ To date, more than 100 MXenes have been experimentally and theoretically predicted,



The application of MXenes in the electrocatalytic reduction of CO_2 , although promising, presents several problems and challenges.^{24,25} This is mainly because catalytic CO_2 reduction is itself a complex process involving multiple steps and reaction intermediates. Firstly, the high dissociation energy of CO_2 molecules (750 kJ mol⁻¹) makes it difficult to capture and activate them by MXenes, resulting in a high potential barrier for electrocatalytic reduction.²⁶ Secondly, since CO_2 reduction is a multi-electron transfer process,²⁷ the diversity of reduction products makes the selectivity of MXenes in the catalytic process may be affected by various factors such as their surface functional groups, active sites, and interactions with other reactants, and the relationship between the qualities of MXenes

Advances in MXene surface functionalization modification strategies for CO₂ reduction

Hailong Li,†^a Linhao Liu,†^{a,b} Tianbin Yuan,^{a,b} Jianwen Zhang,^a Tiantian Wang,^b Juan Hou*^a and Jiangzhao Chen 🕩 *^{a,c}

MXenes, 2D transition metal carbides and nitrides, show great potential in electrocatalytic CO₂ reduction reaction (ECO₂RR) applications owing to their tunable structure, abundant surface functional groups, large specific surface area and remarkable conductivity. However, the ECO₂RR has a complex pathway involving various reaction intermediates. The reaction process yields various products alongside a competitive electrolytic water-splitting reaction. These factors limit the application of MXenes in ECO₂RRs. Therefore, this review begins by examining the functionalized modification of MXenes to enhance their catalytic activity and stability *via* the regulation of interactions between carriers and the catalytic centre. The review firstly covers the synthesis methods and characterisation techniques for functionalized modification of carriers through surface loading of single atoms, clusters, and nanoparticles and construction of composites. These methods regulate the stability, active sites, and metal-carrier electronic interactions. Finally, the article discusses the challenges, opportunities, pressing issues, and future prospects related to MXene-based electrocatalysts.

View Article Online

^aCollege of Sciences/Xinjiang Production & Construction Corps Key Laboratory of Advanced Energy Storage Materials and Technologies, Shihezi University, Shihezi, 832003, China. E-mail: hjuan05@sina.com, jzchen@kust.edu.cn

^bKey Laboratory for Green Process of Chemical Engineering of Xinjiang Bingtuan, School of Chemistry and Chemical Engineering, Shihezi University, Shihezi, 832003, China

^cFaculty of Materials Science and Engineering, Kunming University of Science and Technology, Kunming 650093, China

[†]These authors are co-first authors and contributed equally to this work.

of which up to forty have been prepared (Ti_3C_2 , Ti_2C , Mo_2C , V_2C , *etc.*).^{17,18} Among them, $Ti_3C_2T_x$, the most common MXene material, is more conducive to proton and electron transport in the electrocatalytic CO₂ reduction process because of its excellent electrical conductivity,¹⁹ low energy barrier for electron transport,²⁰ abundant ionic diffusion pathways,²¹ and abundant active sites,²² which provide necessary prerequisites for CO₂ activation and adsorption of key intermediates. Meanwhile, due to its multilayered lamellar structure and abundant surface end groups (-O, -OH, and -F), it not only increases the possibility of adsorption of CO₂ but also interacts with CO₂ to enhance C–H, C–O, and C–C coupling, which further facilitates the catalytic reaction.²³

themselves (end groups, intrinsic defects, *etc.*) and the true active sites of the dominant products needs to be elucidated.²⁸ In addition, since the standard potential for CO_2 reduction is similar to that of the hydrogenolysis reaction, the involvement of a competing hydrogenolysis reaction (HER) in the catalytic process of MXenes decreases the efficiency of catalytic reduction of CO_2 .²⁹ Therefore, in order to improve the adsorption and activation of CO_2 molecules, the selectivity of target products and the reduction efficiency during the electrocatalytic reduction process of MXenes to improve their CO_2 reduction performance have become a hot spot in current research.

Currently, researchers have altered the type of CO₂ adsorption by modulating the type of central metal,³⁰ surface substitution functional groups,³¹ and the type of vacancies to achieve physical (-O and -F) and chemical (-OH) adsorption, controlling the residence time of CO2 on the surface of MXenes,³² and modulating the reaction steps to improve the selectivity of the products and the catalytic efficiency,³³ as shown in Fig. 1. In addition to the surface functional groups, the introduced non-metallic elements can provide an unsaturated coordination environment for the active sites of metals to produce electron synergistic catalysis, but the content of the non-metallic elements plays a crucial role.²⁸ By regulating the content of non-metallic elements and their configurations on MXenes under the premise of defining the active center and providing an unsaturated coordination environment for the metal elements, the adsorption and electron transfer process of MXenes to the key intermediates can be effectively enhanced. The selectivity and efficiency of generating a single carbon product can be improved.³⁴ All of the above-mentioned



Fig. 1 Progress in the study of MXenes for electrocatalytic carbon dioxide reduction.

modification methods are modulated based on MXenes, and although they can play a role in promoting CO₂ reduction, they always start from MXene materials, which makes it difficult to make a breakthrough. Therefore, the researchers proposed loading other materials onto MXenes such as single atoms,³⁵ clusters,³⁶ nanoparticles,³⁷ and other bulk-phase materials.³⁸ As MXenes have complex surface chemical groups, these groups make their surface rich in functionalization sites, which is conducive to compounding with other materials, thus increasing its potential for application in the catalysis of CO2. 39 When the material is loaded onto the surface of MXene materials, the good metal conductivity of MXenes can make up for the disadvantage of the slow carrier migration rate of the material itself, which is conducive to the electron transport and electron transfer process, and improves the catalytic efficiency and activity of the loaded material. Meanwhile, atomic and metal cluster loading can also change the electronic state density and energy level distribution on the surface of MXenes, thus modulating the selectivity of the reduction products of CO2. The dispersion of single atoms or clusters can effectively inhibit the cluster aggregation and coalescence phenomena on the MXene surface, preventing the masking and deactivation of the active sites.⁴⁰ This helps maintain the high activity and stability of the catalyst and keep the good catalytic performance during a long reaction time.

Therefore, to improve the potential of MXenes in ECO₂ reduction, the understanding of the mechanism of ECO₂ reduction by functionalized modifications is strengthened. In this review, first, the catalysts synthesized based on single atom, cluster, or nanoparticle-loaded MXenes and the catalysts synthesized by compositing MXenes with other materials are systematically compared, the modulation of loaded MXenebased catalysts is discussed, and an overview of the electrocatalytic reduction of CO₂ into C₁ as well as C₂ abducts with loaded MXene-based catalysts is presented in terms of both theoretical calculations and experiments. Meanwhile, the shortcomings of the current CO2ERR of MXene-based materials are addressed one by one to address the existing key scientific issues, to increase the catalytic activity to break through the CO₂ reduction barrier by increasing the number of active sites through fictionalized modification methods and to inhibit the HER and improve the selectivity of the products by changing the type of active sites. Finally, the prospects and challenges of MXene-based catalysts for electrocatalytic CO₂RRs are discussed.

2. Functional modification methods for MXenes

MXenes have been widely used in electrocatalysis due to their typical features such as excellent electrical conductivity and abundant surface end groups. However, the further development of MXenes still faces some challenges and difficulties such as the presence of solid-phase impurities, stability, and scalability. To solve the above-mentioned problems, many

Review

researchers have utilized MXene surface functionalization modification methods such as loading single atoms and nanoclusters and constructing composite heterojunctions on the MXene surface, to improve the application of MXenes in electrocatalytic CO_2 reduction. Several synthesis strategies and methods of typical MXene surface functionalization modifications are briefly described below.

2.1 Synthesis strategy for MXene-based single-atom catalysts

Recently, single-atom-loaded MXene catalysts have been considered as potential catalysts for CO_2 reduction conversion due to their catalytic activities such as high activity, high selectivity, and high stability. However, the dispersion of metal atoms on the atomic scale and the formation of strong coordination bonds between isolated metal atoms and carrier ligand atoms have become the key to single-atom-loaded MXene catalysts. Therefore, to overcome the competition between metal-carrier atomic coordination and metal-metal bonding coordination, the current synthesis strategies for MXene-loaded metal singleatom catalysts mainly include wet chemical impregnation, defective vacancy anchoring, and metal-carrier interactions.

Wet-chemical impregnation, as a synthetic method with a relatively simple preparation process, allows the metal atoms to be uniformly dispersed in MXenes, ensuring good homogeneity and consistency of the catalyst. This helps improve the properties and stability of the material, resulting in excellent catalytic activity. For example, Zou *et al.*⁴⁰ successfully prepared Ru-SA@Ti₃C₂T_x catalysts by anchoring Ru-SA on Ti₃C₂T_x by the wet chemical impregnation method. It was demon-

strated by advanced optical imaging techniques (SEM, AFM, TEM SAED, etc.) that RuSA@Ti₃C₂T_x not only retains the hexagonal crystal structure of Ti₃C₂T_x but also has a two-dimensional shaped structure with a thickness of 4 nm, as shown in Fig. 2a. Meanwhile, due to the presence of Ti vacancies in the defective state and the reducing nature of MXenes themselves, the introduction of metal monoatoms is stably dispersed on the Ti vacancies during wet chemical impregnation. For example, Zhou et al.41 successfully synthesized a series of single-atom catalysts, Ni-SA(a)Ti₃C₂T_x, enriched with Ti defects (Ni loading of 2.93 wt%) by combining wet chemical impregnation with defect trapping and "self-reduction" process and confirmed the substitution of Ti vacancies by Ni atoms with three neighboring C atoms by HAADF-STEM and EXAFS, which effectively improved its electrocatalytic performance (Fig. 2b).

Unlike wet chemical impregnation, defect vacancy anchoring exploits the lattice defects of MXenes to anchor the heterometal atoms by atomic coordination. For example, Gu *et al.*⁴² employed a vacancy-heteroatom fixation strategy to anchor asymmetrically coordinated metal single atoms (M SA/ N-Ti₃C₂T_x, M = Cu, Co, Ni, Mn, Zn, In, Sn, Pb, and Bi) on N-doped Ti₃C₂T_x nanosheets by using an N₂ annealing (500 °C) method and a self-reducing process of the metal atoms, as shown in Fig. 2c. Meanwhile, the distribution of Cu atoms and asymmetric coordination configurations on Ti₃C₂T_x nanosheets were confirmed by the DFT and XANES. Liu *et al.*⁴³ also successfully synthesized a single-atom Cu catalyst (Cu-SA@N-Ti₃C₂T_x) with an asymmetric synergistic structure by



Fig. 2 (a) (i) Schematic illustrating the fabrication procedure of RuSA@Ti₃C₂T_x. (ii) Colored scanning electron microscopy (SEM) image, (iii) atomic force microscopy (AFM) image, and (iv) dark-field transmission electron microscopy (TEM) image. Reproduced from ref. 40 with permission from Wiley & Sons Inc., copyright 2023. (b) Schematic of the synthesis process of Ni SACs/Ti₃C₂T_x. Reproduced from ref. 41 with permission from Wiley & Sons Inc., copyright 2022. (c) Schematic illustration of the fabrication procedure of Cu SA/N-Ti₃C₂T_x. Reproduced from ref. 42 with permission from Wiley & Sons Inc., copyright 2023. (d) (i) Schematic illustration of Cu SA@N-Ti₃C₂T_x synthesis, (ii) TEM image of Ti₃C₂T_x, (iii) HAADF-STEM image of Cu SA@N-Ti₃C₂T_x, and (iv) corresponding EDS analysis. Reproduced from ref. 43 with permission from Springer-Verlag, copyright 2023.

using defect vacancy anchoring, whose $Cu-N_1C_1$ synergistic structure was anchored on N-doped $Ti_3C_2T_x$ to form an asymmetric C–Cu–N bridge coordination structure, which effectively ensured the stability of the material, as illustrated in Fig. 2d.

Meanwhile, strong metal-support interaction (SMSI) serves as the main driving force for single-atom loading, where atoms are immobilized by strong interactions with carbon atoms around defects on the MXene surface. For example, Ramalingam et al.44 successfully synthesized two-dimensional materials of Ru SA-N/S-Ti₃C₂T_x with N- or S-coordinated Ru atoms using $Ti_3C_2T_x$ as a carrier by taking advantage of the SMSI action. HAADF-STEM characterization reveals that Ru is uniformly distributed with sub-nanometre-sized heavy metal bright spots, suggesting that the Ru atoms are uniformly monodispersed on the Ti₃C₂T_x surface. The formation of Ru-N and Ru-S bonds and the absence of Ru-Ru bimetallic bonds were demonstrated by XPS and FT-EXAFS, indicating that monoatomic Ru-N/S-MXenes mediated by N and S heteroatoms were successfully synthesized. Meanwhile, Lin et al.⁴⁵ synthesized a porous material of Ir monoatoms confined to heteroatom (N, S) co-doped $Ti_3C_2T_x$. The formation of new bridging structures between Ir atoms and N and S atoms enabled the Ir atoms to be well dispersed in porous $Ti_3C_2T_x$, and the N and S-doped $Ti_3C_2T_x$ carriers captured electrons from the Ir monoatom via highly coordinated Ir-N and Ir-S interactions, leading to charge redistribution in the interfacial region, providing a new strategy to regulate the atom-dispersed active sites for various electrocatalytic processes. N,S-co-doped $Ti_3C_2T_x$ carriers capture electrons from the Ir monoatoms via highly coordinated Ir-N and Ir-S interactions, leading to charge redistribution in the interfacial region of the Ti₃C₂T_x carriers, which provides a new strategy to regulate the atomically dispersed active sites for various electrocatalytic processes.

2.2 Cluster and nanoparticle synthesis strategies

Nanoclusters (NCs) and nanoparticles (NPs) can provide optimal coordination environments depending on the ratio of the number of metal atoms to the number of ligands (size effect) interacting with the carriers, thereby significantly increasing the catalytic activity of the catalysts. For instance, Liu et al.46 utilized the strong interaction between MXenes and (NH₄)₉[Ag₉(MBA)₉] nanoclusters to produce Ag₉/MXene catalysts. This was achieved by loading silver nanoclusters onto the surface of MXenes through wet chemical impregnation. The method avoids the aggregation and growth of Ag NCs in the catalytic process (particle size of 1.16 nm), and the clusters are more uniformly distributed on the MXene surface, as shown in Fig. 3a and b. At the same time, since the MXene carrier can not only serve as an excellent light-absorbing carrier to make up for the lack of cluster light absorption but also effectively stabilize and disperse the metal clusters, so that a stable interfacial structure will be formed between the MXenes and the clusters. For example, the MXene-loaded ruthenium cluster catalysts were prepared by an adsorption-reduction method by Wu et al.,⁴⁷ and the TEM image of Ru/Mo₂TiC₂ shows that the ruthenium clusters are well dispersed on the surface of molybdenum carbon titanium and the structure of the MXene material is not damaged. A comparison of the morphology and crystal structure of molybdenum carbide before and after loading shows that the original densely packed hexagonal structure is still maintained after loading the ruthenium clusters, which proves the stability of the MXene carriers. Combining XPS, XANES, and EXAFS characterizations, it was found that both ruthenium and molybdenum in the MXene-loaded ruthenium cluster catalysts were biased towards the oxidation state, and the strong electronic interactions between the ruthenium particles and the molybdenum carbon-titanium carriers caused the ruthenium to lose some of its electrons to form the stable $Ru/RuO_x/MoQ_x/Mo_2TiC_2$ interfacial structure, which anchors the cluster catalysts.

At the same time, the presence of OH terminal groups on the surface of Ti₃C₂ gives it a high adsorption capacity and reducibility, which, in turn, enables the spontaneous reduction of noble metal cations to metal NPs without the addition of a reducing agent or post-treatment. Remarkably, the atomic-level modulation of the structure of metal components and their substrate interactions are crucial for enhancing the catalytic performance of metal catalysts. For example, Dai et al.48 reported a composite catalyst loaded with Ir on Mo₂TiC₂T_rMXenes with controllable morphology from the atomic level to nanoparticles, culminating in the formation of ultrathin monoatomic layers dispersed on MXene nanosheets, as the temperature is increased (shown in Fig. 3c). Jin et al.⁴⁹ synthesized Ag-NPs/Ti3C2 nano complexes by the in situ reduction of Ag^+ by Ti_3C_2 with the OH-terminal groups on the surface (with a maximum Ag NP loading of 75.0 wt%), and a large number of Ag NPs with diameters ranging from 20 to 400 nm were uniformly immobilized on the surface of Ti₃C₂ (shown in Fig. 3d). Meanwhile, in combination with the IR spectral data of Ag⁺-OH functional groups, the possible Ti-O-Ag bonding interactions between Ti₃C₂ and Ag NPs resulted in the homogeneous dispersion of Ag NPs on Ti₃C₂ nanosheets.

2.3 Synthesis strategies for another MXene-based composite catalyst

The composites are important for the adsorption and transfer of electrons in the key intermediate of the CO₂ reduction process due to the strong interfacial coupling, which is important for the improvement of the selectivity of single carbon products. Currently, for the preparation and synthesis of MXene-based composites, the main self-assembly method, electrodeposition method, and molten salt method were used. For example, Zou et al.⁵⁰ prepared Co-NiS/MXene composites by self-assembly at the interface of water and cyclohexane using the interfacial self-assembly method via non-covalent interactions (e.g., hydrogen bonding, van der Waals forces, and electrostatic interactions) between the molecules of Co-NiS and MXenes. The Co-NiS nanorods were uniformly dispersed on the surface of MXenes, which effectively inhibited the selfstacking and agglomeration of Co-NiS and MXene self-stacking and agglomeration, ensuring good electrocatalytic perform-



Fig. 3 (a) Schematic illustration of the preparation of Ag_9 NCs. (b) Typical TEM image. Reproduced from ref. 46 with permission from Wiley & Sons Inc., copyright 2024. (c) Scheme of the NP-flattened layer-ultrathin layer transformation of Ir on $Mo_2TiC_2T_x$. Reproduced from ref. 49 with permission from Elsevier, copyright 2023. (d) Schematic illustration of the preparation of Ag- Ti_3C_2 nanohybrids, and TEM images of Ti_3C_2 MXenes before (b) and after (c) reaction with Ag⁺. Reproduced from ref. 48 with permission from Wiley & Sons Inc., copyright 2022. (e) Synthesis and structural characterization of the Co-NiS/MXene composite. Reproduced from ref. 50 with permission from the American Chemical Society, copyright 2021.

ance (shown in Fig. 3e). The method can be completed quickly (10 min) at room temperature, which can effectively solve the oxidation problem of MXenes under hydrothermal and hightemperature calcination conditions, and opens up a new method for the preparation of MXene-based composites. Meanwhile, to drive the spontaneous interfacial reduction process of MXene-based composites, Yun et al.⁵¹ took advantage of the difference in intrinsic reduction potentials between the negatively charged functional groups on the surface of MXenes and the substrate to induce the spontaneous transfer of electrons from Zn to $Ti_3C_2T_x$ nanosheets, which weakened the electrostatic repulsion between the nanosheets and effectively improved the stability and electrocatalytic CO₂ performance of Ti₃C₂T_x. In order to avoid the influence of intra-particle and inter-particle charge transport in MXenes on the electrocatalytic CO₂ performance of MXenes and the modulation of the interface, Li et al.52 used electrodeposition to uniformly deposit nickel-aluminium layered double hydroxide (Ni-Al-LDH) on MXene particles, and the uniformly grown MWCNT not only acted as a spacer preventing the re-obstruction of the MXene membrane but also acted as an intra-particle and inter-particle charge collector, effectively enhancing the mechanical and chemical stability and the adsorption of key intermediates (electron transfer) of the composite electrode. The uniformly grown MWCNT not only acted as a spacer to prevent the MXene film from re-obstructing but also as an intra-particle and inter-particle charge collector, which effectively improved the mechanical and chemical stability of the composite electrode and the adsorption of key intermediates (electron transfer). Xia *et al.*⁵³ synthesized nitrogen-doped graphene and ReSe₂ complexes by chemical vapor deposition using 3D MXenes as the structural support, and the ReSe₂ nanoparticles exhibited good electrocatalytic performance for CO_2 reduction *via* strong interfacial interactions between nitrogen-doped graphene and 3D porous structure.

3. MXenes in ECO₂ RRs

The electrochemical reduction of CO_2 is an important method for converting it into high-value-added hydrocarbon products such as CH_4 and CH_3OH . However, due to its high thermo-

dynamic stability (750 kJ mol⁻¹ energy required to break the CO_2 bond), the process faces a large reaction potential barrier (-1.9 V vs. NHE) for catalysts to capture CO₂ and react with a single electron.⁵⁴ However, the complex reaction path of CO₂ results in poor catalyst selectivity for the reduction products, which affects the isolation of single carbon products and highvalue-added applications. Furthermore, the similarity between the theoretical potential for reducing CO₂ and the potential for the hydrogen evolution reaction (HER) can lead to significant side reactions of HERs in aqueous reaction systems, resulting in poor Faraday efficiency of the target products. MXenes, which are typical electrocatalytic materials, not only possess excellent electrical conductivity properties but also has abundant surface groups and defects that provide reactive active sites for CO₂ adsorption and reduction. During the etching process of MXenes, the Al layer is expected, resulting in the loss of Ti atoms and the formation of a large number of Ti vacancies in the interlayer. This leads to the creation of a high concentration of low-valent Ti ions on the surface, which exhibit good self-reducing properties. Furthermore, the Ti 3d orbitals can be redistributed, resulting in the formation of a 'dangling bond'. This can induce the transformation of Ti-Al bonds into localized Ti-Ti-like metal bonds, which appear near the Fermi energy level of Ti₃C₂, thus presenting good electrical conductivity. However, the lower electrocatalytic efficiency and selectivity for CO2 reduction, as well as the higher occurrence of HERs, limit its application.55-57 Therefore, researchers have used various functionalization modification methods to enhance the efficiency of electrocatalytic CO2 reduction in MXene-based materials, as illustrated in Table 1.

3.1 Increasing selectivity by reducing reaction energy barriers

3.1.1 Functionalized modification of intrinsic defects in pure MXenes. The HER inhibits the reaction of other carbon

products and is considered the most fundamental obstacle to lowering the energy barrier of the reaction. For MXenes, their intrinsic defects, such as edge sites and in-plane topological defects, lead to charge localization by forming more electronic states near the Fermi energy level. This, in turn, increases the catalytic activity. Functional modification of intrinsic defects and surface end-groups is regarded as an important entry point for lowering the energy barrier and improving the selectivity of MXenes in the electrocatalytic reduction of CO₂. The presence of intrinsic defects not only provides more active sites for CO₂ adsorption but also effectively reduces the decisive speed step of the reaction process. In the etching environment, MXenes change Ti vacancies and surface end groups due to strong electrostatic interactions between metal vacancies and functional groups. These changes are influenced by the etching temperature and pH and can affect the process of ECO₂RRs by reducing the reaction energy barrier and improving selectivity. As an ideal type of platform, DFT theoretical computation allows for a more comprehensive and systematic in-depth study of defects. For MXenes, vacancy defects are widely present due to the etching environment, including VM (M-atomic vacancies) and VX (X-atomic vacancies), and both vacancy defect configurations are crucial for the proton-coupled electron transfer process (PCET) in ECO₂RRs. Chen et al.⁵⁷ conducted a systematic study on the mechanism of the effect of defects on catalysis in 16 M₂XO₂type MXenes (M = Ti, Zr, Hf, V, Nb, Ta, Mo, and W; X = C and N) using DFT simulations, as shown in Fig. 4. The evidence suggests that the optimal reaction pathway $CO_2 \rightarrow CH_4$ on pristine M₂XO₂ involves two adsorption forms of key intermediates, namely, *COOH and *CH3 adsorption intermediates. These intermediates form strong chemical bonds with the -O end-group surface via orbital hybridization, while *HCOOH or *H₂CO is bound to M₂XO₂ via weaker van der Waals interactions or hydrogen bonding (-H coordination). The impact of

Table 1 Catalytic performance of conventional electrocatalytic carbon dioxide catalysts and MXene derivatives

Catalyst	$E/[V \nu s]$ RHE]	Production	FE/%	Electrolyte	$JC_{2+}/(mA cm^{-2})$	Ref.
Cu-meso-crystal	-0.99	CH_4	18	0.1 M KHCO ₃	_	58
Prism-Cu	-1.1	C ₂₊	35	0.1 M KHCO ₃	10	59
Cu-nanowire-array	-1.1	C_2H_4	17.4	0.1 M KHCO ₃		60
Cu-cubic-NPs	-1.1	C_2H_4	41	0.1 M KHCO ₃	1.4	61
Cu-thin-film (100)	-0.97	C ₂₊	60	0.1 M KHCO ₃	2	62
Cu ₂ O-film	-0.99	C_2H_4/C_2H_5OH	34.26/16.37	0.1 M KHCO ₃	17.8	63
CuO _x -Vo	-1.4	C_2H_4	63	0.1 M KHCO ₃		64
Plasma-oxidized-Cu	-0.9	$\tilde{C_2H_4}$	60	0.1 M KHCO ₃	12	65
Cu Ag-core-shell	-1.06	$\tilde{C_2H_4}$	25	0.1 M KHCO ₃		66
Cu Ag-wire	-0.68	$\tilde{C_2H_4}$	60	1.0 M KOH	26.5	67
$Cu_{28}Ag_{72}$	Pulse	C_2H_4O	24.1	0.1 M KHCO3		68
Oxide-derived-Cu₄Zn	-1.05	C ₂₊	51	0.1 M KHCO ₃	15	69
Cu SA-Ti ₃ C ₂ Cl _x	-1.4	CH ₃ OH	59.1	0.1 M KHCO ₃	21.3	70
Cu/Ti ₃ C ₂ T _x -nanosheets	-0.7	C_2H_4	71	1 M KOH	24.8	71
$Cu-Pd/Ti_3C_2T_r$	-0.5	нсоон	79	0.1 M KHCO3	25	72
MXenes@Por-COF-Co	-0.6	CO	97.28	0.5 M KHCO ₃	9.33	73
FePc/MXenes	-0.6	CO	98.23	0.5 M KHCO ₃	5.24	74
N-Ti ₃ C ₂ -V _{Ti}	-0.8	CO	92	0.5 M KHCO ₃	16.2	75
SnO ₂ /MXenes	-0.8	Formate	94	0.1 M KHCO ₃	57.8	76
$Ag-ZnO/Ti_3C_2T_x$	-0.87	CO	98	0.5 M KHCO ₃	22.5	77

Nanoscale



Fig. 4 (a) Influence of vacancies on the binding energy of intermediates and the limit potential of CO_2RRs . (b) Cross-sectional view of the U_LCO_2 contour map at a *H₂CO binding energy of -0.634 eV. (c) Free energy diagram of pristine Hf₂NO₂ (black line), VHf-Hf₂NO₂ (red line) and VN-Hf₂NO₂ (blue line). Faded lines indicate non-preferred alternative pathways. Reproduced from ref. 57 with permission from Wiley & Sons Inc., copyright 2020.

structural defects on the catalytic process was investigated by constructing MXenes with defects (VM and VX). The presence of VM reinforced the strength of orbital hybridization, which strengthened the chemical bonding between the key intermediates and M₂XO₂. Conversely, the presence of VX had the opposite effect, increasing the restriction step of the M₂XO₂ MXenes by controlling the type of vacancies it has. For instance, when N vacancies are added to the Hf₂NO₂ structure (VN-Hf₂NO₂), the *COOH binding energy weakens and shifts along the volcano curve (blue arrows) towards a more negative U_LCO_2 direction (U_L , limiting potential). Conversely, VHf-Hf₂NO₂ strengthens the *COOH binding energy with less negative U_LCO_2 (red arrow).

Functional groups on the surface of active MXenes have been shown to effectively influence the hydrogen desorption process in the field of electrolytic hydrogen production. This plays an important role in inhibiting HER and improving CO_2RR selectivity. However, the rich defects and multiple functional groups of MXenes often render the ideal model based

on calculations ineffective in guiding experiments. Handoko et al.⁷⁸ investigated the ECO₂RR process of Ti_2CT_x and Mo_2CT_x by combining experiments with theories. Fig. 5 demonstrates that MXenes with different contents of -F end-groups were obtained by HF and KF-HCl etching methods. In particular, Ti_2CT_x (HF) (F/Ti = 0.36) and Ti_2CT_x (KF-HCl) (F/Ti = 0.21) were obtained. At a potential of 1.8 V (V vs. SHE), FE_{HCOOH} of Ti_2CT_x (KF-HCl) and Ti_2CT_x (HF) were 56.1% and 20.7%, respectively. To compare the effects of different end groups, the $CO_2 \rightarrow HCOOH$ process was studied on the surface of the fully -O end-group Ti2CTx. The process involves CO2 adsorption, two consecutive proton-coupled electron transfers (PCET), and HCOOH desorption. While the adsorption of *HCOOH is not significantly affected, the *COOH conformation becomes increasingly unstable with a higher -F content. Therefore, Ti_2CT_x enriched with more -O end-groups demonstrate superior CO₂RR activity and selectivity compared to Ti_2CT_x enriched with more -F end-groups. The same phenomenon also appeared in the reduction of CO₂ by



Fig. 5 (a) *HCOOH binding energy plot against *COOH binding energy showing deviation from linear scaling relations. (b) Limiting CO_2RR potentials for elementary steps. The lines represent the calculated potential, where the most negative reaction steps are neutral as a function of *COOH binding energy. (c) $U_LCO_2-U_LH_2$ plots of U_LCO_2 for theoretical models of Ti_2CT_x and Mo_2CT_x with different distributions of number-F functional groups. Reproduced from ref. 78 with permission from Cell Press, copyright 2020. (d) Graphical abstract. Reproduced from ref. 79 with permission from the Royal Society of Chemistry, copyright 2024.

 Mo_2CT_x with different end-group contents, and higher CO_2RR activity was exhibited on the Mo₂CT_x catalyst with the smallest -F end-group content. Meanwhile, to clarify the effect of -OH end-groups. Meng et al.79 conducted a systematic study on the impact of different surface end-groups and end-group fragment distributions of Ti₃C₂ on CO₂RR performance using DFT. They analyzed the possibility of catalytic synthesis of a range of CO₂RR products, including CO, HCOOH, and CH₃OH. Among all the surface-terminated models, the one fully terminated with -OH exhibited the strongest CO2 adsorption and CH₄ desorption. When the -F end group is present, the -OH and -F end groups play similar roles. However, the electron density at the -F end is more localized, leading to stronger repulsion. This affects the MXene activity at different stages of the reaction. The $U_{\rm L}$ decreases as the content of -O end group increases. This is because -O and -OH groups play a dual role as H acceptors and donors, respectively. This lowers the energy barrier of the hydrogenation process, increasing the likelihood of simultaneous hydrogenation of the reacting material by H⁺

reduction and H transfer from the surface –OH group. As a result, the energy barrier of the reduction reaction is lowered.

3.1.2 Modification of transition metals. MXenes are considered a catalytic platform for loading active sites in the ECO₂RR. To improve the catalytic activity, constructing catalyst platforms with non-homogeneous catalytic species using MXenes as active platforms and making functionalized modifications of dispersed metals at their surface interfaces are highly promising due to the ease of synthesis, large specific surface area, and high catalytic activity. Transition-metal-modified MXenes are an important means of improving the potential and selectivity of the CO₂ reduction reaction. It can construct an unsaturated coordination environment, providing more adsorption sites for CO₂ adsorption. Additionally, it promotes electron transfer between CO₂ and transition metals, activating CO₂ molecules and promoting the coupling of C-H and C-C to reduce the reaction potential. Li et al.⁸⁰ used the DFT method to calculate the substitution of eight different metals (TM = Ti, Zr, Hf, V, Nb, Ta, Cr, and W) for the inter-

Review

mediate Mo layer. The TM-substituted MXenes of group IVB (*i.e.*, Mo₂TiC₂, Mo₂ZrC₂, and Mo₂HfC₂) showed the most prominent adsorption capacity and selectivity for CO₂, with significant charge transfer between the adsorbed CO₂ molecules and the MXenes, as shown in Fig. 6. However, they also showed significant inhibition of CO, HCOOH, HCHO, and CH₃OH production. The TM substitution can shift the d-band center of the surface Mo of MXenes upwards. This makes the surface Mo atoms more localized with lone electrons and chemically active. As a result, the linear scaling relationship of adsorption energy between OCH₂O* and HOCH₂O* for the key intermediates is broken, which becomes the fundamental reason for the significantly improved catalytic performance of Mo₂TiC₂.

The catalyst with a strong single-atom metal-support interaction (SMSI) effect was constructed by utilizing SMSI.⁸¹ This prevents the atomic diffusion of single metal atoms from aggregating into particles, achieving catalyst stability and high selectivity. Zhao *et al.*⁸² used surface metal Ti vacancy defects generated during the etching of MXenes ($Ti_{3-x}C_2T_y$) to anchor Pt atoms, as shown in Fig. 7a. They took advantage of the selfreducing property of Pt/ $Ti_{3-x}C_2T_y$ and the unsaturated coordination environment of the Pt atoms to reduce the adsorption and activation energies of silane, CO_2 , and aniline. This reduced the energy barrier of the catalytic reaction of CO_2 . To verify the effect of transition metal loading on the selectivity of single carbon products, Li et al.⁸³ designed a series of transition-metal-loaded Ti_2C -based MXenes (TM@Ti_2CT_x, TM = V, Cr, Mn, Fe, Co, and Ni). These electrocatalysts not only activated CO₂ molecules but also reduced the first step of the hydrogenation reaction due to stronger charge transfer lowering. As shown in Fig. 7b, Niu *et al.*⁸⁴ found that the energy barriers of CO in V@Ti2CO2, Mn@Ti2CO2, and Fe@Ti2CO2 surfaces were reduced, resulting in smaller adsorption Gibbs free energy. This helped avoid *COOH cleavage and improve the HCOOH selectivity of Co@Ti2CS2 and Ni@Ti2CS2. Bi-based catalysts were developed and anchored onto eight MXenes, namely, Mo₂C, Nb₂C, Nb₄C₃, Ti₂C, Ti₃C₂, V₂C, V₄C₃, and Zr₃C₂. The results showed that Bi monoatomic-loaded V₂C exhibited high activity for HCOO formation, improved selectivity towards formic acid and methanol, and introduced a new reaction pathway for HCOOH formation, as illustrated in Fig. 7c.

In addition, the transition metal increases effective binding to key intermediates of the ECO₂RR reduction due to its empty d-orbitals and off-domain d-orbital electrons. According to Sabatier's principle, the *CO adsorbed on the surface of TM-MXenes would neither instantaneously desorb due to too weak adsorption force nor poison the catalyst due to too strong adsorption force, thus achieving the goal of lowering the reaction energy barriers and improving the catalytic selecti-



Fig. 6 (a) Graphical abstract. (b) Top and side views of the stable structure of Mo_3C_2 . (c) CO_2RR volcano plot of Mo_3C_2 and TM-substituted bimetal MXenes, in which adsorption free energy of OCHO*, *i.e.*, $\Delta G(OCHO^*)$, acts as the descriptor of U_L . (d) Linear relation of adsorption free energy $\Delta G(OCH_2O^*)$ and $\Delta G(HOCH_2O^*)$ versus the d-band center Ed. Reproduced from ref. 80 with permission from Elsevier, copyright 2022.



Fig. 7 (a) Abstract structural morphology of $Pt/Ti_{3--x}C_2T_y$. Reproduced from ref. 82 with permission from the American Chemical Society, copyright 2019. (b) Schematic diagram of CO_2 activation mechanism on TM/Ti_2CT_x . Reproduced from ref. 83 with permission from Elsevier, copyright 2022. (c) Reaction process mechanism of $Bi@V_2CO_2$ to achieve 100% formic acid pathway. Reproduced from ref. 84 with permission from the American Chemical Society, copyright 2024.

vity. Zhao *et al.*⁸⁵ achieved a maximum FE (methanol) of 59.1% at -1.4 V (V *vs.* RHE) by selectively etching the mixed MAX phase (Ti₃(Al_{1-x}Cu_x)C₂) of Al with preservation of the Cu single atom. Meanwhile, DFT calculations showed that the Cu monoatoms on the MXenes preferred to convert CO₂* into absorbed OCHO* intermediates (not COOH* intermediates), reducing the free energy (0.53 eV), as the rate-determining step (HCOOH* \rightarrow CHO*) of the SA-Cu MXenes and significantly lowering the potential barrier of the electrocatalytic CO₂ reduction to the CH₃OH reaction. Meanwhile, Eid *et al.*⁸⁶ found that the Cu-loaded Ti₃C₂T_x surface has a high electron density of polarisation sites, as shown in Fig. 8a, which allows the formation of formic acid (HCOOH) from CO₂RRs *via* the *HCOOH intermediate, leading to a three times higher cata-

lytic efficiency of HCOOH on Cu/Ti₃C₂T_{*x*} (58.1%) than on Ti₃C₂T_{*x*} (18.7%). In addition to Cu, the transition metal Co also showed unique selectivity for the ECO₂RR process,⁸⁷ and the loaded Co catalysts were highly active for C–O dissociation and C–C coupling. For example, Ma processed the interaction of Ti₃C₂T_{*x*} with Co by NH₃ and synchronized N-doping and surface modification (the presence of TiO₂ in amorphous form appeared), which not only preserved the structure of the original MXenes but also enhanced the strong interactions between the support and Co nanoparticle, increased the CO desorption energy barrier and promoted the further reduction of chemisorbed CO to CH₄, as shown in Fig. 8.

3.1.3 Functionalization of composites to modify MXenes. To effectively reduce the reaction energy barrier and improve



Fig. 8 (a) Catalytic process and schematic structure of SA-Cu-MXenes ($T_x = Cl$). (b) Histogram of the product selectivity of SA-Cu-MXenes at different potentials. Reproduced from ref. 85 with permission from the American Chemical Society, copyright 2021. (c) Proposed scheme of the fabrication process of Cu/Ti₃C₂T_x. Reproduced from ref. 86 with permission from the Royal Society of Chemistry, copyright 2022. (d) Schematic illustration of the MXene-NH₃ samples. Reproduced from ref. 87 with permission from John Wiley & Sons, Inc., copyright 2021.



Fig. 9 (a) Highly efficient electrocatalytic reduction of CO_2 to CO achieved by Ag nanodomains loaded on ZnO porous nanobelts coupled with high-electronic-conductivity MXenes (Ag-ZnO/Ti₃C₂T_x). Reproduced from ref. 90 with permission from John Wiley & Sons, Inc., copyright 2023. (b) Schematic structure and Faraday efficiency of Fe-Pc/MXenes. Reproduced from ref. 91 with permission from Elsevier, copyright 2021. (c) Schematic of Cu–Pd/MXene preparation. Reproduced from ref. 89 with permission from John Wiley & Sons Inc., copyright 2023.

the selectivity of single-carbon products, the synthesis of composites is considered an effective strategy. Metallic Ag with weak binding strength to *CO was introduced into Cu-based catalysts to form Ag-Cu bimetallic surface alloys, which were used to achieve modulation of key intermediates and electron transfer by modulating their ratios to improve the controllable selectivities to C₂ products (C₂H₄ and C₂H₅OH) and C₁ products (CH₄ and CH₃OH).⁸⁸ Abdinejad et al.⁸⁹ achieved an FE of 93% and a current density of 150 mA $\rm cm^{-2}$ for Cu–Pd/MX enes over formic acid at a low potential of -0.5 V (V vs. RHE) using a 3D Cu-Pd/MXene aerogel formed by the composite of 2D $Ti_3C_2T_x$ with bimetallic Cu-Pd, as shown in Fig. 9. Compared with monometallic Pd and Cu, Cu-Pd and Cu-Pd/MXene surfaces have a strong affinity for H, which increases the potential barrier for the CO* protonation step, thus inhibiting the CO* pathway and shifting to the formate generation pathway. Meanwhile, Hao et al.90 constructed a Ag-modified ZnO nanoribbon catalyst on ultrathin two-dimensional Ti₃C₂T_x nanosheets with Ag-ZnO-modulated $Ti_3C_2T_x$ interfaces, unsaturated coordination defects on the surface, and mesoporous nanostructures, which showed a faradaic efficiency of close to 100% for CO at a potential of -0.87 V (V vs. RHE) and a high current density of 22.59 mA cm⁻². The excellent performance is attributed to the coupling of the Ag-ZnO interface to $Ti_3C_2T_x$, with the d-band center of Ag-ZnO/ $Ti_3C_2T_x$ moving towards the Fermi energy level, resulting in a strong force on the intermediate *COOH and accelerating the rapid desorption of the *CO intermediate. Zhou et al.91 found that the Fe-Pcfunctionalized modified MXenes achieve a high faradaic efficiency (98.23%), which was attributed to the higher cathodic current density of the lamellar-structured Fe-Pc/MXenes (3:1) compared to MXenes, which extremely exposed the reaction center accelerating the charge transfer and thus promoting the CO₂RR.

Furthermore, covalent organic frameworks (COFs) are a type of organic functional material that can effectively adsorb CO₂ and facilitate rapid proton transfer. This is due to their controllable active sites and large specific surface area. Additionally, the heterojunctions formed after complexation with MXenes provide more active sites and rapid ion transport channels, which can improve the selectivity of single-carbon products. For instance, MXenes@Por-COF-Co-7 was synthesized by utilizing exposed amine groups on triethoxysilane surface-modified Ti₃C₂ nanosheets as reactive sites to promote the *in situ* growth of imine COF (Por-COF) layer.⁹² This method achieved a CO FE of up to 97.28% at a voltage of -0.6 V (V vs. RHE). The successful functionalization of the amino group on the MXene nanosheets with the active center metal coordination promotes the transfer of more electrons along the porphyrin-benzene ring to the MXene surface. This improves the selective adsorption of key intermediates and the proton transfer process.

3.2 Inhibition of hydrogen production

The faradaic efficiency of the ECO₂RR is lower due to a competing HER, as the product potential of ECO₂RR has a more negative potential than the theoretical value. Additionally, the negative $\Delta G_{\rm H}$ indicates that the adsorption of H on the active site is very stable, which can hinder the occurrence of CO₂RRs. To promote ECO₂RRs, it is ideal to increase $\Delta G_{\rm H}$ at the active site. Therefore, increasing $\Delta G_{\rm H}$ at the active site is an ideal way to promote ECO₂RR. Studies have confirmed that modulating suitable defects can limit the kinetic desorption process of hydrogen and exert an inhibitory effect on the HER process. Lv *et al.*⁹³ employed a bismuth edge defect modulation strategy by coordinating the edge defects of bismuth (Bi) and sulfur to enhance the selectivity of ECO₂RRs and inhibit the competing HER. This approach exhibited a high formic acid faradaic efficiency (~95%). Meanwhile, the surface functional groups of MXenes can promote the ECO₂RR kinetic process while inhibiting the HER. The presence of the -F end group can inhibit the HER kinetic process of $Ti_3C_2T_x$, resulting in decreased HER performance of the catalyst. Handoko et al.⁷⁸ found that even with -OH and -O end groups, the competitive reaction with HER could not be avoided in the selective generation of CH4. However, a small amount of -F substitution could balance the individual limiting potentials of the PCET-1 and PCET-2 steps, resulting in a small over-potential in the generation of formic acid. Functionalized modification through the introduction of transition metal group elements is considered as an effective means of inhibiting HER. Additionally, Cu exhibited higher electrocatalytic activity for the $CO_2 \rightarrow CH_4$ reaction process compared to Pt, Rh, Pd, Ni, Au, and Ag, with higher protonation of CO* and lower activity for HERs. For instance, Li et al. discovered that substituting TM in the Mo layer of Mo₃C₂ could effectively inhibit HER performance. Deng et al.⁹⁴ constructed electrocatalysts with superhydrophobic surface microenvironments by one-step co-electrodeposition of Cu and polytetrafluoroethylene (PTFE) on carbon paper (CP), and the superhydrophobic Cu-based electrode exhibited high selectivity for ethylene (C_2H_4) , with a faradaic efficiency of 67.3% at -1.25 V (V vs. RHE), effectively enhancing the ECO₂RR activity and inhibiting the hydrogen precipitation reaction.

4. Challenges and perspectives for ECO₂RR

For MXene-based catalysts, the abundance of surface defects and end-groups can be both an advantage in facilitating the kinetic conversion process and a disadvantage in not being able to focus to enhance the highest selectivity. Unlike other two-dimensional materials, the simultaneous presence of -Oend groups, -F end groups, and -OH end groups on the surface all have an impact on the faradaic efficiency of MXenes for single-carbon products, in which $Ti_3C_2T_x$ showed high selectivity for CO, methanol, and ethanol, suggesting that the biggest challenge for MXene materials is still the selectivity for single carbon products, and it is not high enough to decide the control step of the desorption rate of key intermediates of single-carbon products, as shown in Fig. 10.

4.1 C₁ product pathway

Due to the uncertainty of the surface functionalization modification of MXenes due to their characteristics, it is necessary to select suitable objects in the large MXene family to verify their theoretical feasibility based on the construction of active sites affecting the rate-control step by MXenes themselves. For MXenes to achieve high selectivity for C_1 products, tuning the adsorption strength for key intermediates while inhibiting the HER and constructing active sites with high selectivity properties for a particular intermediate are the keys to the development of ideal electrocatalysts for the reduction of CO_2 to CO. CO, as the basis of high-value-added applications of CO_2 , involves in the electrocatalytic reduction process not only the selectivity for key intermediates but also important C-O, C-H and C-C coupling processes. In addition to the noble metal catalysts (Au, Ag, and Pd), Cu, Ni, and Zn are excellent for CO production via synergistic proton-electron-transfer (CO₂ \rightarrow *COOH \rightarrow *CO) reactions with strong binding of the intermediate *COOH and weak binding of *CO.95,96 Unlike CO, the *HCOO pathway when forming COOH is the key intermediate, while *COH is the key intermediate shared by CH4 and CH₃OH, the number of electrons gained in the rate-control step determines the selectivity of the products (CHO, CH4, and CH₃OH). Ti₃C₂T_x exhibits selectivity for two key intermediates, COOH* and HCOOH*. Therefore, determining the reaction path by adjusting the adsorption strength of COOH* or HCOOH* is the most critical factor in achieving high product selectivity, and the surface functionalization modifies MXenes to achieve the high Faraday efficiency of the C1 product, the main way to achieve high Faraday efficiency, which summarizes a few ideas: (1) the use of intrinsic defects and heteroatom doping. For example, Chen,⁵⁷ Handoko⁷⁸ et al. systematically verified that the intrinsic defects and end groups of MXenes can serve as the key factors in modulating C1 products. Meanwhile, heteroatom doping can effectively change the electronic structure of MXenes, increase their conductivity, and form an off-domain conjugated system, which, in turn, improves their performance in the electrocatalytic reduction of CO_2 . For example, Wang *et al.*⁹⁷ used the controllability of nitrogen coordination to modulate the electronic structure of the active Ti-site, which led to a decrease in the free energy for the formation and desorption of *CO and *COOH intermediates and significantly improved the ECO₂RR performance. In the study of other materials, N, S, and other hetero-elements have demonstrated the special role of the ECO₂RR process, from the overall research, the heteroatom engineering on the basic application of MXenes in the study of ECO₂RR is still in its infancy, and there exists a great development of the research space to form powerful descriptive symbols to describe the hetero-atoms, and intrinsic defects for the MXene ECO₂RR process of kinetic influence process. (2) Metal loading and construction of heterojunctions. Metal substitution controls the ECO₂RR performance by modulating the coordination environment of the metal atoms in the center of the catalyst. However, the loading of noble metals and transition metal group elements on MXenes has a large uncertainty on the ECO₂RR process due to the quantum effect caused by the size feature and the unsaturated electronic state of the single atoms prone to causing higher hydrogen precipitation reactions. It has been confirmed that the heterostructures formed by MXenes with other metals or metal oxides can better solve the problem of HER competition reaction, in particular the heterojunctions formed by electron coupling with metal oxides not only exhibit excellent formic acid selectivity but also effectively inhibit the HER. Therefore, the materials constructing heterojunctions with MXenes not only satisfy the adsorption capacity of the key intermediates of the target product and



Fig. 10 Reaction mechanism process diagram of electrocatalytic carbon dioxide reduction.

lower hydrogen precipitation capacity but also further enhance the faradaic efficiency of the target product while lowering the required reaction potential.

through appropriate surface interface modifications, and by ensuring a smooth C–C coupling step in the subsequent reaction pathway.

4.2 C₂₊ product pathway

Since the electrocatalytic reduction of CO_2 to C_{2^+} products undergoes a series of proton-assisted electron transfer processes involving a variety of reaction intermediates and transition states, it becomes a key issue in achieving efficient selectivity of C2+ products. Therefore, regulating the interaction of reaction intermediates with the catalytic site and the proton transfer process is an effective way to improve the selectivity of C₂₊ products. Kim et al.⁹⁸ found that not only did CO* act as a key process in C-C coupling, but its coverage was also an important factor influencing the selectivity of the C_{2+} products by monitoring the key intermediates during the reduction process through ATR-SEIRAS. Bao et al.⁷¹ demonstrated that CO* is not only the key process in C-C coupling, but also that its coverage is an important factor affecting the selectivity of C₂₊ products. They used facile MXenes catalysts prepared by the wet chemical impregnation method, and achieved 71% ethylene Faraday efficiency (-0.7 V vs. RHE) under the atmosphere of CO. This demonstrates the excellent potential of MXenes to achieve C2+ products.99 In order to enhance the selectivity of MXene-based catalysts for producing C₂₊ products, it's essential to first improve the selectivity for CO* and also increase the coverage of CO* key intermediates at the catalytic active site. This can be accomplished by adjusting the desorption free energy of the CO* intermediates

5. Conclusions

The application of surface functionalization modification of MXenes in CO₂ reduction has progressed very rapidly, and significant results have been achieved, opening up new pathways for CO₂ capture and conversion. First, surface functionalization modification can significantly enhance the adsorption capacity of MXenes for CO₂. By introducing specific functional groups, metal atoms, and other active sites on the surface of MXenes, the effective capture of CO₂ molecules can be achieved, which can help improve the rate and efficiency of the CO2 reduction reaction. Second, the surface functionalization modification can regulate the electronic structure, surface active sites, and the stability of the reaction intermediates of MXenes to optimize their catalytic performance in the CO₂ reduction reaction, which enables MXenes to realize the efficient conversion of CO2 under different conditions. In addition, by precisely controlling the type and concentration of modifiers via functionalization modification, the selectivity to single-carbon products is improved, while the stability and durability of the catalyst are enhanced to achieve efficient and sustainable conversion of CO2. Therefore, to improve the adsorption capacity, catalytic performance, and selectivity of MXenes to CO_2 during the CO_2 reduction reaction, more new

and efficient modifiers can be explored for the future functionalized modification of MXenes to achieve a finer regulation of the surface properties of MXenes, and to improve the catalytic performance and selectivity of MXenes in the CO_2 reduction reaction. Meanwhile, combining theoretical calculations and simulation methods, an in-depth understanding of the effects of surface functionalization modification on the electronic structure and catalytic performance of MXenes can provide strong guidance for the design of more efficient MXene-based catalysts and improve the application of MXene-based catalysts in the field of CO_2 reduction and energy conversion.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was financially supported by the National Natural Science Foundation of China (62274018), the Xinjiang Production and Construction Corps Key Areas of Science and Technology Research Project (2023AB029), Xinjiang Production and Construction Corps Science and Technology Plan Project (2023CB008-06), and the new faculty startup funds from Shihezi University (2022ZK006).

References

- 1 Z. Cao, Y. Zhu, K. Chen, Q. Wang, Y. Li, X. Xing, J. Ru, L. Meng, J. Shu, N. Shpigel and L. Chen, *Adv. Mater.*, 2024, e2401271.
- 2 H. Xue, P. Huang, L. Lai, Y. Su, A. Strömberg, G. Cao, Y. Fan, S. Khartsev, M. Göthelid and Y. Sun, *Carbon Energy*, 2023, e442.
- 3 J. Chen, X. Liu, Z. Li, F. Cao, X. Lu and X. Fang, *Adv. Funct. Mater.*, 2022, **32**, 2201066.
- 4 W. Yu, Y. Yang, Y. Wang, L. Hu, J. Hao, L. Xu and W. Liu, *Nano-Micro Lett.*, 2024, **16**, 94.
- 5 J. Shen, Z. Wu, C. Li, C. Zhang, A. Genest and G. Rupprechter, *FlatChem*, 2021, **28**, 100252.
- 6 J. Cai, J. Huang, A. Cao, Y. Wei, H. Wang, X. Li, Z. Jiang,
 G. I. N. Waterhouse, S. Lu and S. Q. Zang, *Appl. Catal.*, *B*, 2023, 328, 122473.
- 7 R. Ramírez-Grau, M. Cabrero-Antonino, H. García and A. Primo, *Appl. Catal., B*, 2024, **341**, 123316.
- 8 Z. W. Seh, K. D. Fredrickson, B. Anasori, J. Kibsgaard, A. L. Strickler, M. R. Lukatskaya and Y. Gogotsi, ACS Energy Lett., 2016, 1, 589–594.
- 9 T. Amrillah, A. R. Supandi and V. Puspasari, *Trans. Tianjin Univ.*, 2022, **28**, 307–322.
- 10 Z. Li, N. H. Attanayake and J. L. Blackburn, *Energy Environ.* Sci., 2022, 15(4), 1696.
- 11 Q. Tang, T. Li, W. Tu, H. Wang, Y. Zhou and Z. Zou, *Adv. Funct. Mater.*, 2024, 2311609.

- 12 S. Cao, H. Chen and Y. Hu, Chem. Eng. J., 2023, 461, 141936.
- 13 E. S. Muckley, M. Naguib, H. Wang, L. Vlcek, N. C. Osti, R. L. Sacci, X. Sang, R. R. Unocic and Y. Xie, ACS Nano, 2017, 11, 11118–11126.
- 14 K. R. G. Lim, M. Shekhirev and B. C. Wyatt, *Nat. Synth.*, 2022, 1(8), 601–614.
- 15 G. Murali, J. K. Modigunta and Y. H. Park, *ACS Nano*, 2022, **16**(9), 13370–13429.
- 16 X. Wang, X. Fan, M. Li, W. Zhu, J. Xue, F. Ye and L. Cheng, *Ceram. Int.*, 2021, 47, 13628–13634.
- 17 T. L. Tan, H. M. Jin, M. B. Sullivan, B. Anasori and Y. Gogotsi, ACS Nano, 2017, 11, 4407–4418.
- 18 I. Hussain, U. Amara, F. Bibi, A. Hanan, M. N. Lakhan, I. A. Soomro, A. Khan, I. Shaheen and U. Sajjad, *J. Colloid Interface Sci.*, 2024, **324**, 103077.
- 19 L. Jia, S. Zhou, A. Ahmed, Z. Yang, S. Liu, H. Wang, F. Li, M. Zhang, Y. Zhang and L. Sun, *Chem. Eng. J.*, 2023, 475, 146361.
- 20 E. Balcı, Ü. Ö. Akkuş and S. Berber, ACS Appl. Mater. Interfaces, 2019, 11, 3609–3616.
- 21 Y. Zhang, D. Li, J. Li, Y. Li, L. Wang, H. Xu and W. Han, J. Colloid Interface Sci., 2024, 657, 550–558.
- 22 V. Sharma, S. Sardana, R. Dhiman and A. Mahajan, *Appl. Phys. Lett.*, 2023, **122**, 191601.
- 23 H. Chen, A. D. Handoko, J. Xiao, X. Feng, Y. Fan, T. Wang, D. Legut, Z. W. Seh and Q. Zhang, ACS Appl. Mater. Interfaces, 2019, 11, 36571–36579.
- 24 D. Gao, Y. Xu, Z. Liu, Y. Yu, C. Yu, Y. Fang, Y. Huang,
 C. Tang and Z. Guo, *Appl. Surf. Sci.*, 2024, 654, 159501.
- 25 K. Huang, P. Qu, Y. Wang, C. Lian, J. Li, H. Su and H. Liu, *Ind. Eng. Chem. Res.*, 2023, **62**, 20716–20726.
- 26 Y. Hao, F. Hu, S. Zhu, Y. Sun, H. Wang, L. Wang, Y. Wang, J. Xue, Y. Liao, M. Shao and S. Peng, *Angew. Chem., Int. Ed.*, 2023, **62**, e202304179.
- 27 J. Peng, Z. Zhang, H. Wang, P. Zhang, X. Zhao, Y. Jia, Y. Yue and N. Li, *Small*, 2023, 2308528.
- 28 D. Qu, X. Peng, Y. Mi, H. Bao, S. Zhao and X. Liu, Nanoscale, 2020, 12(33), 17191–17195.
- 29 B. M. Abraham, O. Piqué, M. A. Khan, F. Viñes, F. Illas and J. K. Singh, ACS Appl. Mater. Interfaces, 2023, 15, 30117– 30126.
- 30 T. A. Le, Q. V. Bui, N. Q. Tran, Y. Cho, Y. Hong, Y. Kawazoe and H. Lee, ACS Sustainable Chem. Eng., 2019, 7, 16879– 16888.
- 31 X. Zhang, Z. Zhang, J. Li, X. Zhao, D. Wu and Z. Zhou, J. Mater. Chem. A, 2017, 5, 12899–12903.
- 32 D. Zhao, Z. Chen, W. Yang, S. Liu, X. Zhang, Y. Yu, W. C. Cheong, L. Zheng, F. Ren, G. Ying, X. Cao, D. Wang, Q. Peng, G. X. Wang and C. Chen, *J. Am. Chem. Soc.*, 2019, 141, 4086–4093.
- 33 F. Q. Liu, X. Liu, L. Sun, R. Li, C. X. Yin and B. Wu, J. Mater. Chem. A, 2021, 9, 12763–12771.
- 34 H. Zhou, Z. Chen, A. V. López, E. D. López, E. Lam,A. Tsoukalou, E. Willinger, D. A. Kuznetsov, D. Mance,A. Kierzkowska, F. Donat, P. M. Abdala, A. Comas-Vives,

C. Copéret, A. Fedorov and C. R. Müller, *Nat. Catal.*, 2021, 4, 860–871.

- 35 K. Niu, L. Chen, J. Rosen and J. Björk, *ACS Catal.*, 2024, **14**, 1824–1833.
- 36 G. R. Weal, K. I. Guðmundsson, F. D. Mackenzie, J. R. Whiting, N. B. Smith, E. Skúlason and A. L. Garden, *Nanoscale*, 2024, 16, 5242–5256.
- 37 Y. Lu, D. Fan, Z. Chen, W. Xiao, C. Cao and X. Yang, Sci. Bull., 2020, 65, 460–466.
- 38 H. Chen, A. D. Handoko, T. Wang, J. Qu, J. Xiao, X. Liu, D. Legut, Z. W. Seh and Q. Zhang, *ChemSusChem*, 2020, 13, 5690–5698.
- 39 S. Cao, Y. Liu, Y. Hu, J. Li, C. Yang, Z. Chen, Z. Wang, S. Wei, S. Liu and X. Lu, *J. Colloid Interface Sci.*, 2023, 642, 273–282.
- 40 Y. Zou, S. A. Kazemi, G. Shi, J. Liu, Y. Yang, N. M. Bedford, K. Fan, Y. Xu, H. Fu and M. Dong, *EcoMat*, 2023, 5(1), e12274.
- 41 S. Zhou, Y. Zhao, R. Shi, Y. Wang, A. Ashok, F. Héraly, T. Zhang and J. Yuan, *Adv. Mater.*, 2022, 34(36), 2204388.
- 42 H. Gu, W. Yue, J. Hu, X. Niu, H. Tang, F. Qin, Y. Li, Q. Yan, X. Liu, W. Xu, Z. Sun, Q. Liu and W. Yan, *Adv. Energy Mater.*, 2023, 13(20), 2204014.
- 43 Z. Liu, Y. Liu, J. Zhang, T. Cao, Z. Sun, J. Liu and H. Shang, *Nano Res.*, 2024, 17, 3911–3918.
- 44 V. Ramalingam, P. Varadhan, H. C. Fu, H. Kim, D. Zhang, S. Chen, L. Song, D. Ma and Y. Wang, *Adv. Mater.*, 2019, 31(48), 1903841.
- 45 W. Lin, Y. R. Lu, W. Peng, M. Luo, T. S. Chan and Y. Tan, J. Mater. Chem. A, 2022, 10(18), 9878–9885.
- 46 L. Liu, S. Zheng, H. Chen, J. Cai and S. Zang, Angew. Chem., Int. Ed., 2024, 63(8), e202316910.
- 47 Z. Wu, J. Shen, C. Li, C. Zhang, K. Feng, Z. Wang, X. Wang, D. M. Meira, M. Cai, D. Zhang and S. Wang, *ACS Nano*, 2022, 17(2), 1550–1559.
- 48 L. Dai, Y. Shen, J. Chen, L. Zhou, X. Wu, Z. Li, J. Wang,
 W. Huang, J. T. Miller, Q. Wang and A. Cao, *Small*, 2022,
 18(14), 2105226.
- 49 P. Jin, P. Han, X. Li and K. Li, *Appl. Surf. Sci.*, 2023, **612**, 155850.
- 50 Z. Zou, Q. Wang, J. Yan, K. Zhu, K. Ye, G. Wang and D. Cao, ACS Nano, 2021, 15(7), 12140–12150.
- 51 T. Yun, G. S. Lee, J. Choi, H. Kim, G. Yang, H. J. Lee, J. G. Kim, H. M. Lee, C. M. Koo, J. Lim and S. O. Kim, ACS Nano, 2021, 15(6), 10058–10066.
- 52 H. Li, R. Chen, M. Ali, H. Lee and M. J. Ko, Adv. Funct. Mater., 2020, 30(47), 2002739.
- 53 Z. Xia, X. Chen, H. Ci, Z. Fan, Y. Yi, W. Yin and N. Wei, J. Energy Chem., 2021, 53, 155–162.
- 54 P. Saha, S. Amanullah and A. Dey, *Acc. Chem. Res.*, 2022, 55(2), 134–144.
- 55 S. Bai, M. Yang, J. Jiang, X. He, J. Zou and Z. Xiong, *npj 2D Mater. Appl.*, 2021, 5(1), 78.
- 56 Z. Kang, M. A. Khan, Y. Gong, R. Javed, Y. Xu, D. Ye, H. Zhao and J. Zhang, *J. Mater. Chem. A*, 2021, 9(10), 6089– 6108.

- 57 H. Chen, A. D. Handoko, T. Wang, J. Qu, J. Xiao, X. Liu, D. Legut, Z. Wei Seh and Q. Zhang, *ChemSusChem*, 2020, 13(21), 5690–5698.
- 58 C. S. Chen, A. D. Handoko, J. H. Wan, L. Ma, D. Ren and B. S. Yeo, *Catal. Sci. Technol.*, 2015, 5(1), 161–168.
- 59 H. S. Jeon, S. Kunze, F. R. Scholten and B. Cuenya, ACS Catal., 2017, 8(1), 531–535.
- 60 M. Ma, K. Djanashvili and W. A. Smith, Angew. Chem., Int. Ed., 2016, 55(23), 6680–6684.
- 61 A. Loiudice, P. Lobaccaro, E. A. Kamali, T. Thao, B. H. Huang, J. W. Ager and R. Buonsanti, *Angew. Chem.*, *Int. Ed.*, 2016, 55(19), 5789–5792.
- 62 T. Hatsukade, Y. G. Kim, A. Vailionis, J. H. Baricuatro, D. C. Higgins, S. A. Nitopi, M. P. Soriaga and T. F. Jaramillo, *Proc. Natl. Acad. Sci. U. S. A.*, 2017, **114**(23), 5918–5923.
- 63 Y. Ren, A. D. Deng, C. S. Handoko, S. M. Chen and B. S. Yeo, ACS Catal., 2015, 5, 2814–2821.
- 64 Z. Gu, N. Yang, P. Han, M. Kuang, B. Mei, Z. Jiang, J. Zhong, L. Li and G. Zheng, *Small Methods*, 2018, 3(2), 1800449.
- 65 H. Mistry, A. S. Varela, C. S. Bonifacio, I. Zegkinoglou, I. Sinev, Y. W. Choi, K. Kisslinger, E. A. Stach, J. C. Yang, P. Strasser and B. R. Cuenya, *Nat. Commun.*, 2016, 7, 12123.
- 66 Z. Chang, S. Huo, W. Zhang, J. Fang and H. Wang, J. Phys. Chem. C, 2017, 121(21), 11368–11379.
- 67 T. T. H. Hoang, S. Verma, S. Ma, T. T. Fister, J. Timoshenko, A. I. Frenkel, P. J. A. Kenis and A. A. Gewirth, *J. Am. Chem. Soc.*, 2018, **140**(17), 5791–5797.
- 68 S. Ishimaru, R. Shiratsuchi and G. Nogami, J. Electrochem. Soc., 2000, 147(5), 1864–1867.
- 69 D. Ren, B. S. H. Ang and B. S. Yeo, ACS Catal., 2016, 6(12), 8239–8247.
- 70 Q. Zhao, C. Zhang, R. Hu, Z. Du, J. Gu, Y. Cui, X. Chen, W. Xu, Z. Cheng, S. Li, B. Li, Y. Liu, W. Chen, C. Liu, J. Shang, L. Song and S. Yang, *ACS Nano*, 2021, **15**(3), 4927– 4936.
- 71 H. Bao, Y. Qiu, X. Peng, J. A. Wang, Y. Mi, S. Zhao, X. Liu, Y. Liu, R. Cao, L. Zhuo, J. Ren, J. Sun, J. Luo and X. Sun, *Nat. Commun.*, 2021, 12(1), 238.
- 72 M. Abdinejad, S. Subramanian, M. K. Motlagh, M. Noroozifar, S. Duangdangchote, I. Neporozhnii, D. Ripepi, D. Pinto, M. Li, K. Tang, J. Middelkoop, A. Urakawa, O. Voznyy, H. B. Kraatz and T. Burdyny, *Adv. Energy Mater.*, 2023, 13(19), 2300402.
- 73 L. Zhou, Q. Tian, X. Shang, Y. Zhao, W. Yao, H. Liu and Q. Xu, *Green Chem.*, 2024, 26(3), 1454–1461.
- 74 M. Gao, Y. Sun, K. Zhao, M. Zhang, X. Wang and W. Wang, J. Environ. Chem. Eng., 2024, 12(1), 111802.
- 75 D. Qu, X. Peng, Y. Mi, H. Bao, S. Zhao, X. Liu and J. Luo, *Nanoscale*, 2020, **12**(33), 17191–17195.
- 76 L. Han, X. Peng, H. T. Wang, P. Ou, Y. Mi, C. W. Pao, J. Zhou, J. Wang, X. Liu, W. F. Pong and J. Song, *Proc. Natl. Acad. Sci. U. S. A.*, 2022, **119**(42), e2207326119.
- Y. Hao, F. Hu, S. Zhu, Y. Sun, H. Wang, L. Wang, Y. Wang, J. Xue, Y. F. Liao, M. Shao and S. Peng, *Angew. Chem., Int. Ed.*, 2023, 62(35), e202304179.

- 78 A. D. Handoko, H. Chen, Y. Lum, Q. Zhang, B. Anasori and Z. W. Seh, *iScience*, 2020, 23(6), 101181.
- 79 L. Meng, L.K. Yan, F. Viñes and F. Illas, *J. Mater. Chem. A*, 2024, **12**, 7856–7874.
- 80 Y. Li, Y. Chen, Z. Guo, C. Tang, B. Sa, N. Miao, J. Zhou and Z. Sun, *Chem. Eng. J.*, 2022, **429**, 132171.
- 81 Z. Luo, G. Zhao, H. Pan and W. Sun, Adv. Energy Mater., 2022, 12(37), 2201395.
- 82 D. Zhao, Z. Chen, W. Yang, S. Liu, X. Zhang, Y. Yu, W. C. Cheong, L. Zheng, F. Ren, G. Ying and X. Cao, *J. Am. Chem. Soc.*, 2019, **141**(9), 4086– 4093.
- 83 N. Li, J. Peng, Z. Shi, P. Zhang and X. Li, *Chin. J. Catal.*, 2022, **43**(7), 1906–1917.
- 84 K. Niu, L. Chen, J. Rosen and J. Björk, ACS Catal., 2024, 14, 1824–1833.
- 85 Q. Zhao, C. Zhang, R. Hu, Z. Du, J. Gu, Y. Cui, X. Chen, W. Xu, Z. Cheng, S. Li, B. Li, Y. Liu and W. Chen, ACS Nano, 2021, 15(3), 4927–4936.
- 86 K. Eid, Q. Lu, S. Abdel-Azeim, A. Soliman, A. M. Abdullah, A. M. Abdelgwad and R. P. Forbes, *J. Mater. Chem. A*, 2022, 10(4), 1965–1975.
- 87 J. Ma, Q. Jiang, Y. Zhou, W. Chu, S. Perathoner, C. Jiang,
 K. H. Wu, G. Centi and Y. Liu, *Small*, 2021, 17(26), 2007509.
- 88 B. Ren, G. Wen, R. Gao, D. Luo, Z. Zhang, W. Qiu, Q. Ma, X. Wang, Y. Cui and L. Ricardez-Sandoval, *Nat. Commun.*, 2022, 13(1), 2486.

- 89 M. Abdinejad, S. Subramanian, M. K. Motlagh, M. Noroozifar, S. Duangdangchote and I. Neporozhnii, *Adv. Energy Mater.*, 2023, **13**(19), 2300402.
- 90 Y. Hao, F. Hu, S. Zhu, Y. Sun, H. Wang, L. Wang, Y. Wang, J. Xue, Y. Liao, M. Shao and S. Peng, *Angew. Chem.*, 2023, 135(35), e202304179.
- 91 L. Zhou, Q. Tian, X. Shang, Y. Zhao, W. Yao, H. Liu and Q. Xu, *Green Chem.*, 2024, 26(3), 1454–1461.
- 92 M. Gao, Y. Sun, K. Zhao, M. Zhang, X. Wang and W. Wang, J. Environ. Chem. Eng., 2024, 12(1), 111802.
- 93 L. Lv, R. Lu, J. Zhu, R. Yu, W. Zhang, E. Cui, X. Chen, Y. Dai, L. Cui, J. Li, L. Zhou, W. Chen and Z. Wang, *Angew. Chem.*, 2023, **135**(25), e202303117.
- 94 T. Deng, S. Jia, C. Chen, J. Jiao, X. Chen, C. Xue, W. Xia, X. Xing, Q. Zhu, H. Wu, M. He and B. Han, *Angew. Chem.*, 2024, **136**(2), e202313796.
- 95 F. Franco, C. Rettenmaier, H. S. Jeon and B. R. Cuenya, *Chem. Soc. Rev.*, 2020, **49**(19), 6884–6946.
- 96 F. Lv, N. Han, Y. Qiu, X. Liu, J. Luo and Y. Li, Coord. Chem. Rev., 2020, 422, 213435.
- 97 Z. Wang, C. Wang, Y. Hu, S. Yang, J. Yang, W. Chen, H. Zhou, F. Zhou, L. Wang, J. Du, Y. Li and Y. Wu, *Nano Res.*, 2021, 14, 2790–2796.
- 98 Y. Kim, S. Park, S. J. Shin, W. Choi, B. K. Min, H. Kim, W. Kim and Y. J. Hwang, *Energy Environ. Sci.*, 2020, 13(11), 4301-4311.
- 99 W. Quan, Y. Lin, Y. Luo and Y. Huang, Adv. Sci., 2021, 8(23), 2101597.