

Chemical Science

Volume 15
Number 47
21 December 2024
Pages 19637–20074

rsc.li/chemical-science







ISSN 2041-6539

EDGE ARTICLE

Sung Ho Jung, Jong Hwa Jung *et al.*
Pathway control in metallosupramolecular polymerization
of a monoalkynylplatinum(II) terpyridine complex through
competitive complex formation

Cite this: *Chem. Sci.*, 2024, 15, 19729 All publication charges for this article have been paid for by the Royal Society of Chemistry

Pathway control in metallocsupramolecular polymerization of a monoalkynylplatinum(II) terpyridine complex through competitive complex formation†

Minhye Kim,^a Heekyoung Choi,^a Minjoo Kim,^a Seonghan Kim,^c Seohyeon Yun,^d Eunji Lee, ^d Jaeheung Cho, ^c Sung Ho Jung ^{*ab} and Jong Hwa Jung ^{*ab}

Understanding the pathway complexity of supramolecular polymerization in biomimetic systems has been a challenging issue due to its importance in the development of rationally controlled materials and insight into self-assembly in nature. We herein report a kinetic trapping strategy as a new methodology on how to control the pathway of metallocsupramolecular polymerization by employing secondary metal ions and/or ligands which form competitive complex species. For this, we proposed monoalkynylplatinum(II) metalloligand (Pt-L¹) derived from a bis(amideterpyridine) receptor with one unoccupied terpyridyl terminal as a coordination site for the secondary metal ion (Ag⁺ or Fe²⁺). The inherent pathway complexity intrinsic to the Pt-L¹-anchored supramolecular polymerization has been modulated through the incorporation of Ag⁺ or Fe²⁺. During the supramolecular polymerization of Pt-L¹ in the presence of Ag⁺ and Fe²⁺, the added secondary ligand bpy (4,4'-dimethyl-2,2'-bipyridine) or DA18C6 (1,14-diaza-18-crown-6) form complexes as kinetic species, thereby inhibiting spontaneous polymerizations. The supramolecular polymer (SP-I), with a spherical structure composed of Pt-L¹ in the absence of metal ions as a kinetic product, did not transform into the thermodynamic product, namely supramolecular polymer (SP-III) with a left-handed fiber structure, due to a high energy barrier. However, the supramolecular polymer (SP-II) with a left-handed fiber structure, which was formed by Pt-L¹ in the presence of AgNO₃, converted to SP-III upon the addition of NaCl. Additionally, SP-II transformed into supramolecular polymer (SP-IV) upon the addition of Fe(BF₄)₂, through an on-pathway process. Both the morphological and emissive characteristics of the resulting supramolecular polymers can be fine-tuned via the Pt...Pt or Ag...Ag interactions as well as through the changes of the coordination geometry depending on the existing Ag⁺ or Fe²⁺ ions. The present results have important implications in expanding the scope of pathway complexity to produce a variety of products via kinetically controlled processes involving secondary metal ions and ligands.

Received 9th September 2024
Accepted 1st November 2024

DOI: 10.1039/d4sc06083k

rsc.li/chemical-science

Introduction

In both natural and artificial supramolecular systems, the formation of complicated multi-functional structures is often derived from concerted non-covalent interactions.^{1–13} The performance of specific functions in these systems requires

particular molecular and supramolecular organization. Such specificity can be especially challenging due to the coexistence of multiple competitive pathways, known as pathway complexity.^{14–16} In the realm of biomolecules, such pathways frequently give rise to multifaceted systems characterized by an array of structures and functionalities.^{17–19} Therefore, the concept of pathway complexity in supramolecular polymers (hereafter 'SPs') has emerged as an invaluable paradigm for mimicking inherent natural processes. In other words, the strategic modulation of pathway complexity holds the potential to herald the development of functionally advanced SPs with enhanced architectural sophistication.^{20,21}

Recently, several researchers have utilized the nature of pathway complexity to regulate the morphology and length of SPs.^{22–27} For example, some innovative attempts have been made in kinetically controlled supramolecular polymerization,

^aDepartment of Chemistry, Gyeongsang National University, Jinju 52828, Korea. E-mail: jonghwa@gnu.ac.kr^bResearch Institute of Advanced Materials Chemistry, Gyeongsang National University, Jinju 52828, Korea^cDepartment of Chemistry, Ulsan National Institute of Science and Technology, Ulsan 44919, Korea^dDepartment of Chemistry and Advanced Materials, Gangneung-Wonju National University, Gangneung 25457, Korea† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d4sc06083k>

emerging as pioneering strategies to yield self-assembled structures with properties surpassing those derived from equilibrium states.^{28–34} A promising alternative to attain kinetic control is the strategic design of monomers that are kinetically trapped with inactive conformations. Würthner and coworkers reported a perylene bisimide derivative where the monomeric state is stabilized by hydrogen bonding.³⁵ They further demonstrated a novel strategy to control supramolecular polymerization *via* a chaperone-like two components system as a new kinetic trapping method, utilizing a squaraine dye.³⁶ Similarly, Sánchez and colleagues reported the kinetically governed self-assembly behaviors of a suite of *N*-annulated perylenebisimides.³⁷ They employed the trialkoxybenzamide group, linked to the *N*-annulated perylene fragment comprising a variable count of methylene units to optimize the formation of an H-bonded pseudocycle, thereby moderating the supramolecular polymerization. In contrast, Sugiyasu, Takeuchi and coworkers elucidated that porphyrin entities spatially align in a *J*-aggregate, typified by face-to-face stacking but with substantial offset, as a kinetic manifestation.^{38,39} Following an initial latency period, this *J*-aggregate form transitioned to the H-aggregate, characterized by face-to-face stacking but with augmented overlap. These kinetic controls have opened new pathways, catalyzing programmable self-assembly that generates specific aggregated species marked by regulated polydispersity, particularly evident in block copolymerization scenarios.⁴⁰ To date, efforts to navigate the pathway complexity in purely organic π -conjugated systems have predominantly revolved around the integration of the amide functionality within the molecular blueprint, as well as the judicious alteration of temperature and solvent geometries to control aggregation modes.

Metallo-SPs incorporating d⁸ metal ions – namely, Pt(II), Pd(II) and Au(III) – and interfaced with ligands like terpyridine, pyridine-triazole, and pyridine-benzimidazole, have attracted substantial interest.^{41,42} This intrigue arises from their inherent photophysical properties, notably luminescence, coupled with their propensity for metal–metal and π – π interactions.^{43–46} With specific regard to the Pt(II) complex, Manners and colleagues pioneered their first attempt in 2015 to regulate the length of metallo-SPs based on tridentate pyridine-bis-tetrazole ligand.⁴⁷ The Yam, Eisenberg, Tung, and Chen groups have probed alkynyl terpyridine-centric tridentate ligands in homo-metal complex systems, motivated by their captivating photophysical characteristics and their ensuing diverse applicative potential spanning molecular recognition, pH sensing, biomolecular labeling and beyond.^{48–59} Yam and coworkers, in particular, have offered pivotal insights, elucidating the nexus between self-assembly dynamics and structure–property relation in the supramolecular polymerization of alkynylplatinum(II) terpyridine complexes.^{60–63}

In particular, bis-type ligands not only dictate the selective formation of mononuclear complexes, so-called metalloligands, depending on the binding affinity for metal ions but also produce a variety of complexes with different stoichiometric ratios. Among these, some complexes may act as intermediates in supramolecular polymerization. Moreover, introducing

a secondary ligand during supramolecular polymerization of the metalloligands might induce the formation of kinetic species due to competitive conditions which may suppress the spontaneous nucleation of monomers.

Thus, we envisioned that the modification of metalloligands based on bis-type amideterpyridine may not only induce the formation of SPs but also might introduce a kinetic trapping strategy in competitive conditions. To probe this hypothesis, in this work, we employed monoalkynylplatinum(II) diterpyridine complex (hereafter ‘Pt-L¹’) with one terpyridine terminal remaining unoccupied (Fig. 1). In addition to the self-assembly of Pt-L¹ alone, as depicted, the strategy involves the secondary metal ions (Ag⁺ and Fe²⁺) and ligands (bispyridine (hereafter ‘bpy’) and diaza-18-crown-6 (hereafter ‘DA18C6’)) to modulate the inherent pathway complexity associated with the Pt-L¹ based supramolecular polymerization. In particular, we have emphasized the influence of secondary metal ions and ligands on the new kinetically controlled process because this is the first example of employing this strategy systemically in metallosupramolecular polymerization to control the pathway. The details of our approaches and the related investigations are discussed below.

Results and discussion

Synthesis of a monomeric building block (Pt-L¹) and its reference compounds (Pt-L² and Pt-L³)

As a versatile metalloligand, Pt-L¹ was designed for supramolecular polymerization to be driven synergistically *via* a concerted combination of π – π stacking, intermolecular H-bond, and Pt...Pt interaction (Fig. 1). Incorporating an extended alkyl chain into the phenylacetylene framework is expected to promote fiber elongation, enhancing the flexibility of SPs. The unoccupied terpyridine site can be occupied by the secondary metal ion (*e.g.* Ag⁺), facilitating a metal–metal interaction, which may yield a pronounced helical structure.

The synthetic routes for the bis-type ligand and target metalloligands are shown in Scheme S1.† The chiral precursor *R*-L² incorporating an *R*-alanine moiety was prepared using a known procedure.⁶⁴ The bis-type ligand *R*-L¹ was synthesized by the reaction of *R*-L² with decanedioyl dichloride in the presence of triethylamine in dichloromethane. The precursor Pt-L³ (also as a reference compound) was prepared *via* the reaction of *R*-L¹ with dichloro(1,5-cyclooctadiene)platinum(II) to yield monochloroplatinum(II) complex PtCl-L², followed by the anion exchange with NH₄PF₆. The main target metalloligand Pt-L¹ was synthesized through the coupling of Pt-L³ with *N*-(4-ethylphenyl)stearamide (**R-1**, Scheme S2†) in the presence of CuI and diisopropylamine in dichloromethane. Another reference compound Pt-L² was obtained by reacting phenylacetylene in an identical condition.

Complexation behaviors of Pt-L¹ with the secondary metal ions (Ag⁺ and Fe²⁺)

As a preliminary study, the complexation stoichiometries between Pt-L¹ and secondary metal ions were investigated by






Fig. 1 (A) Chemical structures of Pt-L¹ and its reference compounds Pt-L² and Pt-L³. (B) Chemical structures of the secondary ligands (bpy and DA18C6). (C) Proposed formation mechanism of SPs from Pt-L¹ in the (a) absence and (b and c) presence of secondary metal ions (Ag⁺ and Fe²⁺); (a) SP-I formed by an isodesmic model and (b) SP-II (Pt-L¹/Ag⁺ = 2 : 2) and (c) SP-IV (Pt-L¹/Fe²⁺ = 2 : 1) with a left-handed helical structure formed by a cooperative model. (d and e) Partial chemical structures of the Pt-L¹ complexes with (d) Ag⁺ and (e) Fe²⁺ ions obtained by DFT calculation.

high-resolution electrospray ionization mass spectrometry (HR-ESI-MS) in DMSO/H₂O (9 : 1 v/v). In the presence of AgNO₃ (1.5–3.0 equiv.), the intense peak corresponding to a 1 : 1 species ([Pt-L¹Ag]²⁺, *m/z* 731.2876) was observed (Fig. S1–S5†). Some minor peaks corresponding to a 2 : 1 and a 3 : 2 species have vanished after 24 h ageing, reflecting the binding of one silver(I) to the free terpyridine moiety, regardless of the AgNO₃ concentration. When Fe(BF₄)₂ (1.5 equiv.) was used as a secondary metal ion source, initially [(Pt-L¹)₂Fe]⁴⁺ (major, *m/z* 691.8191) and [(Pt-L¹)Fe(H₂O)]³⁺ (minor) coexists (Fig. S6†). After 5 h, the major peak intensity for the 2 : 1 species enhanced, indicating that both terpyridine sites are occupied by Fe²⁺, forming a distorted octahedral coordination geometry as the thermodynamic product.

The complexation behaviors were also monitored by UV-vis measurements. The spectrum of Pt-L¹ displays prominent high-energy absorption bands spanning 290–370 nm and lower-energy bands in the 430–480 nm range (Fig. S7a†). These can be ascribed to the intraligand π – π^* transition and the metal-to-ligand charge transfer (MLCT), respectively, with a superimposed ligand-to-ligand charge transfer (LLCT). In the presence of AgNO₃ (1.5 equiv.), an alteration in the absorption tail in the 525–570 nm range is evident (Fig. S7a†), indicative of a metal-metal-to-ligand charge transfer (MMLCT) stemming from Pt···Pt interactions.⁶⁵ Interestingly, in the presence of Fe(BF₄)₂ (1.5 equiv.) (Fig. S7b†), a pronounced shoulder band in the 520–580 nm range appears unlike that of AgNO₃ probably

due to the stronger MLCT interactions⁶⁶ with Fe²⁺ over Ag⁺, similar to the results obtained from the HR-ESI-MS.

Supramolecular polymerization of Pt-L¹ without and with AgNO₃

In monitoring the supramolecular polymerization process including the mechanisms, time- and/or concentration-dependent measurements to follow the transition from dissolved monomeric species to the self-assembled aggregated state have been the mainstream. As shown in Fig. 2, the photoluminescence (PL) spectrum of Pt-L¹ exhibits a strong emission band with a maximum at ~565 nm dominated by the MLCT transition, indicating that the typical aggregation of the monomeric species occurs to form a supramolecular polymer




Fig. 2 (A) Time-dependent PL spectra of Pt-L¹ (3.0 mM, λ_{ex} = 420 nm) in DMSO/H₂O (9 : 1 v/v) at 293 K. (B) Plots for times vs. PL intensity (565 nm) of different concentrations of Pt-L¹ (1.5–3.0 mM).

(hereafter 'SP-I', see Fig. 1). In addition, the time-dependent spectra show no significant changes with time at 293 K, reflecting that SP-I is formed without Pt...Pt interactions, which we will discuss in the later part.⁶⁷ We also observed temperature-dependent PL spectral changes of SP-I in DMSO and H₂O (9 : 1 v/v). The PL band of SP-I observed in DMSO and H₂O (9 : 1 v/v) at 298 K increased as the temperature rose (Fig. S8A†), which can be attributed to the π - π stacking interactions between the terpyridine moieties of Pt-L¹ being disrupted as SP-I dissociates into monomeric species. This observation indicates that the PL band obtained at approximately 565 nm in the DMSO and H₂O (9 : 1 v/v) mixture is associated with the MLCT of SP-I. Additionally, an intense PL band of Pt-L¹ was observed at 560 nm in pure DMSO (Fig. S8B†). These observations suggest that the PL band detected at approximately 565 nm in the DMSO and H₂O (9 : 1 v/v) mixture is associated with the MLCT of SP-I. The absorbance of SP-I in DMSO and H₂O (9 : 1 v/v) around 280 nm is lower than that of monomeric Pt-L¹ in pure DMSO (Fig. S8C†), due to the formation of SP-I with nanoparticles, driven by π - π stacking interactions.

The influences of the secondary metal ions on the formation of SPs have been investigated. After the addition of AgNO₃ (1.5 equiv.) to Pt-L¹ (1.0–3.0 mM), interestingly, a new emission band around 620 nm appears and gradually increases with time (Fig. 3). The red-shift (from ~560 to ~620 nm, $\Delta\lambda$ = ~60 nm) with the intensity increase is mainly attributed to the Pt...Pt interactions characterized by MMLCT.⁶⁸ The PL profile with a plot of the intensity vs. time shows typical sigmoidal curves with a well-recognized lag phase. This result seems to be associated with the transient existence of [(Pt-L¹)₃Ag₂]⁵⁺ and [(Pt-L¹)₂Ag]³⁺, as evidenced by HR-ESI-MS data (Fig. S1†). Taken collectively, the above UV-vis, mass, and PL results for the complexations and supramolecular polymerizations suggest that SP-II generated in the presence of Ag⁺ seems to be derived from the aggregation of [(Pt-L¹)₂Ag₂]⁴⁺ featuring the Pt...Pt interactions. Moreover, as the concentrations of Pt-L¹ increase in the 1.5–3.0 mM range, a decrease in the duration of the lag phase is noted from 8 to 2 min (Fig. 3A and B), which could be related to the increased ratio of monomeric [(Pt-L¹)₂Ag₂]⁴⁺ (Fig. S5†). These observations suggest a buffered release and

self-nucleation of the monomer from SP-II, followed by autocatalytic growth of the remaining monomers *via* an on-pathway mechanism. When AgBF₄ and AgPF₆ were also employed in the same procedures, the lag times increased in the order of NO₃[−] < PF₆[−] < BF₄[−] (Fig. S9†), implying a kinetic tunability of the supramolecular polymerization depending on the anionic environment. We recorded the CD spectra of SP-I and SP-II in a DMSO/H₂O mixture (9 : 1 v/v) (Fig. S10†). A very weak positive CD signal for SP-I was detected around 325 nm, while a relatively stronger positive CD signal for SP-II was observed at approximately 335 nm in the presence of AgNO₃ (1.5 equiv.). These results suggest that SP-II forms a helical molecular arrangement, leading to the induction of chiral supramolecular polymers.

Distinct morphologies of the SPs were elucidated using atomic force microscopy (AFM). The SP-I assembled from Pt-L¹ alone features nanoparticles with a height of 3 nm (Fig. 4A). The SP-I with nanoparticles is formed from the monomeric Pt-L¹ in the DMSO and H₂O (9 : 1 v/v) mixture, where one portion of the terpyridine is coordinated with Pt(II) ion while another remains a free ligand. This asymmetric structure may contribute to the micellar property due to the higher polarity of the Pt(II)-coordinated portion compared to the free terpyridine portion, which shows a hydrophobic effect in the aqueous environment. Whereas SP-II assembled from Pt-L¹ with AgNO₃ (1.5 equiv.) shows a left-handed fiber structure with a height of 4 nm on the HOPG surface (Fig. 4B and S11†), probably due to the Ag...Ag interactions within a tetrahedral structure, as demonstrated by DFT calculations (Fig. 1C(d)).

Removal of Ag⁺ from SP-II: two different SPs with the same component

Having obtained SP-I and SP-II of types [Pt-L¹]_n and [(Pt-L¹)₂Ag₂]_n⁴⁺ respectively, by direct methods, we propose an indirect formation of a new SP of type [Pt-L¹]_n by removal of Ag⁺ from SP-II. Indeed, it is challenging to compare the new SP (hereafter 'SP-III', see Scheme 1) with SP-I because both products originate from different routes but contain the same




Fig. 3 (A) Time-dependent PL spectra of Pt-L¹ (2.0 mM, λ_{ex} = 420 nm) in the presence of AgNO₃ (1.5 equiv.) in DMSO/H₂O (9 : 1 v/v) at 293 K. (B) Plots for PL intensity at 620 nm vs. time at different concentrations of Pt-L¹ (1.5–3.0 mM) in the presence of AgNO₃ (1.5 equiv.).





Fig. 4 AFM images and height profiles of (A) SP-I (assembled from Pt-L¹ (3.0 mM) only), and (B) SP-II (assembled from Pt-L¹ (2.0 mM) + AgNO₃ (1.5 equiv.)) in DMSO and H₂O (9 : 1 v/v).





Scheme 1 Proposed formation mechanism of SP-II, SP-III and SP-VI in the presence of secondary metal ions: (A) AgNO₃ and (B) Fe(BF₄)₂, upon the addition of NaCl or Fe(BF₄)₂ to SP-II.

component. For this, an excess amount of Cl[−] (as NaCl) was added to SP-II solution to remove the bounded Ag⁺ (Scheme 1A). Upon addition, interestingly, the PL intensity at 620 nm increased by approximately 2-fold (Fig. S12†). This result is associated with the enhanced Pt⋯Pt interactions upon removal of Ag⁺. The distinct changes in the PL properties represent the appearance of a novel pathway. Moreover, SP-III exhibited a loosely packed left-handed fiber structure with a height of 6 nm (Fig. S13†) compared to SP-II. Furthermore, to demonstrate the presence of Ag⁺ ions in SP-II and SP-III before and after treatment with NaCl, the helical fibers were analyzed using scanning electron microscopy (SEM) combined with energy-dispersive spectrometry (EDS) microanalysis (Fig. S14†). The fibers of SP-II, prior to NaCl treatment, prominently displayed a characteristic peak associated with silver (Fig. S14B†). In contrast, the silver peak disappeared in the fiber of SP-III obtained after treatment with NaCl (6.0 equiv.) (Fig. S14D†). These findings suggest that SP-III consists solely of Pt-L¹ as a building block, without the presence of an Ag⁺ complex. Considering the combined results, the supramolecular polymerization of Pt-L¹ initially afforded SP-I as a kinetically controlled product. Meanwhile, SP-III obtained from SP-II *via* the removal of bounded Ag⁺ is thermodynamically stable (Scheme 1A). Consequently, the proposed give-and-take-away approach of the secondary metal ion is versatile for the controlled preparation of the kinetic and thermodynamic products.

Supramolecular polymerization of Pt-L¹ in the presence of Fe(BF₄)₂

When Fe²⁺ was used as a secondary metal ion by adding Fe(BF₄)₂ (1.5 equiv., Scheme 1B) to Pt-L¹, the time-dependent PL




Fig. 5 (A) Time-dependent PL spectra of Pt-L¹ (2.0 mM, $\lambda_{\text{ex}} = 420$ nm) in the presence of Fe(BF₄)₂ (1.5 equiv.) in DMSO/H₂O (9 : 1 v/v) at 293 K. (B) Plots for PL intensity at 650 nm vs. time at different concentrations of Pt-L¹ (1.5–3.0 mM) in the presence of Fe(BF₄)₂ (1.5 equiv.).

spectra showed a larger red-shift (from ~ 560 nm to ~ 650 nm, $\Delta\lambda = \sim 90$ nm) than that of Ag⁺ and stabilized within approximately 100 min, with the intensity decrease (Fig. 5A, hereafter ‘SP-IV’, see Fig. 1C). This pronounced red shift to 650 nm is ascribed to the formation of excimers within the [(Pt-L¹)₂Fe]⁴⁺ complex during the polymerization process.⁶⁹ Notably, the PL profiles displayed no lag phase (Fig. 5B), despite the coexistence of [(Pt-L¹)Fe]³⁺ and [(Pt-L¹)₂Fe]⁴⁺ with 1 : 1 and 2 : 1 stoichiometric ratios, respectively. According to our UV-vis titrations to determine the stability constants between Pt-L¹ and Fe²⁺, the above result could be explained by the higher stability of the 2 : 1 complex ($\log K = 11.87$) than the 1 : 1 complex ($\log K = 5.57$) (Fig. S15 and S16†). The stability constant of [(Pt-L¹)₂Fe]⁴⁺ is approximately 10⁶ times higher than that of the 1 : 1 complex, [(Pt-L¹)Fe]³⁺. Consequently, the 1 : 1 complex [(Pt-L¹)Fe]³⁺ rapidly converts to the 2 : 1 complex. Thus, no lag phase was observed in the presence of Fe²⁺ ions during the supramolecular polymerization because the 1 : 1 complex did not act as a kinetically trapped species in this process. SP-IV exhibits a left-handed fiber structure with a height of 5 nm (Fig. S17†). Consequently, the excimer [(Pt-L¹)₂Fe]⁴⁺ is an active precursor in forming SP-IV. The positive CD signal of SP-IV was also observed (Fig. S10c†), similar to that of SP-II, although its intensity was slightly lower compared to SP-II.

Supramolecular polymerization of Pt-L¹ in the presence of Ag⁺ and Fe²⁺ *via* on-pathway process

Having obtained the results with Ag⁺ and Fe²⁺ separately, a competitive metal system was performed. In this approach, SP-II of type [(Pt-L¹)₂Ag₂]_n⁴⁺ was prepared and then exposed to Fe²⁺ to induce the consecutive reaction in the competition condition (Scheme 1B). Practically, the time-dependent PL spectral evolution of SP-II was recorded in the presence of Fe(BF₄)₂ in DMSO/H₂O (9 : 1 v/v) (Fig. 6A and B). The added Fe²⁺ induced a notable red-shift from 620 nm to 630 nm and subsequently to 650 nm with an isosbestic point at 638 nm. The appearance of a new PL band near 631 nm is attributed to the metastable [(Pt-L¹)Fe]³⁺ complex *via* the replacement of Ag⁺ with Fe²⁺. The higher stability of the complex of Pt-L¹ with Fe²⁺ ($\log K = 11.87$ for a 2 : 1 complex) than with Ag⁺ ($\log K = 7.70$ for a 1 : 1 complex) supports the above spectroscopic results (Fig. S16†). In other words, the proposed competition condition allows the




Fig. 6 (A) Time-dependent PL spectra of SP-II (assembled from Pt-L¹ + 1.5 equiv. of AgNO₃, $\lambda_{\text{ex}} = 420$ nm) upon addition of Fe(BF₄)₂ (3.0 equiv.) in DMSO/H₂O (9 : 1 v/v) at 293 K, $\lambda_{\text{ex}} = 420$ nm. (B) Plots of PL intensity (at 650 nm) vs. times at different concentrations of Fe(BF₄)₂.



conversion of SP-II to SP-IV *via* the metastable intermediate $[(\text{Pt-L}^1)\text{Fe}]^{3+}$. Also, the duration of the lag phase from the sigmoidal PL profiles reduces with the increase of Fe^{2+} concentrations (Fig. 6B), indicating that the formation of SP-IV proceeds *via* an on-pathway mechanism retaining the left-handed helical shape (Fig. S18†). As a result, SP-IV can be generated in two routes; one is a direct method (*via* $\text{Pt-L}^1 + \text{Fe}^{2+}$) and another is a two-step method including competition condition (*via* $\text{SP-II} + \text{Fe}^{2+}$) (Scheme 1). Consequently, in a scenario where both Ag^+ and Fe^{2+} coexisted, the resulting SP-IV was identified to be a thermodynamic product (Scheme 1), whereas SP-II existed as the kinetic product in the presence of Fe^{2+} . The left-handed helical fiber structure of SP-IV (Fig. S18†) is attributed to the formation of an octahedral coordination complex in the presence of Fe^{2+} . The related thermodynamic studies are discussed in the later part. These results clearly show the decisive roles of the secondary metal ions in the pathway complexity of supramolecular polymerization depending on their relative reactivity.

Comparative studies with the reference compounds (Pt-L^2 and Pt-L^3)

To support the supramolecular polymerization behaviors of Pt-L^1 observed in the absence and presence of secondary metal ions, similar experiments were repeated using reference compounds Pt-L^2 and Pt-L^3 , in which phenylacetylene and PF_6 (as an R group) are bound to the Pt(II) center, respectively (Fig. 1). In the time-dependent PL spectra of Pt-L^2 and Pt-L^3 , each prominent MLCT band centered at ~ 560 nm shows no significant changes with time (Fig. S19†). In the presence of AgNO_3 or $\text{Fe}(\text{BF}_4)_2$, it is also noted that no appreciable spectral changes were observed (Fig. S20†), despite the ESI-MS results showing the formation of complexes of type $[(\text{Pt-L}^2)\text{Ag}]^{2+}$, $[(\text{Pt-L}^3)\text{Ag}]^{2+}$, $[(\text{Pt-L}^2)_2\text{Fe}]^{4+}$ or $[(\text{Pt-L}^3)_2\text{Fe}]^{4+}$ (Fig. S21–S24†), similar to the case of Pt-L^1 . These findings demonstrate that the flexibility of the extended alkyl chain in Pt-L^1 plays a pivotal role in promoting the formation of Pt...Pt interaction during supramolecular polymerization. The AFM images for the supramolecular aggregates of Pt-L^2 in both the absence and the presence of AgNO_3 or $\text{Fe}(\text{BF}_4)_2$ show a sheet structure with a thickness of 3 nm (Fig. S25†). Similarly, SPs of Pt-L^3 without a metal ion showed a sheet with a height of approximately 3 nm (Fig. S26†). These results suggest that the Pt...Pt and Ag...Ag interactions in Pt-L^1 play an essential role in forming the helical structure during supramolecular polymerization.

IR, Raman, and WXR D studies

To understand the reasons underlying the substantial enhancement of PL signal of the self-assembled Pt-L^1 with metal ions, we employed various recharacterization techniques such as FT-IR spectroscopy, Raman spectroscopy, and wide-angle X-ray diffraction (WXR D). In the FT-IR study, SP-I showed typical vibration bands of amide I and II at 1681 ($\text{C}=\text{O}$ stretch) and 1578 cm^{-1} (Fig. S27b†), respectively. For SP-II, the amide I and II bands shifted to lower wavenumbers of 1645 ($\text{C}=\text{O}$ stretch) and 1554 cm^{-1} , respectively (Fig. S27c†), probably due to the enhanced intermolecular H-bonds.^{70,71} In addition,

the vibration bands of SP-IV appeared at 1651 and 1550 cm^{-1} for amide I and II, respectively (Fig. S27d†). Additionally, the two NH stretching bands observed in the FT-IR spectra could be ascribed to the presence of two different types of amide bonds within the structures (Fig. S27a†). These results indicate that the intermolecular H-bonds observed in SP-II or SP-IV with a helical fiber structure are stronger than those observed in SP-I. The wide-angle X-ray diffraction (WXR D) patterns of SP-I show one small peak at $d = 3.20$, corresponding to π - π stacking (Fig. S28†). While, SP-II shows three peaks at $d = 3.20$, 2.82 and 2.79, which corresponds to π - π stacking, Pt-Pt, and Ag-Ag interactions, respectively. The Ag-Ag interaction in SP-II was observed at 120 cm^{-1} by the Raman spectroscopy (Fig. S29†).

Thermodynamic studies for the formation of SPs

In the presence of AgNO_3 and $\text{Fe}(\text{BF}_4)_2$, as can be seen in the above time-dependent PL and other studies, Pt-L^1 exhibited different supramolecular polymerization behaviors compared to the conditions without metal ions. To support or reconfirm these behaviors, temperature-dependent PL spectral changes were also studied. The heating profile of SP-I (1.0–3.0 mM) in the absence of metal ions displayed a sigmoidal trend (Fig. S30A and S31†), reflecting an immediate disassembly into monomers and the supramolecular polymerization proceeds *via* an isodesmic model. Conversely, in the presence of AgNO_3 and $\text{Fe}(\text{BF}_4)_2$, a marked reduction in the intensity at 620 or 650 nm was observed at 310 K and 320 K, respectively (Fig. S30B and C†). At the same time, there was an elevation in the intensity of the MLCT band centered around 560 nm (Fig. S30B and C†). Upon heating the solutions containing SP-II and SP-IV, the melting curves manifested a non-sigmoidal pattern (Fig. 7A and S32†). Taken collectively, these results suggest that both SP-II and SP-IV are formed *via* a cooperative model governed by a nucleation-elongation mechanism.

Upon determining the elongation binding constants (K_e) and/or elongation temperature (T_e) *via* curve fitting with cooperative model,⁷² the thermodynamic parameters (ΔG_e , ΔH_e and ΔS) were calculated using the van't Hoff plot (Fig. 7 and S31C†). For example, the negative value of ΔG_e for SP-III (-19.1 kJ mol^{-1}) is larger than that of SP-I (-17.8 kJ mol^{-1}) (Table 1), indicating that the SP-III with a left-handed helical





Fig. 7 (A) Degree of aggregation (α) in different concentrations of Pt-L^1 (2.0 mM) with 1.5 equiv. of (a) AgNO_3 and (b) $\text{Fe}(\text{BF}_4)_2$ as a function of temperature at 620 and 650 nm in DMSO/ H_2O (9 : 1 v/v). (B) Natural logarithm of the reciprocal C_T as a function of the reciprocal T_e showing the linear relationship.



	ΔH_e (kJ mol ⁻¹)	ΔS (J K ⁻¹ mol ⁻¹)	ΔG_e (kJ mol ⁻¹)
SP-I	-165.0	-494.2	-17.8
SP-II	-88.7	-231.6	-19.6
SP-IV	-75.8	-182.0	-21.5

Chem. Sci., 2024, 15, 19729–19738 | 19735

metallo-supramolecular polymerizations can also be kinetically regulated in the presence of a competing coligand. To elucidate the concept of kinetic control in such systems, we monitored the time-dependent PL spectra of Pt-L¹ in the presence of secondary ligands (bpy or DA18C6) upon coordination with AgNO₃ or Fe(BF₄)₂ (Fig. 9). When bpy was used, the time-dependent PL intensity at 620 nm showed sigmoidal progressions (Fig. 9B), reflecting the cooperative pathway formation. The PL peak intensity at 620 nm diminished in comparison to that observed in the absence of bpy. The lag time increases by 1.5 to 3.0-fold with increasing bpy concentrations attributed to the [(bpy)₂Ag]⁺ complex formation (Scheme 2) as evidenced by HR-ESI-MS (Fig. S35†). Consequently, some complexed species including [(bpy)₂Ag]⁺ (log *K* = 7.10, Fig. S36†) and [(Pt-L¹)(bpy)Ag]²⁺ serve as kinetic species during the supramolecular polymerization to build up SP-II of type [(Pt-L¹)₂Ag₂]_{*n*}⁴⁺ as a thermodynamic product (Fig. S37†). For comparison, pyridine was also employed as a secondary ligand. However, no significant changes were observed in the lag time for the supramolecular polymerization of a mixture containing Pt-L¹ and pyridine in the presence of AgNO₃ or Fe(BF₄)₂ (Fig. S38†), compared to pure Pt-L¹ with metal ions (Fig. 3 and 5). The result suggests that the pyridine complex has not served as an intermediate in controlling the kinetics, due to its weaker coordinating ability than bpy. In the parallel experiments with DA18C6 (Fig. S39†), a similar trend with bpy was observed and the elongated lag phases exceeded those observed with bpy, probably due to the formation of a 1:1 complex, [(DA18C6)Ag]⁺ (Scheme 2), as a kinetic complex with higher stability (log *K* = 7.22) than that of bpy (Fig. S40 and S41†). As a result, no secondary ligands were incorporated into the formation of SPs due to the absence of driving forces for the self-



Scheme 2 Proposed formation mechanism of SP-II in the presence of either (A) bpy and Ag⁺ or (B) DA18C6 and Ag⁺ as secondary ligands.

assembly. However, the secondary ligands competitively influence the kinetic control of supramolecular polymerization.

More interestingly, in the presence of bpy or DA18C6 and Fe²⁺, distinct lag phases (*t*₅₀ = 2.5 min with bpy and 3.5 min with DA18C6) were observed in the formation of SP-IV of [(Pt-L¹)₂Fe]⁴⁺ (Fig. 9C). The duration of the lag phase was kinetically modulated due to the formation of [(bpy)₃Fe]²⁺ or [(DA18C6)Fe]²⁺ as a kinetic complex (Fig. S42–S45†), influenced by the concentration of the second ligands. The PL spectral changes exhibited a sigmoidal progression, reflecting a cooperative polymerization pathway governed by a nucleation–elongation mechanism. The observed lag phase is attributed to the stable formation of [(bpy)₃Fe]²⁺ (log *K* = 11.56) (Fig. S46†), which are kinetically trapped species. Additionally, upon the addition of bpy to the equilibrium states of SP-II and SP-IV, no significant changes in PL intensity were observed (Fig. S47†). This result implied that bpy contributed to the kinetic pathway in supramolecular polymerization. Again, it is concluded that secondary ligand complexes can significantly influence kinetics as effective intermediates in metallo-supramolecular polymerization.

To realize the kinetic growth pathway of the cooperative supramolecular polymerization, the addition of AgNO₃ was modified. For example, 3.0 equiv. of AgNO₃ or Fe(BF₄)₂ was added in three divided steps with an equal amount (1.0 equiv. in each step) to the mixture of Pt-L¹ and bpy. As shown in Fig. 9D and S48†, the first addition resulted in a sigmoidal pattern, while the second and third were non-sigmoidal, suggesting that the SP formed during the first batch served as a nucleation seed. As shown in Fig. 9D, notably the magnitude of aggregation is reduced during the second and third batches (red and blue curved lines) compared to the first one (black curved line). The observed difference in the aggregation degree (*α*) during subsequent additions may be attributed to the *in situ* formation of kinetic products with the secondary ligand across the batches.

Conclusions

In summary, we have demonstrated a novel strategy for controlling the pathway for the supramolecular polymerization of a monoalkynylplatinum(II) terpyridine complex (Pt-L¹) by introducing secondary metal ions and ligands. By employing a kinetic trapping strategy through the formation of complexes with various coordination numbers in the presence of secondary metal ions, we were able to regulate spontaneous metallo-supramolecular polymerization. The introduction of the




Fig. 9 (A) Time-dependent PL spectra of a mixture of Pt-L¹ (2.0 mM), bpy (6 mM), and AgNO₃ (1.5 equiv.) in DMSO/H₂O (9 : 1 v/v) at 293 K, *λ*_{ex} = 420 nm. (B and C) Plots of the PL intensity at 620 or 650 nm vs. times for supramolecular polymerization in the mixed (B) Pt-L¹ and bpy with AgNO₃ (1.5 equiv.), and (C) the mixed Pt-L¹ and bpy with Fe(BF₄)₂ (1.5 equiv.) in DMSO/H₂O (9 : 1 v/v). (D) Plot showing the PL intensity (at 620 nm) vs. time of Pt-L¹ (2 mM) with stepwise addition of AgNO₃ (1.0–3.0 equiv.).



secondary metal ion to the Pt-L¹ solution produced kinetic complexes, which act as a key factor in the kinetic control. In particular, the addition of Ag⁺ induced a large red-shift due to the Pt...Pt and Ag...Ag interactions during the formation of supramolecular polymer. These Pt...Pt and/or Ag...Ag interactions during supramolecular polymerization also act as additional driving forces. Furthermore, the self-assembly process was precisely and kinetically controlled by introducing secondary ligands to create competition complexes. In the presence of secondary ligands, some kinetic complexes that form complexes with the secondary ligand act as efficient kinetic species. Therefore, it can be concluded that SP-I, as a kinetical product, is formed by an isodesmic model, whereas SP-II, SP-III and SP-IV are generated by a cooperative model *via* a nucleation–elongation mechanism. In particular, SP-II obtained in the presence of Ag⁺ ion transforms to SP-III or SP-IV through an on-pathway mechanism upon the introduction of NaCl or Fe(BF₄)₂. As a result, we have shown a novel methodology on how to control the pathway of metallosupramolecular polymerization precisely by employing secondary metal ions and/or ligands which form competitive complex species in the self-assembly process. Consequently, this study provides new insights into the molecular design that rationally governs the aggregation pathways of multi-component systems, with implications for the development of optical materials.

Data availability

The data supporting this article have been included as part of the ESI.†

Author contributions

M. K., H. C. and M. K. contributed to the design and performed the preparation and characterization of supramolecular polymers. S. K. and J. C. contributed ESI-MS observation. S. Y. and E. L. determined stability constants. J. H. J. and S. H. J. directed the project. All authors contributed to the discussion and the preparation of the paper.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This research was supported by the National Foundation of Korea (NRF) grant funded by the Korea government (MSIT) (2022R1A4A1022252, 2021R1A2C2007664, and RS-2023-00241926). The results for DFT calculation were obtained by the high-performance computing resources of the UNIST Supercomputing Center.

Notes and references

- 1 T. F. A. D. Greef, M. M. J. Smulders, M. Wolffs, A. P. H. J. Schenning, R. P. Sijbesma and E. W. Meijer, *Chem. Rev.*, 2009, **109**, 5687–5754.
- 2 C. Rest, R. Kandanelli and G. Fernandez, *Chem. Soc. Rev.*, 2015, **44**, 2543–2572.
- 3 S. I. Stupp, *Nano Lett.*, 2010, **10**, 4783–4786.
- 4 E. W. M. T. Aida and S. I. Stupp, *Science*, 2012, **335**, 813–817.
- 5 S. Sarkar, R. Laishram, D. Deb and S. J. George, *J. Am. Chem. Soc.*, 2023, **145**, 22009–22018.
- 6 Q. Wan, X. S. Xiao, W. P. To, W. Lu, Y. Chen, K. H. Low and C. M. Che, *Angew. Chem., Int. Ed.*, 2018, **57**, 17189–17193.
- 7 F. Wang and C. L. Feng, *Angew. Chem., Int. Ed.*, 2018, **57**, 5655–5659.
- 8 S. Yagai, *J. Photochem. Photobiol., C*, 2006, **7**, 164–182.
- 9 S. Yagai, Y. Kitamoto, S. Datta and B. Adhikari, *Acc. Chem. Res.*, 2019, **52**, 1325–1335.
- 10 S. L. Higashi and M. Ikeda, *JACS Au*, 2021, **1**, 1639–1646.
- 11 Y. J. Wang, X. Y. Shi, P. Xing and S. Q. Zang, *JACS Au*, 2023, **3**, 565–574.
- 12 B. S. Morozov, A. S. Oshchepkov, I. Klemm, A. M. Agafontsev, S. Krishna, F. Hampel, H. G. Xu, A. Mokhir, D. Guldi and E. Kataev, *JACS Au*, 2023, **3**, 964–977.
- 13 C. Li, J. Chen, T. Man, B. Chen, J. Li, Q. Li, X. Yang, Y. Wan, C. Fan and J. Shen, *JACS Au*, 2024, **4**, 1125–1133.
- 14 P. A. Korevaar, S. J. George, A. J. Markvoort, M. M. Smulders, P. A. Hilbers, A. P. Schenning, T. F. De Greef and E. W. Meijer, *Nature*, 2012, **481**, 492–496.
- 15 J. Matern, Y. Dorca, L. Sánchez and G. Fernandez, *Angew. Chem., Int. Ed.*, 2019, **58**, 16730–16740.
- 16 A. Sorrenti, J. Leira-Iglesias, A. J. Markvoort, T. F. A. de Greef and T. M. Hermans, *Chem. Soc. Rev.*, 2017, **46**, 5476–5490.
- 17 E. Mattia and S. Otto, *Nat. Nanotechnol.*, 2015, **10**, 111–119.
- 18 J. F. Stoddart, *Nat. Chem.*, 2009, **1**, 14–15.
- 19 G. M. Whitesides and R. F. Ismagilov, *Science*, 1999, **284**, 89–92.
- 20 A. Langenstroer, K. K. Kartha, Y. Dorca, J. Droste, V. Stepanenko, R. Q. Albuquerque, M. R. Hansen, L. Sánchez and G. Fernandez, *J. Am. Chem. Soc.*, 2019, **141**, 5192–5200.
- 21 N. Sasaki, M. F. J. Mabesoone, J. Kikkawa, T. Fukui, N. Shioya, T. Shimoaka, T. Hasegawa, H. Takagi, R. Haruki, N. Shimizu, S. I. Adachi, E. W. Meijer, M. Takeuchi and K. Sugiyasu, *Nat. Commun.*, 2020, **11**, 3578.
- 22 A. Jain, S. Dhiman, A. Dhayani, P. K. Vemula and S. J. George, *Nat. Commun.*, 2019, **10**, 450.
- 23 S. Ogi, C. Grzeszkiewicz and F. Würthner, *Chem. Sci.*, 2018, **9**, 2768–2773.
- 24 I. Helmers, G. Ghosh, R. Q. Albuquerque and G. Fernandez, *Angew. Chem., Int. Ed.*, 2021, **60**, 4368–4376.
- 25 S. Ogi, T. Fukui, M. L. Jue, M. Takeuchi and K. Sugiyasu, *Angew. Chem., Int. Ed.*, 2014, **53**, 14363–14367.
- 26 J. Matern, K. K. Kartha, L. Sánchez and G. Fernandez, *Chem. Sci.*, 2020, **11**, 6780–6788.



- 27 E. Weyandt, L. Leanza, R. Capelli, G. M. Pavan, G. Vantomme and E. W. Meijer, *Nat. Commun.*, 2022, **13**, 248.
- 28 L. Borsdorf, L. Herkert, N. Baumer, L. Rubert, B. Soberats, P. A. Korevaar, C. Bourque, C. Gatsogiannis and G. Fernandez, *J. Am. Chem. Soc.*, 2023, **145**, 8882–8895.
- 29 P. Khanra, A. K. Singh, L. Roy and A. Das, *J. Am. Chem. Soc.*, 2023, **145**, 5270–5284.
- 30 G. Liu, M. G. Humphrey, C. Zhang and Y. Zhao, *Chem. Soc. Rev.*, 2023, **52**, 4443–4487.
- 31 J. J. B. van der Tol, G. Vantomme and E. W. Meijer, *J. Am. Chem. Soc.*, 2023, **145**, 17987–17994.
- 32 F. Wang, R. Liao and F. Wang, *Angew. Chem., Int. Ed.*, 2023, **62**, e202305827.
- 33 F. Xu, S. Crespi, G. Pacella, Y. Fu, M. C. A. Stuart, Q. Zhang, G. Portale and B. L. Feringa, *J. Am. Chem. Soc.*, 2022, **144**, 6019–6027.
- 34 F. Xu, S. Crespi, L. Pfeifer, M. C. A. Stuart and B. L. Feringa, *CCS Chem.*, 2022, **4**, 2212–2220.
- 35 S. Ogi, V. Stepanenko, K. Sugiyasu, M. Takeuchi and F. Würthner, *J. Am. Chem. Soc.*, 2015, **137**, 3300–3307.
- 36 L. Kleine-Kleffmann, V. Stepanenko, K. Shoyama, M. Wehner and F. Würthner, *J. Am. Chem. Soc.*, 2023, **145**, 9144–9151.
- 37 C. Naranjo, S. Adalid, R. Gomez and L. Sánchez, *Angew. Chem., Int. Ed.*, 2023, **62**, e202218572.
- 38 S. Ogi, K. Sugiyasu, S. Manna, S. Samitsu and M. Takeuchi, *Nat. Chem.*, 2014, **6**, 188–195.
- 39 T. Fukui, S. Kawai, S. Fujinuma, Y. Matsushita, T. Yasuda, T. Sakurai, S. Seki, M. Takeuchi and K. Sugiyasu, *Nat. Chem.*, 2017, **9**, 493–499.
- 40 N. Sasaki, J. Kikkawa, Y. Ishii, T. Uchihashi, H. Imamura, M. Takeuchi and K. Sugiyasu, *Nat. Chem.*, 2023, **15**, 922–929.
- 41 A. Aliprandi, M. Mauro and L. De Cola, *Nat. Chem.*, 2016, **8**, 10–15.
- 42 Q. Wan, W.-P. To, X. Chang and C.-M. Che, *Phys. Chem.*, 2020, **6**, 945–967.
- 43 S. Carrara, A. Aliprandi, C. F. Hogan and L. De Cola, *J. Am. Chem. Soc.*, 2017, **139**, 14605–14610.
- 44 A. Galstyan, A. R. Naziruddin, C. Cebrián, A. Iordache, C. G. Daniliuc, L. De Cola and C. A. Strassert, *Eur. J. Inorg. Chem.*, 2015, **2015**, 5822–5831.
- 45 A. Haque, L. Xu, R. A. Al-Balushi, M. K. Al-Suti, R. Ilmi, Z. Guo, M. S. Khan, W.-Y. Wong and P. R. Raithby, *Chem. Soc. Rev.*, 2019, **48**, 5547–5563.
- 46 J. K. Poon, Z. Chen, S. Y. Leung, M. Y. Leung and V. W. Yam, *Proc. Natl. Acad. Sci. U. S. A.*, 2021, **118**, e2022829118.
- 47 M. E. Robinson, D. J. Lunn, A. Nazemi, G. R. Whittell, L. De Cola and I. Manners, *Chem. Commun.*, 2015, **51**, 15921–15924.
- 48 Y. Chen, C. M. Che and W. Lu, *Chem. Commun.*, 2015, **51**, 5371–5374.
- 49 P. Du, K. Knowles and R. Eisenberg, *J. Am. Chem. Soc.*, 2008, **130**, 2576–12577.
- 50 P. Du, J. Schneider, P. Jarosz and R. Eisenberg, *J. Am. Chem. Soc.*, 2006, **128**, 7726–7727.
- 51 X. Han, L. Z. Wu, G. Si, J. Pan, Q. Z. Yang, L. P. Zhang and C. H. Tung, *Chemistry*, 2007, **13**, 1231–1239.
- 52 E. C. H. Kwok, M. Y. Chan, K. M. C. Wong, W. H. Lam and V. W. W. Yam, *Chem.–Eur. J.*, 2010, **16**, 12244–12254.
- 53 M. Mauro, A. Aliprandi, D. Septiadi, N. S. Kehr and L. De Cola, *Chem. Soc. Rev.*, 2014, **43**, 4144–4166.
- 54 W.-S. Tang, X.-X. Lu, K. M.-C. Wong and V. W.-W. Yam, *J. Mater. Chem.*, 2005, **15**, 2714–2720.
- 55 K. M.-C. Wong and V. W.-W. YAM, *Acc. Chem. Res.*, 2011, **44**, 424–434.
- 56 V. W. Yam, V. K. Au and S. Y. Leung, *Chem. Rev.*, 2015, **115**, 7589–7728.
- 57 V. W. Yam, K. H. Chan, K. M. Wong and N. Zhu, *Chem.–Eur. J.*, 2005, **11**, 4535–4543.
- 58 D. Zhang, L.-Z. Wu, L. Zhou, X. Han, Q.-Z. Yang, L.-P. Zhang and C.-H. Tung, *J. Am. Chem. Soc.*, 2004, **126**, 3440–3441.
- 59 K. Zhang, M. C. Yeung, S. Y. Leung and V. W. Yam, *ACS Appl. Mater. Interfaces*, 2020, **12**, 8503–8512.
- 60 H.-Z. Wang, M. H.-Y. Chan, Z. Chen, Z.-Y. Chen, M.-Y. Leung and V. W.-W. Yam, *Chem.–Eur. J.*, 2023, **9**, 3573–3587.
- 61 S. K. Leung, A. K. Chan, S. Y. Leung, M. Y. Leung and V. W. Yam, *Chem. Sci.*, 2020, **11**, 499–507.
- 62 S. Y. Leung, K. M. Wong and V. W. Yam, *Proc. Natl. Acad. Sci. U. S. A.*, 2016, **113**, 2845–2850.
- 63 V. W.-W. Yam, K. M.-C. Wong and N. Zhu, *J. Am. Chem. Soc.*, 2002, **124**, 6506–6507.
- 64 M. Ok, K. Y. Kim, H. Choi, S. Kim, S. S. Lee, J. Cho, S. H. Jung and J. H. Jung, *Chem. Sci.*, 2022, **13**, 3109–3117.
- 65 S. G. Kang, K. Y. Kim, Y. Cho, D. Y. Jeong, J. H. Lee, T. Nishimura, S. S. Lee, S. K. Kwak, Y. You and J. H. Jung, *Angew. Chem., Int. Ed.*, 2022, **61**, e202207310.
- 66 S. M. Fatur, S. G. Shepard, R. F. Higgins, M. P. Shores and N. H. Damrauer, *J. Am. Chem. Soc.*, 2017, **139**, 4493–4505.
- 67 K. M.-C. Wong, W.-S. Tang, X.-X. Lu, N. Zhu and V. W.-W. Yam, *Inorg. Chem.*, 2005, **44**, 1492–1498.
- 68 M. Kim, M. Ok, C. Li, K. Go, S. Kim, J. Kim, J. H. Jung and S. H. Jung, *Inorg. Chem. Front.*, 2023, **10**, 768–775.
- 69 P. Pander, A. Sil, R. J. Salthouse, C. W. Harris, M. T. Walden, D. S. Yufit, J. A. G. Williams and F. B. Dias, *J. Mater. Chem. C*, 2022, **10**, 15084–15095.
- 70 W. Ji, C. Yuan, P. Chakraborty, S. Gilead, X. Yan and E. Gazit, *Commun. Chem.*, 2019, **2**, 1–11.
- 71 H. Jiang, M. O. Guler and S. I. Stupp, *Soft Matter*, 2007, **3**, 454–462.
- 72 M. M. Smulders, M. M. Nieuwenhuizen, T. F. de Greef, P. van der Schoot, A. P. Schenning and E. W. Meijer, *Chem.–Eur. J.*, 2010, **16**, 362–367.

